



PT 1 Duty - Pistols w/ RLS

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
AMT	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
Hardballer	5.00"	53	53	53							53	53	53	53							
Beretta	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
84FS	3.80"												62	62							
92/96Vertec M9A1	4.70"						73	73			73	73	73	73			73	73		X	
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"												73	73						X	
92BrigadierD	4.90"										373		173	173							
92BrigadierFS	4.90"										373		73	73							
92D	4.90"	73	73	73							73	73	173	173			73	73			
92DM	4.30"	73	73	73							73	73	173	173							
92DS	4.90"	73	73	73							73	73	173	173			73	73			
92F	4.90"	73	73	73			73	73			73	73	73	73	73	73	73	73			
92FC	4.30"		273								273	273	73	73	73	73					
92FCDA	4.30"		273										473	173							
92FCM	4.30"		273								273	273	73	73							
92FS	4.90"	73	73	73							73	73	73	73	73	73	73	73			
92FSCenturion	4.30"		273								273	273	73	73							
92G	4.90"	73	73	73							73	73	73	73	73	73	73	73			
96	4.90"	73	73	73							73	73	73	73	73	73	73	73			
96BrigadierD	4.90"										373		173	173							
96BrigadierG	4.90"										373		73	73							
96Centurion	4.30"		273								273	273	73	73							
96D	4.90"	73	73	73							73	73	173	173			73	73			
96DC	4.30"		273								273	273	473								
96DS	4.90"	73	73	73							73	73	173	173			73	73			
96DSBrigadierD	4.90"										373		173	173							
96F, 96FS	4.90"																73	73			
96G	4.90"	73	73	73							73	73	73	73			73	73			
96G SD, 92G SD	4.90"												73	73			73	73			
Cougar 8000,8040 CougarD DAO	3.60"		71								71		171	171							
Cougar8000, 8040 Cougar G, F, D	3.60"		71								71		71								
Cougar 8045F	3.60"										70		71	71							
Cougar 8357	3.60"		71								71										
M9	4.90"						73	73									73	73			
PX4 Storm DASA 9mm, .40	4.00"												180	180	180	180	180	180		X	
PX4 Storm DAO 9mm, .40	4.00"														180	180	180	180			
PX4 Storm .45ACP	4.10"														185	185	185	185			
Browning	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
HighPower9mm	4.66"		76								76		76	76							
High Power 9mm (Canadian Version)	4.60"												376	376							
HighPower9mm-tobecarrriedwithhammerdown PRO9	4.75"												1376							X	
Colt	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
CombatElite	5.00"	53	53	53							53	53	53	53							
Commander	4.25"		51								51										
DeltaElite	5.00"	53	53	53							53	53	53	53							
DeltaGoldCup	5.00"	53	53	53							53	53	53	53							
GoldCupNt'lMatch	5.00"	53	53	53							53	53	53	53							
Government.380	3.25"																				
Government1911	5.00"	53	53	53							53	53	53	53	53	53	53	53			
CZ	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
75,85	4.50"												90	90							
75 P-01	3.80"												290	290							
EAA	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"												90	90							

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
FN	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
Five-Seven	4.80"												61	61							
Browning PRO-9	4.00"												260	260							
FNP-9	4.00"												260	260							X
FNP-45	4.50"												261	261							X
FNS 9/40	4.00"												265	265							
FNX 9/40	4.00"												266	266							
Glock	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
17,17C,22,22C,31	4.50"	83	83	83	83	83					83	83	83	83	83	83	83	83	83		X
17 & 22, Dual Mag release	4.50"												983	983	983	983	983	983	983		X
19,19C,23,23C,25,32	4.00"	83	83	83	83	83					83	83	283	283	283	283	283	283	283		X
19 & 23 Dual Mag release	4.00"												9283	9283							
20,20C,21,21C	4.60"	383	383	383	383	383					383	383	383	383	383	383	383	383	383		X
21SF w/STD Glock Rails	4.60"	383	383	383	383	383					383	383	383	383			383	383	383		X
21SF w/Picatinny Rails	4.60"	383	383	383									383	383							X
26,27,33,28	3.50"												283	283							
26, 27, 33	3.50"																				X
29,30	3.78"				383	383									483	483	483	483	483		X
34,35	5.32"		683								683		683	683	683	683	683	683	683		X
36	3.75"												283	283							
37	4.50"				383	383					783	783	783	783	783	783	783	783	783		X
38	4.00"														783	783	783	783	783		X
Heckler&Koch	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
P7	4.10"												82	82							
P7M8	4.10"		82	82									82	82							
P7M13	4.10"		82	82									82	82							
P30	3.78"												295	295	295	295	295	295	295		X
P2000	3.50"																97	97			X
P2000 European Version w/light mount frame	3.62"												97	97	97	97					X
P2000 European Version and US Version w/light mount frame	3.50"												97	97	97	97					X
US Version P2000 DAO (bobbed hammer)	3.50"												297	297							X
US Version P2000 SC DAO (bobbed hammer)	3.25"												297	297							X
P3000																					X
USP 9,40	4.25"	91	91	91							91		93	93	91	91	91	91	91		
USP 9, 40 with Rubber Spurred Hammer (holster manufacture date of 2308 and after)	4.25"																91	91			
USP 9C,40C	3.58"		291								291		291	291	291	291	291	291	291		
USP45	4.41"		93								93	93	93	93							
USP45 Compact .45ACP	3.80"										293	293	293								
USP40 Expert, USP45 Expert	5.20"												96	96							
HK .45	4.25"		91	91							91	91	393	393							
HSAmerica	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
HS2000 9MM, 40, 357	4.00"												148	148							
Kimber	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
KIP45CUS	5.00"	53	53	53							53	53	53		53	53					
PROCarry1911	5.00"										52										
1911 with Tactical Rails	5.00"																				X
Gold Combat RL II, Warrior (w/light rail)	5.00"												56	56	56	56	56	56	56		X
ParaOrdance	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
14.45LDA	5.00"	53	53	53							53	53	53	53							
14.45LDALTD	5.00"	53	53	53							53	53	53	53							
14.45LDALTDSS	5.00"	53	53	53							53	53	53	53							
14.45LDASS	5.00"	53	53	53							53	53	53	53							
16.40LDALTD	5.00"	53	53	53							53	53	53	53							
16.40LDALTDSS	5.00"	53	53	53							53	53	53	53							
18.9LDA	5.00"	53	53	53							53	53	53	53							
18.9LDASS	5.00"	53	53	53							53	53	53	53							
7.45LDA	5.00"	53	53	53							53	53	53	53							
7.45LDALTD	5.00"	53	53	53							53	53	53	53							
7.45LDALTDSS	5.00"	53	53	53							53	53	53	53							
7.45LDASS	5.00"	53	53	53							53	53	53	53							
P13-45	4.25"		51								51										

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfrctr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
P13-45LTD	4.25"		51								51									
P13-45LTDSS	4.25"		51								51									
ParaOrdance	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
P13-45SS	4.25"		51								51									
P14-45	5.00"	53	53	53							53	53	53	53						
P14-45LTD	5.00"	53	53	53							53	53	53	53						
P14-45LTDSS	5.00"	53	53	53							53	53	53	53						
P14-45SS	5.00"	53	53	53							53	53	53	53						
P16-40	5.00"	53	53	53							53	53	53	53						
P16-40LTDSS	5.00"	53	53	53							53	53	53	53						
P16-40SS	5.00"	53	53	53							53	53	53	53						
P18-9	5.00"	53	53	53							53	53	53	53						
PXT 1911 with Light Rails																				X
Ruger	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
KP89	4.50"	67	67	67							65									
KP89DAO	4.50"	67	67	67							65									
KP89DAOW	4.50"	67	67	67							65									
KP89DC	4.50"	67	67	67							65									
KP89DW	4.50"	67	67	67							65									
KP89W	4.50"	67	67	67							65									
KP90	4.50"	67	67	67							67									
KP90DC	4.50"	67	67	67							67									
KP90DW	4.50"	67	67	67							67									
KP90W	4.50"	67	67	67							67									
KP91DAO	4.50"	67	67	67							67									
Ruger	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
KP91DC	4.50"	67	67	67							67									
KP93	3.88"		69																	
KP94,KP944W,KP944DW	4.25"		69										69							
KP944DAOW,KP944	4.25"		69										69							
KP944DC,KP944DAO	4.25"		69										69							
KP94DAO	4.25"		69																	
KP94DC	4.25"		69										69							
P345	4.00"		69	69									69	69						
P85	4.50"	67	67	67							65									
P89	4.50"	67	67	67							65									
P89DC	4.50"	67	67	67							65									
P89W,P89DW	4.50"	67	67	67							65									
P90.45CAL.	4.50"	67	67	67							67									
P90DC	4.50"	67	67	67							67									
P91DAO	4.50"	67	67	67							67									
P91DC	4.50"	67	67	67							67									
P95D,KP95D	4.25"		69																	
P95DAO,KP95DAO	4.25"		69																	
SR9	4.00"		84	84																

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
SigSauer	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
P220 before gun serial number G158180	4.41"	77	77	77							77	77	77	77	77	77	77	77		
P226 DAK/DASA before serial gun number 365426	4.41"	77	77	77							77	77	77	77	77	77	77	77		
P220ST StainlessSteel P220R, P220S, P226R P226S, P226SO with Accessory Rails DASA	4.41"	77	77	77							777	777	77	77	774	774	774	774		X
P220afterS/NG158180(widetriggerguard)	4.41"										777	777								
P225	3.90"	74	74	74							79	79	74	74	79		79	79		
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"		277	277							1774	1774	277	277	774	774	774	774		
P226DAO,P220DAO	4.41"	77	77	77							777	777	77	77	77	77	77	77		
P226afterS/N365426(wide trigger guard)	4.41"										777	777								
P220R Compact	3.75"												74	74						
P226R Elite	4.41"										777	777			774	774				
P228	3.90"	74	74	74							74	74	74	74	74	74	74	74		
P228R	3.90"																			X
P229	3.90"	74	74	74							74	74	74	74	74	74	74	74		
P229R DASA spurred hammer w/light rails	3.90"		744	744							744	744	74	74	744	744	744	744		X
P229R DAK bobbed hammer w/light rails	3.90"										1744	1744	174	174	744	744	744	744		X
P239 (will only fit 9mm as of manufactured date 4603)	3.63"		75								75	75	75	75						
P239 caliber 40 & 357	3.63"		75								754	754	75	75						
P239 DAK	3.63"										75	75								
P250 Compact 9mm, .40	3.88"												750	750	750	750	750	750		X
P250 Full Size 9mm, .40, .45	4.70"												450	450	450	450	450	450		
SIGProSP2340,2009	3.88"		78	78							78	78	78	78						
SIGPro SPC2009-w light mount rails	3.50"												278	278						X
P2022spurred hammer	3.87"												278	278	278	278	278	278		X
Sig Arms GSR Revolution 1911	5.00"												256	256						
Smith&Wesson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
39	4.00"	140	140	140							18	18								
59	4.00"	140	140	140							18	18								
410	4.00"	19	19																	
411	4.00"	140	140	140							140	140								
439	4.00"	140	140	140							18	18								
459	4.00"	140	140	140							18	18								
469	3.50"	20	20								20									
639	4.00"	140	140	140							18	18								
645	5.00"	23	23									23	210	210						
659	4.00"	140	140	140							18	18								
669	3.50"	20	20								20									
909	4.00"		19																	
910	4.00"		19																	
915	4.00"	140	140	140							18									
1006	5.00"	210	210	210							210	210	210	210						
1026	5.00"	210	210	210							210	210								
1066	4.25"		410								315	315								
1076	4.25"		310								310	310								
1086	4.25"		410								410	410								
3904	4.00"	140	140	140							18	18								
3906	4.00"	140	140	140							18	18								
3913	3.50"	20	20								20									

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfrctr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Smith&Wesson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
3953	3.50"	240	240	240	420	420					218	218								
4006	4.00"	140	140	140							140	140	140	140						
4006 Bobbed Hammer without Light Rails	4.00"		200CHP-140	2005CHP-140									6280CHP-140	6285CHP-140						
4013	3.50"		423								540									
4026	4.00"	140	140	140							140	140								
4043	4.00"												140	140						
4046	4.00"	240	240	240							240	240	140	140						
4053	3.50"		410								340		340							
4506	5.00"	23	23								23	23	210	210						
4526	5.00"	210	210	210							210	210	210	210						
4536	3.75"		423																	
4556	3.75"		410																	
4566	4.25"		410								315	315	210	210						
4576	4.25"		310								310	310								
4586	4.25"		410								410	410	210							
5903	4.00"	140	140	140							18	18	140	140						
5904	4.00"	140	140	140							18	18	140	140						
5923	4.00"	140	140	140							18	18								
5924	4.00"	140	140	140							18	18								
5926	4.00"	140	140	140							18	18								
6904	3.50"	20	20								20		20							
6924	3.50"	20	20								20		20							
6926	3.50"	20	20								20		20							
39533954	3.50"	240	240	240	420	420					218	218								
3913LS	3.50"	20	20								20									
3913NL	3.50"	20	20								20									
3913TSW w/o lightmnt	3.50"	20	20																	
3914LS	3.50"	20	20								20									
3953TSW	3.50"	240	240	240	420	420														
3953TSW w/o lightmnt	3.50"	240	240	240	420	420														
4006TSW w/PICATINNY Rails, 4006TSW w/STD. Rails BOBBED HAMMER ONLY	4.00"										141	141	141	141						X
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails)	4.00"		140								520	520	140	140						
4013TSW w/o lightmnt	3.50"	20	20										20							
4053TSW w/o lightmnt	3.50"	240	240	240	420	420														
4056TSW w/o lightmnt	3.50"	240	240	240	420	420														
4506-1	5.00"	210	210	210							210	210	210	210						
Smith&Wesson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
4513TSW w/ light rails	3.50"										423									
4513TSW w/o lightmnt	3.50"		423								423									
4516-1Ver.II.4516-2	3.75"		423								423									
4553TSW (6-1/2" Over All Slide Length) N/A for size 6-3/4" Over All Slide Length	3.75"										610	610								
4553TSW w/o lightmnt	3.50"		410								410	410								
4563TSW,4566TSW,4583TSW,4586TSW(with rails)	4.25"										430		210	210						
5903TSW,5906TSW (manufacturing date of 4603),5943TSW,5946TSW(with rails)	4.00"		140								520	520	140	140						
5946 & 5943 DAO Without Rails	4.00"														320	320	320	320		
5906lgrtriggrd	4.00"	140	140	140							18	18								
5906shrtrtriggrd	4.00"	140	140	140							18	18	140	140						
5943shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140						
5944shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140						
5946lgrtriggrd	4.00"	240	240	240							218	218								
5946shrtrtriggrd	4.00"	240	240	240	420	420					218	218	140	140						
6906lgrtriggrd	3.50"	20	20																	
6906shrtrtriggrd	3.50"	20	20								20		20							
6944shrtrtriggrd	3.50"	240	240	240	420	420					218	218								
6946lgrtriggrd	3.50"	240	240	240							218	218								
6946shrtrtriggrd	3.50"	240	240	240	420	420					218	218								
Sigma40,9mm	4.50"	40	40	40							40		40	40						

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Smith&Wesson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Sigma9C,40C,40V,9V,9E	4.00"		39								40		40	40						
Sigma9F,40F	4.50"	40	40	40							40		40	40						
Smith&Wesson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
SW99 9mm & .40	4.00"		84	84							84		84	84	84	84	84	84		
SW99 45ACP	4.25"												86	86						
M&P 9mm & .40 with & without thumb safety	4.50"										619	619	219	219	219	219	219	219		X
M&P 9mm & .40 with thumb safety	4.50"												619	619	619	619	619	619		
M&P 9C & 40C without thumb safety	3.375"														219	219	219	219		
M&P 9C & 40C with thumb safety	3.375"												719	719						
M&P 9L	5.00"												819	819	819	819	819	819		
M&P 9L with thumb safety	5.00"														820	820	820	820		
M&P .45 without thumb safety	4.50"												519	519	419	419	419	419		X
M&P .45 with or without thumb safety	4.50"												519	519	519	519	519	519		X
M&P .45C without thumb safety	4.00"														919	919	919	919		
M&P .45C with thumb safety	4.00"														920	920	920	920		X
1911	5.00"														53	53	53	53		
1911 w/ Tactical Rails	5.00"														56	56	56	56		X
Sphinx	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
3000 cocked and locked or with hammer down	3.75"												182	182						
3000 cocked and locked or with hammer down	4.50"												182	182						
SpringfieldArmory	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Model1911-A1	5.00"	53	53	53							53	53	53	53	53	53	53	53		
Operator1911-A1	5.00"										56	56	56	56	56	56	56	56		X
XD 9mm, .40, .45, & .357	4.00"												148	148	148	148	148	148		X
XD 9, 40, 45 and .357	5.00"												149	149	149	149	149	149		X
XD (M) 9mm	4.50"												149	149	145	145	145	145		X
XD(M) .40	4.50"												149	149	146	146	146	146		X
XD (M) .45	4.50"												149	149	146	146	146	146		
Stinger	BBL.	2	200	2005	295	2955			5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
S-200										164			164	164						
STI/SVI	BBL.	2	200	2005	295	2955			5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
1911 with rails	5.00"												56	56	56	56				X
1911 without rails	5.00"																53	53		
STI Tactical	5.00"												56	56	56	56				
Steyr	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
M40	4.00"												98	98						
Tangfolio	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Force	3.66"												262	262						
Force Full Size	4.50"												362	362						
Taser International	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
Advanced Taser M26										63			63	63						63
X26										64			64	64						64
X2									264											264
X3										163			163	163						163
Taurus	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
24/7 w/accy rails	4.00"												40	40						X
PT92, PT99C	5.00"	73	73	73							73	73								
PT99	5.00"	73	73	73							73	73								
PT99C	4.00"	73	73	73							73	73								
PT92C	4.00"	73	73	73							73	73								
Walther	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS
P5	3.50"		87										87	87						
P99	4.00"		84	84							84		84	84	84	84	84	84		
P99Q	4.00"												384	384						
P99QA	4.00"												84	84			84	84		
P99C QA	3.50"		84	84									84	84	284	284	284	284		

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters-Pistols

Revised: 12/7/11

GunMnfrctr./Model	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
Wilson	BBL.	2	200	2005	295	2955	3280	3285	5122	520	070	0705	6280	6285	6390	6395	6360	6365	6520	RLS	
1911 CQB w/light rail	5.00"												56	56	56	56					X
1911	4.88"	53	53	53							53	53	53	53							
<p>Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for or the consequences resulting from such errors and urges any user of this information to personally check for holster/handgun compatibility using actual products.</p> <p>RLS NOTE: The RLS will fit most handguns with standard light rails, and also Shotguns & Long Guns with Picatinny Light Rails; N/A for Handguns without Light Rails</p>																					