



PT 4 Concealment with & without Lights - Pistols

Gun/Mnfcntr./Model	BBL.	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
AMT	BBL.	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
Harballer	5.00"		53	53	53	53	53					53	53		53	53					
Beretta	BBL.	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
92/96Vertec M9A1	4.70"					73						73								73	
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"						49														
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"						49					73									
92BrigadierD	4.90"											173					140				
92BrigadierFS	4.90"											73	73				140				
92_Brigadier	4.90"						49													73	
92D	4.90"			73		73	53	73	73	73	73	173				73	140	73	73		
92DM	4.30"			73		73	53	73	73	73	73	173				73	140				
92DS	4.90"			73		73	53	73	73	73	73	173				73	140				
92F	4.90"			73		73	53	73	73	73	73	73	73			73	140	73	73		
92FC	4.30"			73		273	51			73	73	73	73			73	140				
92FCDA	4.30"			73		73	51			73	73	173	473			73	140				
92FCM	4.30"			73		273	51			73	73	73	73			73	140				
92FS	4.90"			73		73	53	73	73	73	73	73	73			73	140	73	73		
92FSCenturion	4.30"			73		273	51			73	73	73	73			73	140				
92G	4.90"			73		73	53	73	73	73	73	73	73			73	140			73	
92GELITE	4.90"																				
96	4.90"			73		73	53	73	73	73	73	73	73			73	140				
96BrigadierD	4.90"						53					173									
96BrigadierG	4.90"						53					73	73								
96_Brigadier	4.90"																			73	
96Centurion	4.30"					273	51			73	73	73	73			73	140				
96D	4.90"			73		73	53	73	73	73	73	173				73	140			73	
96DC	4.30"			73		273	51			73	73	173				73	140				
96DS	4.90"			73		73	53	73	73	73	73	173				73	140				
96DSBrigadierD	4.90"						53					173					140				
96F 96FS	4.90"																			73	
96G	4.90"			73		73	53	73	73	73	73	73	73			73	140			73	
96G SD, 92G SD	4.90"											73									
Cougar8000, 8040 Cougar D DAO	3.60"					71	54					171	71				140				
Cougar8000,8040 Cougar G, F, D	3.60"					71	54				71	71	71			140					
Cougar8045F	3.60"											71									
Cougar8357	3.60"					71															
PX4 Storm 9mm & .40 DAO Only	4.00"																		181		
PX4 Storm 9mm & .40 DASA Only	4.00"		77		278				180						283		140		180	180	
PX4 Storm .45ACP	4.00"																		185	185	
With Lights																					
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light NOTE: Holster will not retain weapon without light attached.	4.90"											7321									
92F, 92FS, 92B 92 Brigader w/Surefire P116	4.90"											736									
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"											73421									
92 Sure-Fire Nitrolon Light P116C,P116D, P116 NOTE: Holster will retain weapon without light attached	4.90"											736									
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"											7346									
Vertec 92F, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"								73421			73421									
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"											18021									
Browning																					
BDM9mm	4.73"		18				53									176	140				
HighPower9mm	4.66"						53					76									
Hi Power 9mm (Canadian Version)	4.60"											376									
Caspian with Lights																					
1911 w/Military Mount with Beamshot Model 8800	5.00"	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
												5322									
Colt																					
CombatElite	5.00"	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
CombatTarget	5.00"		53	53	53	53	53	53	53			53	53		53	53					
Commander	4.25"		53	53		51	51	51	51							53					
DeltaElite	5.00"		53	53	53	53	53	53	53			53	53		53	53					
DeltaGoldCup	5.00"		53	53	53	53	53	53	53			53	53		53	53					
GoldCupNtIIMatch	5.00"		53	53	53	53	53	53	53			53	53		53	53					
Government.380	3.25"							89							53						
Government1911	5.00"	53	53	53	53	53	53	53	53			53	53		53	53		53	53		
Mustang	2.75"							89													

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 6/17/10

GunMnfrctr./Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Officer's.45ACP	3.50"			53		54	54	54	54							53				
With Lights																				
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"											530								
CZ		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
75.85	4.50"						51	99	99			90				99	140			
75 P-01	3.80"											290								
EAA		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"						51	99	99			90				99	140			
FN		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Five-Seven	4.80"											61								
FNP-9/Browning PRO-9	4.00"		77	383	74		744					260								
FNP-45	4.50"						744					261								
FNX-9/40	3 7/8"						744										140			
With Lights																				
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"											6121								
Glock		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
17.17C,22.22C,31 (.357)	4.50"	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	140	83	83	283
17 & 22, Dual Mag release	4.50"											983							983	
19,19C,23,23C,25,32	4.00"	283	83	83	283	283	54	283	283	283	283	283	283	283	283	83	140	283	283	283
19 & 23, Dual Mag release	4.00"											9283								
20,20C,21,21C,	4.60"		383			383	83	383	383	383	383	383	383			383	140	383	383	383
21SF w/STD Glock Rails	4.60"						83	383	383	383	383	383	383			383	140	383	383	
21SF w/Picatinny Rails	4.60"						49					383								
33,28	3.50"		83	83	183	183	54	183	183	183	283	183	283		183	83	140	183		283
26, 27	3.50"	183	83	83	183	183	54	183	183	183	283	283	283	183	183	83	140	183		
29,30	3.78"					483	83	483	483	483	483		483	483		383	140	483	483	483
34,35	5.32"		83				49		683						83	140			683	283
36	3.75"		83				54					283	483						283	
37	4.50"		383				49	383				783					140		783	783
38	4.00"						83												783	
39	3.38"			383			744		383								140		883	
With Lights																				
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								832			832								
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"																	832	832	
17, 22 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								8321											
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"								8310			8310								
17, 22 w/ Surefire X200 or X300	4.50"											836								
17, 22, w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo)	4.50"																			8310
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"											8312								
17, 22, 31 with ITI M3X or M6X	4.50"											8312								
17, 22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"								8312											
17, 22, 31,23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"											8321								
17, 22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"											8341								
17, 22, Dual Magazine Release with ITI M3	4.50"											9832								
17, 22 Dual Magazine Release and Glock GTL10 Light	4.50"											9832								
17, 22 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"											98310								
19,19C,23,23C w/ Surefire X200 or X300	4.00"											2830								
19, 23 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.00"																	2832	2832	
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A for Glock light system GTL21,GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"											2837								
20, 21 w/STD Glock Rails, 37 W/ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"								3832											

GunMnfr/Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"								38321											
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Surefire X200, X300	4.60"																	3832	3832	
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"											3830								
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"											38321								
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; Note: holsters listed will not retain the handgun without the light attached												38321								
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"											938321								
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	5.32"											6832								
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"											68321								
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"								68321											
37 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"																			7832
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"											7832								
37 with Glock Tactical Light, GTL 10 (light only)	4.50"											7837								
Heckler&Koch		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
P7M8	4.10"											82	82							
P7M13	4.10"											82	82							
P30 DAO	3.78"		295		295	295			295			295	82	295				295	295	
P2000	3.50"						744		97									97	97	97
P2000 P2000SC	3.25"						744		297											
P2000 European Version w/light mount frame	3.62"			97			744			97		97								
P2000 European Version and US Version w/light mount frame	3.50"			97			744			97		97								
US Version P2000 DAO (bobbed hammer)	3.50"						744		297				297					97		
US Version P2000 SC DAO (bobbed hammer)	3.25"						744		297				297							
USP 9, 40	4.25"							91	83	91	91		93	91				140	91	91
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																			91
USP9C.40C	3.58"					291	54	291		291	291	291	291		291			140	291	
USP45	4.53"						83	91	393			93	93					140		
USP45Compact.45ACP	3.8"											293		293				140		
USP40 Expert	5.20"								96											
USP45 Expert	5.20"						49		96											
HK 45	4.25"						83	74				393								
With Lights																				
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"								932											
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Holsters will not retain weapon without the light attached	4.41"								1930			1930								
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"											1936								
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon Note: The Holster will not retain weapon without light attached.	4.25"											9221								
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"											19312								
USP 9, USP .40 with Spurred Hammer and Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.13"											9321								
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"											2910								

GunMnfrctr /Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"											29111									
USP .45 with Spurred Hammer and Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.41"											9321									
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"											9711									
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"																				
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch)	3.50"											9710									
P2000 Europea Version with B & T adaptor (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"											9721									
P30L with ITI M3X or M6X Light	4.44"								39512			39512									
HSAmerica		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
HS2000 9MM, 40, 357	4.00"											148					140				
KAHR		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
E9, K9, K40	3.50"			53		54	54														
Kimber		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
KIP45CUS	5.00"			53	53	53	53	53	53			53	53		53	53					
1911	5.00"								56									53		53	
Pro Carry 1911	4.00"																	52			
Gold Combat RL II, Warrior (w/light rail)	5.00"						53		56			56	56		56			56		56	
With Lights		18																			
1911 w/rails: Gold Combat RL; Custom TLE/RL w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"								5340			5340									560
ParaOrdnance		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
12.45LDA	3.50"			53		54	54	54													
12.45LDASS	3.50"			53		54	54	54													
14.40LDASS	3.50"			53		54	54	54													
14.45LDA	5.00"		53	53		53	53	53	53			53	53								
14.45LDALTD	5.00"		53	53		53	53	53	53			53	53								
14.45LDALTDSS	5.00"		53	53		53	53	53	53			53	53								
14.45LDASS	5.00"		53	53		53	53	53	53			53	53								
16.40LDALTD	5.00"		53	53		53	53	53	53			53	53								
16.40LDALTDSS	5.00"		53	53		53	53	53	53			53	53								
18.9LDA	5.00"		53	53		53	53	53	53			53	53								
18.9LDASS	5.00"		53	53		53	53	53	53			53	53								
7.45LDA	5.00"		53	53		53	53	53	53			53	53								
7.45LDALTD	5.00"		53	53		53	53	53	53			53	53								
7.45LDALTDSS	5.00"		53	53		53	53	53	53			53	53								
7.45LDASS	5.00"		53	53		53	53	53	53			53	53								
Carry.45ACP	3.00"			53		54	54	54													
Companion.45ACP	3.50"			53		54	54	54													
P12-45LTDSS	3.50"			53		54	54	54													
P12-45SS	3.50"			53		54	54	54													
P13-45	4.25"		53	53		51	51	51													
P13-45LTD	4.25"		53	53		51	51	51													
P13-45LTDSS	4.25"		53	53		51	51	51													
P13-45SS	4.25"		53	53		51	51	51													
P-14	5.00"		53			53	53	53	53												
P14-45	5.00"		53	53	53	53	53	53	53			53	53		53						
P14-45LTD	5.00"		53	53		53	53	53	53			53	53								
P14-45LTDSS	5.00"		53	53		53	53	53	53			53	53								
P14-45SS	5.00"		53	53		53	53	53	53			53	53								
P16-40	5.00"		53	53		53	53	53	53			53	53								
P16-40LTDSS	5.00"		53	53		53	53	53	53			53	53								
P16-40SS	5.00"		53	53		53	53	53	53			53	53								
P18-9	5.00"		53	53		53	53	53	53			53	53								
Ruger		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051	
KP89	4.50"					65	83	65													140
KP89DAO	4.50"					65	83	65													140
KP89DAOW	4.50"					65	83	65													140
KP89DC	4.50"					65	83	65													140
KP89DW	4.50"					65	83	65													140
KP89W	4.50"					65	83	65													140
KP90	4.50"					65	49														140
KP90DC	4.50"					67															140

GunMnfrctr./Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
KP90DW	4.50"					67											140			
KP90W	4.50"					67											140			
KP91DAO	4.50"					67	49										140			
Ruger		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
KP91DC	4.50"					67	49										140			
KP93	3.88"						744										140			
KP94, KP944W, KP944DW	4.25"						744										140			
KP944DAO, KP944	4.25"																140			
KP944DC, KP944DAO	4.25"																140			
P345	4.00"			383			83								77					
P85	4.50"					65	83	65									140			
P89	4.50"					65	83	65									140			
P89DC	4.50"					65	83	65									140			
P89W, P89DW	4.50"					65	83	65									140			
P90, 45CAL.	4.50"					67	49										140			
P90DC	4.50"					67											140			
P91DAO	4.50"					67											140			
P91DC	4.50"					67	49										140			
P95D, KP95D	4.25"						744										140			
P95DAO, KP95DAO	4.25"						744										140			
SR9	4.00"						54								84		140			
SigSauer		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
P220 before gun serial number (G158180), P226 before serial gun number (365426)	4.41"	77	77	77		77	744	77	77		77	77	77			77	140	77	77	77
P220STStainlessSteel P220R, P220S, P226R, P226S, P226SO with Accessory Rails	4.41"				77	77				777	774	77	77		77			77	77	77
P220afterS/N G158180(widetriggerguard)	4.41"																			
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"						744													
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"						49													
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"									777		277						774	774	774
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"																	774	774	774
P226DAO, P220DAO	4.41"	77	77	77		77	83	77		777	77	77	77			77	140			
P220R, P226R	4.41"									774										
P226afterS/N 365426(widetriggerguard)	4.41"																			
P220R Compact	3.75"				77	744	744					74	291				140			
P225	3.90"		77	77		79	54	79	74			74				77	140	79	79	79
P228	3.90"	74	77	77	74	79	54	79	74	74	74	74	74	744	74	77	140	74	74	74
P229	3.90"	74	77	77	74	74	54	74	74	74	74	74	74	744	74	74	140	74	74	74
P229R DASA spurred hammer w/light rails	3.90"				74	744	744		744	744		74	74	744	74			744	744	744
P229R DAK bobbed hammer w/light rails	3.90"					744	744		744	744		174						744	744	744
P230	3.62"					85										85				
P239 (will only fit 9mm as of manufactured date 4603)	3.63"			77		75	54			75		75					140			
P239 .40 & .357	3.63"	75		77	75	75	54			75		75			75		140			
P239 9mm	3.63"																	75		
P239 .40	3.63"																	754		
P245	3.90"			77			83	74									140			
P250 Compact 9mm, .40 N/A for Picatinny Rails	3.88"											750								750
SIGProSP2340, 2009	3.88"			77	74	78		78		78	78	78	74	78	74					
SIGPro SPC2009-wlightmountrails	3.50"						744					278								
P2022spurred hammer	3.50"					78		78				278						278	278	
Sig Arms GSR Revolution 1911	5.00"						53					256								
With Lights																				
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"											27821								
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"								77421											
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"											7721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"											27721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"											2770								

GunMnfrct/Model	BBL.	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"											778								
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"											77421								
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"											77412								
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"											7740								
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"											7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"											7712								
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"											778								
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Litght Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"											77421								
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"											7700								
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300	4.41"																	7742		
P220R, P226R with MOLAD Light Laser	4.41"											77413								
P226R X-Five with Surefire X200 or X300 light	5.00"											3770								
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"											7421								
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"											74421								
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"											17421								
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"											17412								
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"											1740								
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.90"											7440								
P229R with ITI M3, TLR-1, Surefire X200, X300	3.90"																			7442
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"											2782								
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"											25621								
Smith&Wesson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378	6367	1051
39	4.00"		83	18		18	83	18		18							140			
59	4.00"		83	18		18	83	18		18							140			
410	4.00"						83									19	140			
411	4.00"				140	140	83			140			140		140		140			
439	4.00"		83	18		18	83	18		18							140			
457	4.00"						83										140			

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 6/17/10

GunMnfr/Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
459	4.00"		83	18		18	83	18		18							140			
469	3.50"		83	18		20	54	20									140			
639	4.00"		83	18		18	83	18		18							140			
645	5.00"						23	53				210				320	140			
659	4.00"		83	18		18	83	18		18							140			
669	3.50"		83	18		20	54	20									140			
908	3.50"						54										140			
909	4.00"						83									19	140			
910	4.00"						83									19	140			
915	4.00"					18	83	18		18						118	140			
1006	5.00"						53					210	210			320	140			
1026	5.00"						53					210				320	140			
1046	5.00"						53									320	140			
1066	4.25"					410	83									320	140			
1076	4.25"					310	83									320	140			
1086	4.25"					410	83									320	140			
2213	3.00"															36	140			
3904	4.00"		83	18	140	18	83	18		18			140		140	118	140			
3906	4.00"		83	18	140	18	83	18		18			140		140	118	140			
3913	3.50"		83	18		20	54	20		20			20			118	140			
Smith&Wesson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
3953	3.50"			18			54	20								320	140			
4006	4.00"		83	140	140	140	83			140		140	140		140	320	140			
4013	3.50"		83				423	54								320	140			
4026	4.00"		83	140	140	140	83			140			140		140		140			
4043	4.00"											140								
4046	4.00"		83	140	140	240	83			140		140	140		140	320	140			
4053	3.50"		83				54										140			
4506	5.00"						53					210				320	140			
4526	5.00"						53					210				320	140			
4536	3.75"		83			423	54									320	140			
4546	5.00"						53										140			
4556	3.75"		83				54										140			
4566	4.25"					410	83									320	140			
4576	4.25"					310	83									320	140			
4586	4.25"					410	83					210					140			
5903	4.00"		83	18	140	18	83	18		18		140	140		140	118	140			
5904	4.00"		83	18	140	18	83	18		18		140	140		140	118	140			
5923	4.00"		83	18		18	83	18		18						118	140			
5924	4.00"		83	18		18	83	18		18						118	140			
5926	4.00"		83	18		18	83	18		18						118	140			
6904	3.50"		83	18		20	54	20		20			20			118	140			
6924	3.50"		83	18		20	54	20		20			20			118	140			
6926	3.50"		83	18		20	54	20		20			20			118	140			
3953 3954	3.50"			18			54	20		20		321				320	140			
3913LS	3.50"		83	18		20		20					20				140			
3913NL	3.50"		83	18		20		20					20				140			
3913TSW, 3953TSW (with rails)	3.50"																140			
3913TSW w/o lightmnt	3.50"			18		20	54	20					20			118	140			
3914LS	3.50"		83	18		20		20					20				140			
3953TSW	3.50"			18				20								320	140			
3953TSW w/o lightmnt	3.50"			18				20								320	140			
4006TSW w/Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"											141								
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW (with rails)	4.00"						744										140			
4013TSW, 4053TSW (with rails)	3.50"																140			
4013TSW w/o lightmnt	3.50"			18		20	54	20					20			118	140			
4053TSW w/o lightmnt	3.50"			18			54	20								320	140			
4056TSW w/o lightmnt	3.50"			18			54	20								320	140			
4506-1	5.00"					23	53					210	210			320	140			
Smith&Wesson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
4513TSW, 4553TSW (with rails)	3.50"																140			
4513TSW w/ lightmnt	3.50"						423	744								320	140			
4516-1 Ver. II, 4516-2	3.75"		83				423	54								320	140			
4553TSW w/o lightmnt	3.50"						410	54												
4563TSW, 4566TSW (with rails)							430													
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"											210					140			
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"		83				83					140					140			
5906lqtriqrdd	4.00"			18		18	83	18		18							140			
5906shrrtriqrdd	4.00"		83	18	140	18	83	18		18		140	140		140	118	140			
5943shrrtriqrdd	4.00"			18	140		83	18		18		140	140		140	320	140			
5944shrrtriqrdd	4.00"			18	140		83	18		18		140	140		140	320	140			
5946lqtriqrdd	4.00"		83	18			83	18		18							140			
5946shrrtriqrdd	4.00"		83	18	140		83	18		18		140	140		140	320	140			
5946 & 5943 DAO without Rails	4.00"																	320		
6906lqtriqrdd	3.50"			18		20	54	20									140			
6906shrrtriqrdd	3.50"			18		20	54	20		20			20			118	140			
6944shrrtriqrdd	3.50"		83	18			54	20								320	140			
6946lqtriqrdd	3.50"		83	18			54	20									140			

GunMnfr/Model	BBL	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
6946shrttrigard	3.50"		83	18			54	20								320	140			
ChiefsSpecialCS40	3.25"						54													
ChiefsSpecialCS45	3.25"			83			54													
ChiefsSpecialCS9	3.00"			83			54													
Sigma380	3.00"					38										40		140		
Sigma40,9mm	4.50"					40	83	40				40				40				
Smith&Wesson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Sigma9C,40C,40V,9V,9E	4.00"			40		39	83	40				40	39			40	140			
Sigma9F,40F	4.50"			40		40	83	40				40				40				
Smith&Wesson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
SW99 9mm & .40	4.00"					84	744			84		84		84				84	84	84
SW99 45ACP	4.25"											86								
M&P 9mm & .40	4.50"	219	83	383	74	39	83	40	219			219	74		74	74	140	319	219	219
M&P 9mm & .40 with thumb safety	4.50"					619				619		619		619						
M&P 9mm & .40	5.00"								819	819										
M&P 9C & .40C	3.38"		83	83	48	291	83	291	97			719	291		48	83		319	219	
M&P 9C & .40C with thumb safety	3.38"					719														
M&P 9L	5.00"											819								
M&P .45 without thumb safety	4.50"		83	383			83					519						419	419	
M&P .45 with or without thumb safety	4.50"						83					519						519	519	
M&P .45C without thumb safety	4.00"																	919	919	
M&P .45C with thumb safety	4.00"																	920	920	
1911	5.00"		53				53											53	53	
1911 w/Tactical Rails	5.00"						53		56									56	56	
With Lights																				
4566 TSW w/light rails and ITI Streamlight M5	4.13"											4302								
4566TSW w/Picatinny Rails and ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon light	4.25"																			4302
M&P 9 & .40 W/ M3 or M6, ITI TRL-1 or TRL-2	4.50"											21921								
M&P 9mm & .40 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Light	4.50"																	2192	2192	
M&P 9mm & .40 with SureFire X200, X300	4.50"											2190								
M&P .45 without thumb safety with ITI M3,TLR-1, Surefire X200, X300,or Insight XTI Procyon lights	4.50"																	4192	4192	
M&P .45 with or without thumb safety with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon lights	4.50"											51921								
M&P .45 with or without thumb safety with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights	4.50"																	5192	5192	
M&P 45C without thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"																	9192	9192	
M&P 45C with thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"																	9202	9202	
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																			560
Sphinx		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
3000 cocked and locked or with hammer down	3.75"											182								
3000 cocked and locked or with hammer down	4.50"						49					182								
With Lights																				
3000 cocked and locked w/ITI LAM light	3.75"											1825								
3000 cocked and locked w/ITI LAM light	4.50"											1825								
Springfield Armory		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Model1911-A1	5.00"		53	53	53	53	53	53	53			53	53		53	53		53	53	
Operator1911-A1	5.00"											56			56			56	56	
XD-45, XD-9, XD-40, XD-357	4.00"						744					148			48			148		
XD 9, 40, 45 and .357	5.00"				49							149			49			149	149	
XD 9mm & .40 Subcompact	3.00"	47										47								
XDM 9mm & .40	4.50"						49					149			49		140	149	149	
XD(M) .40	4.50"	47			49							149			49		140	146	146	
XD(M) 9mm	4.50"	47			49							149			49		140	145	145	
With Lights																				
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"											5621								
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"											530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"											5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"											5612								
Operator 1911-A1 with Surefire X200 or X300 light	5.00"								5340											560
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light Note: Holster will NOT retain weapon without light attached	4.00"								14821			14821								

GunMnfrctr /Model	BBL.	18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
XD 40 & 45 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																		1482	
XD 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																		462	
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached Note: Holster will NOT retain weapon without light attached	5.00"								14921			14921								
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	5.00"																		1492	
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																	145	1452	
XD(M) 40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																	146	1462	
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"								14921			14921								
STI/SVI		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
1911 with rails	5.00"						53		56			56						56		
1911 without rails	5.00"		53	53		53	53	53	53									53	53	
STI Tactical	5.00"						53					56								
GP6	4.25"						83													
With Lights																				
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"											5340								
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"											5621								
Stinger		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
S-200												164								
Taser International		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
Advanced Taser M26												63								
X26												64								
Taurus		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
247/ w/accy rails	4.00"			77		39	83	40	74			40	83	78						
PT92, PT99C	5.00"			73		73	53	73	73		73					73	140			
PT99	5.00"			73		73	53	73	73		73					73	140			
PT99C	4.00"			73		273	51	73	73		73					73	140			
PT92C	4.00"			73		273	51	73	73		73					73	140			
PP	3.86"			89			89									89				
Walther		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
PKK	3.27"			89		89		89					89			89				
PPKS	3.27"			89		89		89					89			89				
P5	3.50"						53					87								
P99	4.00"					84	54			84			84					84	84	84
P99QA	4.00"																	84	84	84
P99C QA	3.50"					84								84				84	284	84
P99 2008 Version	4.00"																	384		
Wilson		18	27	527	528	518	567/568/569	5181	5187/5188/5189	0701	0707/0708	6287	328	329	747	1060	1090	6377/6378/6379	6367	1051
1911 CQB w/light rail	5.00"						744													
1911	4.88"					53	53	53	53			53								
With Lights																				
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"								5340			5340								560

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.