



PT 4 Concealment with & without Lights - Pistols

Gun/Mnfr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
AMT	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Hardballer	5.00"			53	53	53	53	53					53	53		53	53	1090	6377/6378/6379	6367	1051
Beretta	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
92/96Vertec M9A1	4.70"						73						73								73
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"							49													
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"							49					73								
92BrigadierD	4.90"							53					173					140			
92BrigadierFS	4.90"							53					73	73				140			
92 Brigadier	4.90"							49													73
92D	4.90"				73		73	53	73	73		73	173					140	73		73
92DM	4.30"				73		73	53	73	73		73	173					140			
92DS	4.90"				73		73	53	73	73		73	173					140			
92F	4.90"				73		73	53	73	73		73	73	73				140	73		73
92FC	4.30"				73		273	51				73	73	73				140			
92FCDA	4.30"				73		73	51				73	173	473				140			
92FCM	4.30"				73		273	51				73	73	73				140			
92FS	4.90"				73		73	53	73	73		73	73	73				140	73		73
92FSCenturion	4.30"				73		273	51				73	73	73				140			
92G	4.90"				73		73	53	73	73		73	73	73				140			73
92GELITE	4.90"																				
96	4.90"				73		73	53	73	73		73	73	73				140			
96BrigadierD	4.90"							53					173								
96BrigadierG	4.90"							53					73	73							
96 Brigadier	4.90"																				73
96Centurion	4.30"				73		273	51				73	73	73				140			
96D	4.90"				73		73	53	73	73		73	173					140			73
96DC	4.30"				73		273	51				73	173					140			
96DS	4.90"				73		73	53	73	73		73	173					140			
96DSBrigadierD	4.90"							53					173					140			
96F 96FS	4.90"																				73
96G	4.90"				73		73	53	73	73		73	73	73				140			73
96G SD, 92G SD	4.90"												73								
Cougar8000, 8040 Cougar D DAO	3.60"						71	54					171	71				140			
Cougar8000,8040 Cougar G, F, D	3.60"						71	54					71	71				140			
Cougar8045F	3.60"												71								
Cougar8357	3.60"						71														
PX4 Storm 9mm & .40 DAO Only	4.00"																				181
PX4 Storm 9mm & .40 DASA Only	4.00"			77		278		744		180			180			283	283	140			180
PX4 Storm .45ACP	4.00"																				185
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light NOTE: Holster will not retain weapon without light attached.	4.90"												7321								
92F, 92FS, 92B 92 Brigadier w/Surefire P116	4.90"												736								
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"												73421								
92,Sure-Fire Nitrolon Light P116C,P116D, P116 NOTE: Holster will retain weapon without light attached	4.90"												736								
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"												7346								
Vertec 92F, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"									73421			73421								
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"												18021								
Browning	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
BDM9mm	4.73"				18			53										140			
HighPower9mm	4.66"							53					76								
Hi Power 9mm (Canadian Version)	4.60"												376								
Caspian with Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 w/Military Mount with Beamshot Model 8800	5.00"												5322								
Colt	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
CombatElite	5.00"			53	53	53	53	53	53	53	53		53	53		53	53				
CombatTarget	5.00"												53								
Commander	4.25"			53	53		51	51	51	51											
DeltaElite	5.00"			53	53	53	53	53	53	53	53		53	53		53	53				
DeltaGoldCup	5.00"			53	53	53	53	53	53	53	53		53	53		53	53				
GoldCupNtIMatch	5.00"			53	53	53	53	53	53	53	53		53	53		53	53				

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 12/7/11

GunMfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Colt	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Government.380	3.25"					53			89							53	53				
Government1911	5.00"	53		53	53	53	53	53	53	53	53		53	53		53	53		53	53	
Mustang	2.75"								89												
Officer's.45ACP	3.50"				53		54	54	54	54											
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"												530								
CZ	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
75,85	4.50"							51	99	99			90					140			
75 P-01	3.80"												290								
EAA	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"							51	99	99			90					140			
FN	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Five-Seven	4.80"							49					61								
FNP-9/Browning PRO-9	4.00"			77	383	74		744					260								
FNP-45	4.50"							744					261								
FNS-9/40	4.00"										265		265								
FNX-9/40	4.00"							744			266		266					140			
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"												6121								
Glock	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
17,17C,22,22C,31 (.357)	4.50"	83		83	83	83	83	83	83	83	83	83	83	83	83	83	83	140	83	83	283
17 & 22, Dual Mag release	4.50"												983								983
19,19C,23,23C,25,32	4.00"	283		83	83	283	283	54	283	283	283	283	283	283	283	283	283	140	283	283	283
19 & 23, Dual Mag release	4.00"												9283								
20,20C,21,21C,	4.60"				383		383	83	383	383	383		383	383				140	383	383	383
21SF w/STD Glock Rails	4.60"							83		383	383		383	383				140	383	383	
21SF w/Picatinny Rails	4.60"							49					383								
33,28	3.50"			83	83	183	183	54	183	183	183	183	183	283		183	183	140	183		283
26, 27	3.50"	183		83	83	183	183	54	183	183	183	183	183	283	283	183	183	140	183		
29,30	3.78"						483	83	483	483		483		483	483			140	483	483	483
34,35	5.32"				83			49		683								140	683	683	283
36	3.75"				83			54					283	483					283		
37	4.50"			383				49	383				783					140	783	783	
38	4.00"							83											783		
39	3.38"				383		483	744	483	483								140	883		
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"									832			832								
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"																		832	832	
17, 22 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"									8321											
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"									8310			8310								
17, 22 w/ Surefire X200 or X300	4.50"												836								
17, 22, w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo)	4.50"																			8310	
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"												8312								
17, 22, 31 with ITI M3X or M6X	4.50"												8312								
17, 22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"									8312											
17, 22, 31,23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"												8321								
17, 22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"												8341								
17, 22, Dual Magazine Release with ITI M3	4.50"												9832								
17, 22 Dual Magazine Release and Glock GTL10 Light	4.50"												9832								

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
Glock	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
With Lights																						
17, 22 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"												98310									
19,19C,23,23C w/ Surefire X200 or X300	4.00"												2830									
19, 23 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.00"																		2832	2832		
19 with Surefire X300	4.00"										3832											
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21,GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"												2837									
20, 21 w/STD Glock Rails, 37 W/ ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"										3832											
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"										38321											
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Surefire X200, X300	4.60"																		3832	3832		
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"												3830									
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"												38321									
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; Note: holsters listed will not retain the handgun without the light attached													38321									
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"												938321									
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	5.32"												6832									
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"												68321									
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"									68321												
37 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"																				7832	
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"												7832									
37 with Glock Tactical Light, GTL 10 (light only)	4.50"												7837									
Heckler & Koch	BBL.	18		27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
P7M8	4.10"												82	82								
P7M13	4.10"												82	82								
P30 DAO	3.78"			295		295	295			295	295		295		295				295	295		
P2000	3.50"							744		97									97	97	97	
P2000, P2000SC	3.25"							744		297												
P2000 European Version w/light mount frame	3.62"				97			744					97									
P2000 European Version and US Version w/light mount frame	3.50"				97			744					97									
US Version P2000 DAO (bobbed hammer)	3.50"							744		297				297					97			
US Version P2000 SC DAO (bobbed hammer)	3.25"							744		297				297								
USP 9, 40	4.25"						91	83	91	91			93	91				140	91	91		
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																				91	
USP9C,40C	3.58"						291	54	291			291	291	291		291		140	291			
USP45	4.53"							83	91	393			93	93				140				
USP45Compact.45ACP	3.80"												293		293			140				
USP40 Expert	5.20"									96			96									
USP45 Expert	5.20"							49		96			96									
HK .45	4.25"							83	74				393									

GunMfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Heckler & Koch	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
With Lights																					
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"									932											
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Holsters will not retain weapon without the light attached	4.41"									1930			1930								
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"												1936								
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon Note: The Holster will not retain weapon without light attached.	4.25"												9221								
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"												19312								
USP 9, USP .40 with Spurred Hammer and Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.13"												9321								
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"												2910								
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"												29111								
USP .45 with Spurred Hammer and Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.41"												9321								
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"												9711								
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"																				
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim- switch)	3.50"												9710								
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"												9721								
P30L with ITI M3X or M6X Light	4.44"									39512			39512								
HSAmerica	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
HS2000 9MM, 40, 357	4.00"												148					140			
KAHR	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
E9,K9,K40	3.50"				53		54	54													
P380	2.50"		189																		
PM9	3.00"		186																		
Kimber	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
KIP45CUS	5.00"			53	53	53	53	53	53	53	53		53	53		53	53				
1911	5.00"									56									53	53	
Pro Carry 1911	4.00"																		52		
Gold Combat RL II, Warrior (w/light rail)	5.00"							53		56			56	56		56			56	56	
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 w/rails: Gold Combat RL;Custom TLE/RL w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"									5340			5340							560	
Magnum Research	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Baby Eagle	4.00"							49													

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 12/7/11

GunMnfr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
Para Ordnance	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
12.45LDA	3.50"				53		54	54	54													
12.45LDASS	3.50"				53		54	54	54													
14.40LDASS	3.50"				53		54	54	54													
14.45LDA	5.00"			53	53		53	53	53	53	53		53	53								
14.45LDALTD	5.00"			53	53		53	53	53	53	53		53	53								
14.45LDALTDSS	5.00"			53	53		53	53	53	53	53		53	53								
14.45LDASS	5.00"			53	53		53	53	53	53	53		53	53								
16.40LDALTD	5.00"			53	53		53	53	53	53	53		53	53								
16.40LDALTDSS	5.00"			53	53		53	53	53	53	53		53	53								
18.9LDA	5.00"			53	53		53	53	53	53	53		53	53								
18.9LDASS	5.00"			53	53		53	53	53	53	53		53	53								
7.45LDA	5.00"			53	53		53	53	53	53	53		53	53								
7.45LDALTD	5.00"			53	53		53	53	53	53	53		53	53								
7.45LDALTDSS	5.00"			53	53		53	53	53	53	53		53	53								
7.45LDASS	5.00"			53	53		53	53	53	53	53		53	53								
Carry.45ACP	3.00"				53		54	54	54													
Companion.45ACP	3.50"				53		54	54	54													
P12-45LTDSS	3.50"				53		54	54	54													
P12-45SS	3.50"				53		54	54	54													
P13-45	4.25"			53	53		51	51	51													
P13-45LTD	4.25"			53	53		51	51	51													
P13-45LTDSS	4.25"			53	53		51	51	51													
P13-45SS	4.25"			53	53		51	51	51													
P-14	5.00"			53				53	53	53	53											
P14-45	5.00"			53	53	53	53	53	53	53	53		53	53		53	53					
P14-45LTD	5.00"			53	53		53	53	53	53	53		53	53								
P14-45LTDSS	5.00"			53	53		53	53	53	53	53		53	53								
P14-45SS	5.00"			53	53		53	53	53	53	53		53	53								
P16-40	5.00"			53	53		53	53	53	53	53		53	53								
P16-40LTDSS	5.00"			53	53		53	53	53	53	53		53	53								
P16-40SS	5.00"			53	53		53	53	53	53	53		53	53								
P18-9	5.00"			53	53		53	53	53	53	53		53	53								
Ruger	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
KP89	4.50"						65	83	65										140			
KP89DAO	4.50"						65	83	65										140			
KP89DAOOW	4.50"						65	83	65										140			
KP89DC	4.50"						65	83	65										140			
KP89DW	4.50"						65	83	65										140			
KP89W	4.50"						65	83	65										140			
KP90	4.50"						65	49											140			
KP90DC	4.50"						67												140			
KP90DW	4.50"						67												140			
KP90W	4.50"						67												140			
KP91DAO	4.50"						67	49											140			
KP91DC	4.50"						67	49											140			
KP93	3.88"							744											140			
KP94,KP944W,KP944DW	4.25"							744											140			
KP944DAOOW,KP944	4.25"																		140			
KP944DC,KP944DAO	4.25"																		140			
P345	4.00"				383			83									77	77				
P85	4.50"						65	83	65										140			
P89	4.50"						65	83	65										140			
P89DC	4.50"						65	83	65										140			
P89W,P89DW	4.50"						65	83	65										140			
P90.45CAL.	4.50"						67	49											140			
P90DC	4.50"						67												140			
P91DAO	4.50"						67												140			
P91DC	4.50"						67	49											140			
P95D,KP95D	4.25"							744											140			
P95DAO,KP95DAO	4.25"							744											140			
LCP	2.75"		188																			
SR9	4.00"				77			54							84				140			
SigSauer	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051	
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77		77	77		77	744	77	77			77	77				140	77	77	77	
P220STStainlessSteel P220R,P220S,P226R ,P226S,P226SO withAccessoryRails	4.41"					77	77					777	77	77		77	77		77	77	77	
P220afterS/NG158180(widetriggerguard)	4.41"																					
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"							744														
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"							49														
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"											777	277						774	774	774	
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"																		774	774	774	
P226DAO,P220DAO	4.41"	77		77	77		77	83	77			777	77	77				140				

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
SigSauer	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
P220R, P226R	4.41"									774											
P226afterS/N365426(widetriggerguard)	4.41"																				
P220R Compact	3.75"					77	744	744					74	291				140			
P226R Elite	4.41"							49										140	774		
P225	3.90"			77	77		79	54	79	74			74					140	79	79	79
P228	3.90"	74		77	77	74	79	54	79	74		74	74	74	744	74	74	140	74	74	74
P229	3.90"	74		77	77	74	74	54	74	74		74	74	74	744	74	74	140	74	74	74
P229R DASA spurred hammer w/light rails	3.90"					74	744	744		744		744	74	74	744	74	74		744	744	744
P229R DAK bobbed hammer w/light rails	3.90"						744	744		744		744	174						744	744	744
P230	3.62"						85														
P239 (will only fit 9mm as of manufactured date 4603)	3.63"				77		75	54				75	75					140			
P239 .40 & .357	3.63"	75			77	75	75	54				75	75			75	75	140			
P239 9mm	3.63"																		75		
P239 .40	3.63"																		754		
P245	3.90"				77			83	74									140			
P250 Compact 9/40	3.88"							49					750						750	750	
P250 Full Size 9mm, .40, .45	4.70"																			450	
SIGProSP2340,2009	3.88"				77	74	78		78			78	78	74	78	74	74				
SIGPro SPC2009-wlightmountrails	3.50"							744					278								
P2022spurred hammer	3.50"						78		78				278						278	278	
Sig Arms GSR Revolution 1911	5.00"							53					256								
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"												27821								
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"									77421											
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"												7721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"												27721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"												2770								
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"												778								
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"												77421								
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"												77412								
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"												7740								
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"												7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"												7712								
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"												778								

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
SigSauer	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
With Lights																					
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Inisght XTI Procyon.	4.41"												77421								
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"												7700								
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300	4.41"																		7742		
P220R, P226R with MOLAD Light Laser	4.41"												77413								
P226R X-Five with Surefire X200 or X300 light	5.00"												3770								
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"												7421								
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"												74421								
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"												17421								
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"												17412								
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"												1740								
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.	3.90"												7440								
P229R with ITI M3, TLR-1, Surefire X200, X300	3.90"																			7442	
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"												2782								
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"												25621								
Smith&Wesson	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378	6367	1051
39	4.00"			83	18		18	83	18			18						140			
59	4.00"			83	18		18	83	18			18						140			
410	4.00"							83										140			
411	4.00"					140	140	83				140		140		140	140	140			
439	4.00"			83	18		18	83	18			18						140			
457	4.00"							83										140			
459	4.00"			83	18		18	83	18			18						140			
469	3.50"			83	18		20	54	20									140			
639	4.00"			83	18		18	83	18			18						140			
645	5.00"						23	53					210					140			
659	4.00"			83	18		18	83	18			18						140			
669	3.50"			83	18		20	54	20									140			
908	3.50"							54										140			
909	4.00"							83										140			
910	4.00"							83										140			
915	4.00"						18	83	18			18						140			
1006	5.00"							53					210	210				140			
1026	5.00"							53					210					140			
1046	5.00"							53										140			
1066	4.25"						410	83										140			
1076	4.25"						310	83										140			
1086	4.25"						410	83										140			
2213	3.00"																				
3904	4.00"			83	18	140	18	83	18			18		140		140	140	140			
3906	4.00"			83	18	140	18	83	18			18		140		140	140	140			
3913	3.50"			83	18		20	54	20			20		20				140			

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 12/7/11

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Smith&Wesson	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
3953	3.50"				18			54	20									140			
4006	4.00"			83	140	140	140	83				140	140	140		140	140	140			
4013	3.50"			83			423	54								140	140	140			
4026	4.00"			83	140	140	140	83				140		140		140	140	140			
4043	4.00"												140								
4046	4.00"			83	140	140	240	83				140	140	140		140	140	140			
4053	3.50"			83				54										140			
4506	5.00"							53					210					140			
4526	5.00"							53					210					140			
4536	3.75"			83			423	54										140			
4546	5.00"							53										140			
4556	3.75"			83				54										140			
4566	4.25"						410	83										140			
4576	4.25"						310	83										140			
4586	4.25"						410	83					210					140			
5903	4.00"			83	18	140	18	83	18			18	140	140		140	140	140			
5904	4.00"			83	18	140	18	83	18			18	140	140		140	140	140			
5923	4.00"			83	18		18	83	18			18						140			
5924	4.00"			83	18		18	83	18			18						140			
5926	4.00"			83	18		18	83	18			18						140			
6904	3.50"			83	18		20	54	20			20		20				140			
6924	3.50"			83	18		20	54	20			20		20				140			
6926	3.50"			83	18		20	54	20			20		20				140			
3953 3954	3.50"				18			54	20			20	321					140			
3913LS	3.50"			83	18		20		20					20				140			
3913NL	3.50"			83	18		20		20					20				140			
3913TSW,3953TSW(with rails)	3.50"																	140			
3913TSW w/o lightmnt	3.50"				18		20	54	20					20				140			
3914LS	3.50"			83	18		20		20					20				140			
3953TSW	3.50"				18				20									140			
3953TSW w/o lightmnt	3.50"				18				20									140			
4006TSW w/Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"												141								
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails)	4.00"							744										140			
4013TSW,4053TSW(with rails)	3.50"																	140			
4013TSW w/o lightmnt	3.50"				18		20	54	20					20				140			
4053TSW w/o lightmnt	3.50"				18			54	20									140			
4056TSW w/o lightmnt	3.50"				18			54	20									140			
4506-1	5.00"						23	53					210	210				140			
4513TSW,4553TSW(with rails)	3.50"																	140			
4513TSW w/ lightmnt	3.50"						423	744										140			
4516-1Ver.II.4516-2	3.75"			83			423	54										140			
4553TSW w/o lightmnt	3.50"						410	54													
4563TSW,4566TSW(with rails)							430														
4563TSW,4566TSW,4583TSW,4586TSW(with rails)	4.25"												210					140			
5903TSW,5906TSW (manufacturing date of 4603),5943TSW,5946TSW(with rails)	4.00"			83				83					140					140			
5906lgrtriggrd	4.00"				18		18	83	18			18						140			
5906shrtrtriggrd	4.00"			83	18	140	18	83	18			18	140	140		140	140	140			
5943shrtrtriggrd	4.00"				18	140		83	18			18	140	140		140	140	140			
5944shrtrtriggrd	4.00"				18	140		83	18			18	140	140		140	140	140			
5946lgrtriggrd	4.00"			83	18			83	18			18						140			
5946shrtrtriggrd	4.00"			83	18	140		83	18			18	140	140		140	140	140			
5946 & 5943 DAO without Rails	4.00"																		320		
6906lgrtriggrd	3.50"				18		20	54	20									140			
6906shrtrtriggrd	3.50"				18		20	54	20			20		20				140			
6944shrtrtriggrd	3.50"			83	18			54	20									140			
6946lgrtriggrd	3.50"			83	18			54	20									140			
6946shrtrtriggrd	3.50"			83	18			54	20									140			
ChiefsSpecialCS40	3.25"							54													
ChiefsSpecialCS45	3.25"				83			54													
ChiefsSpecialCS9	3.00"				83			54										140			
Sigma380	3.00"																				
Sigma40,9mm	4.50"				40		40	83	40				40								
Sigma9C,40C,40V,9V,9E	4.00"				40		39	83	40				40	39				140			
Sigma9F,40F	4.50"				40		40	83	40				40								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 12/7/11

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Smith&Wesson	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
SW99 9mm & .40	4.00"						84	744				84	84		84				84	84	84
SW99 45ACP	4.25"												86								
M&P 9mm & .40	4.50"	219		83	383	74	39	83	40	219	219		219	74		74	219	140	319	219	219
M&P 9mm & .40 with thumb safety	4.50"						619					619	619		619						
M&P 9mm & .40	5.00"									819		819									819
M&P 9C & .40C without thumb safety	3.38"			83	83	48	291	83	291	97			719	291		48	48		319	219	
M&P 9C & .40C with thumb safety	3.38"						719														
M&P 9L without thumb safety	5.00"												819								819
M&P 9L with thumb safety	5.00"																				820
M&P .45 without thumb safety	4.50"			83	383			83					519						419	419	
M&P .45 with or without thumb safety	4.50"							83					519						519	519	
M&P .45C without thumb safety	4.00"																		919	919	
M&P .45C with thumb safety	4.00"																		920	920	
1911	5.00"			53				53											53	53	
1911 w/Tactical Rails	5.00"							53		56									56	56	
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
4566 TSW w/light rails and ITI Streamlight M5	4.13"												4302								
4566TSW w/Picatinny Rails and ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon light	4.25"																				4302
M&P 9 & .40 W/ M3 or M6, ITI TRL-1 or TRL-2	4.50"												21921								
M&P 9mm & .40 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Light	4.50"																		2192	2192	
M&P 9mm & .40 with SureFire X200, X300	4.50"												2190								
M&P .45 without thumb safety with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights	4.50"																		4192	4192	
M&P .45 with or without thumb safety with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon lights	4.50"												51921								
M&P .45 with or without thumb safety with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights	4.50"																		5192	5192	
M&P 45C without thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"																		9192	9192	
M&P 45C with thumb safety W/ ITI M3, TLR-1, SureFire X200, X300	4.00"																		9202	9202	
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																				560
Sphinx	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
3000 cocked and locked or with hammer down	3.75"												182								
3000 cocked and locked or with hammer down	4.50"							49					182								
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
3000 cocked and locked w/ITI LAM light	3.75"												1825								
3000 cocked and locked w/ITI LAM light	4.50"												1825								
Springfield Armory	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Model1911-A1	5.00"			53	53	53	53	53	53	53	53		53	53		53	53		53	53	
Operator1911-A1	5.00"												56			56				56	56
XD-45, XD-9, XD-40, XD-357	4.00"					48		744					48	148		48	48		148		
XD 9, 40, 45 and .357	5.00"					49		49					49	149		49	49		149	149	
XD 9mm & .40 Subcompact	3.00"	47											47								
XDM 9mm & .40	4.50"							49					146	149		49	49	140	149	149	
XD(M) .40	4.50"	47				49		49					149	149		49	49	140	146	146	
XD(M) 9mm	4.50"	47				49		49					149	149		49	49	140	145	145	
XD (M) 45	4.50"							49								49	49			146	
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"												5621								
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"												530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"												5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"												5612								
Operator 1911-A1 with Surefire X200 or X300 light	5.00"									5340											560
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light Note: Holster will NOT retain weapon without light attached	4.00"									14821			14821								
XD 40 & 45 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																				1482

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Springfield Armory	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
With Lights																					
XD 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																			462	
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached Note: Holster will NOT retain weapon without light attached	5.00"									14921			14921								
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	5.00"																			1492	
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																			1452	
XD(M) 40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																			1462	
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"									14921			14921								
STI/SVI	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 with rails	5.00"							53		56			56							56	
1911 without rails	5.00"			53	53		53	53	53	53										53	53
2011 with Full Size Dust Cover	5.00"										850										
STI Tactical	5.00"							53					56								
GP6	4.25"							83		855											
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"												5340								
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"												5621								
Stinger	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
S-200													164								
Tangfolio	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Force	3.66"												262								
Force Full Size	4.45"												362								
Taser International	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Advanced Taser M26													63								
X26													64								
X3													163								
Taurus	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
24/7 w/accy rails	4.00"				77		39	83	40	74			40	83	78						
PT92, PT99C	5.00"				73		73	53	73	73										140	
PT99	5.00"				73		73	53	73	73										140	
PT99C	4.00"				73		273	51	73	73										140	
PT92C	4.00"				73		273	51	73	73										140	
PP	3.86"				89				89												
Walther	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
PPK	3.27"				89		89		89					89							
PPKS	3.27"				89		89		89					89							
P5	3.50"							54					87								
P99	4.00"						84	54					84		84					84	84
P99Q	4.00"												384								
P99QA	4.00"												84							84	
P99C QA	3.50"						84						84		84				140	84	284
P99 2008 Version	4.00"																			384	

GunMnfctr./Model	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
Wilson	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 CQB w/light rail	5.00"							744													
1911	4.88"						53	53	53	53	53		53								
With Lights	BBL.	18	25	27	527	529	518	567/568/569	5181	5187/5188/5189	5197/5198/5199	0701	6287	328	329	747	748	1090	6377/6378/6379	6367	1051
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"									5340			5340							560	

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.