



PT 4 Concealment with & without Lights - Pistols

Gun/Mfrctr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
AMT	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
Hardballer	5.00"		53	53	53	53	53						53	53		53	53	1090	6378	6367	1051
Beretta	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
92/96Vertec M9A1	4.70"					73							73								73
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"						49														
90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached.	4.78"						49						73								
92BrigadierD	4.90"						53						173					140			
92BrigadierFS	4.90"						53						73	73				140			
92 Brigadier	4.90"						49														73
92D	4.90"			73		73	53	73	73	73	73	73	173				73	140		73	73
92DM	4.30"			73		73	53	73	73	73	73	73	173				73	140			
92DS	4.90"			73		73	53	73	73	73	73	73	173				73	140			
92F	4.90"			73		73	53	73	73	73	73	73	73	73			73	140		73	73
92FC	4.30"			73		273	51			73	73	73	73	73			73	140			
92FCDA	4.30"			73		73	51			73	73	73	173	473			73	140			
92FCM	4.30"			73		273	51			73	73	73	73	73			73	140			
92FS	4.90"			73		73	53	73	73	73	73	73	73	73			73	140		73	73
92FSCenturion	4.30"			73		273	51			73	73	73	73	73			73	140			
92G	4.90"			73		73	53	73	73	73	73	73	73	73			73	140			73
92GELITE	4.90"																				
96	4.90"			73		73	53	73	73	73	73	73	73	73			73	140			
96BrigadierD	4.90"						53						173								
96BrigadierG	4.90"						53						73	73							
96 Brigadier	4.90"																				73
96Centurion	4.30"			73		273	51			73	73	73	73	73			73	140			
96D	4.90"			73		73	53	73	73	73	73	73	173				73	140			73
96DC	4.30"			73		273	51			73	73	73	173				73	140			
96DS	4.90"			73		73	53	73	73	73	73	73	173				73	140			
96DSBrigadierD	4.90"						53						173					140			
96F 96FS	4.90"																				73
96G	4.90"			73		73	53	73	73	73	73	73	73	73			73	140			73
96G SD, 92G SD	4.90"												73								
Cougar8000, 8040 Cougar D DAO	3.60"						71	54					171	71				140			
Cougar8000,8040 Cougar G, F, D	3.60"						71	54					71	71				140			
Cougar8045F	3.60"												71								
Cougar8357	3.60"						71														
PX4 Storm 9mm & .40 DASA Only	4.00"												180								
PX4 Storm 9mm & .40	4.00"			77		278			180				180					140		180	180
PX4 Storm .45ACP	4.00"																			185	185
<b>With Lights</b>																					
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light <b>NOTE: Holster will not retain weapon without light attached.</b>	4.90"												7321								
92F, 92FS, 92B 92 Brigader w/Surefire P116	4.90"												736								
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"												73421								
92 Sure-Fire Nitrolon Light P116C,P116D, P116 <b>NOTE: Holster will retain weapon without light attached</b>	4.90"												736								
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"												7346								
Vertec 92F, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"								73421				73421								
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"												18021								
<b>Browning</b>		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
BDM9mm	4.73"			18			53											176	140		
HighPower9mm	4.66"						53						76								
Hi Power 9mm (Canadian Version)	4.60"												376								
<b>Caspian with Lights</b>		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
1911 w/Military Mount with Beamshot Model 8800	5.00"												5322								
<b>Colt</b>		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
CombatElite	5.00"			53	53	53	53	53	53				53	53		53	53				
CombatTarget	5.00"												53								
Commander	4.25"			53	53		51	51	51									53			
DeltaElite	5.00"			53	53	53	53	53	53				53	53				53	53		
DeltaGoldCup	5.00"			53	53	53	53	53	53				53	53				53	53		
GoldCupNtIMatch	5.00"			53	53	53	53	53	53				53	53				53	53		
Government.380	3.25"						53						89								53
Government1911	5.00"			53	53	53	53	53	53				53	53				53	53		53
Mustang	2.75"								89												
Officer's.45ACP	3.50"			53			54	54	54									53			
<b>With Lights</b>																					

GunMnctr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"												530								
<b>CZ</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
75,85	4.50"						51	99	99				90				99	140			
75 P-01	3.80"												290								
<b>EAA</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"						51	99	99				90				99	140			
<b>FN</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
Five-Seven	4.80"												61								
FNP-9/Browning PRO-9	4.00"		77	383	74		744						260								
FNP-45	4.50"						744						261								
<b>With Lights</b>																					
Five-Seven w/ Tactical Illuminator light retire M3, M6, M3 LED or Insight XTI Procyon <b>N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.</b>	4.80"												6121								
<b>Glock</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
17,17C,22,22C,31 (.357)	4.50"	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	83	140	83	83	283
17 & 22, Dual Mag release	4.50"												983							983	
19,19C,23,23C,25,32	4.00"	283	83	83	283	283	54	283	283	283	283	283	283	283	283	283	83	140	283	283	283
19 & 23, Dual Mag release	4.00"												9283								
20,20C,21,21C,	4.60"			383		383	83	383	383		383	383	383	383			383	140	383	383	383
21SF w/STD Glock Rails	4.60"						83		383		383	383	383	383			383	140	383	383	
21SF w/Picatinny Rails	4.60"						49						383								
33,28	3.50"		83	83	183	183	54	183	183	183	283	283	183	283		183	83	140	183		283
26, 27	3.50"	183	83	83	183	183	54	183	183	183		283	283	183	183	83	140	183			
29,30	3.78"					483	83	483	483	483	483	483	483	483	483		383	140	483	483	483
34,35	5.32"			83			49		683								83	140		683	283
36	3.75"			83			54						283	483						283	
37	4.50"			383			49	383					783						140	783	783
38	4.00"						83													383	
39	3.38"			383			744		383												140
<b>With Lights</b>																					
17,22, 19, 23 w/ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								832				832							832	
17, 22 w/ITI Streamlight M3/M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"								8321												
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"								8310												
17, 22 w/ Surefire X200 or X300	4.50"												836								
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"												8310								
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"												8312								
17, 22, 31 with ITI M3X or M6X	4.50"												8312								
17, 22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"								8312												
17, 22, 31, 23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"												8321								
Glock 17/22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"												8341								
19,19C,23,23C w/ Surefire X200 or X300	4.00"												2830								
19, 23 with ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, SSL-1, or Insight XTI Procyon	4.00"																				2832
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) <b>Note: N/A: for Glock light system</b> GTL21,GTL22 (light laser combo) <b>Note: holster will not retain weapon without light attached</b>	4.00"												2837								
20, 21 w/STD Glock Rails, 37 W/ ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"								3832												
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"								38321												
20, 21 w/STD Glock Rails w/ ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, or LAS-TAC 2 light	4.60"																				3832
20, 21, w/STD Glock Rails with Surefire X200 light or X300 <b>Note: holster will not retain weapon without light attached</b>	4.60"												3830								
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-	4.50"												38321								

Gun/Mnfr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; <b>Note: holsters listed will not retain the handgun without the light</b>													38321								
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"												938321								
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon <b>NOTE: Holster will retain weapon without light attached</b>	5.32"												6832								
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon <b>Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.</b>	5.30"												68321								
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"								68321												
37 with ITI M3, TLR-1, SSL-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"																			7832	
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"												7832								
37 with Glock Tactical Light, GTL 10 (light only)	4.50"												7837								
<b>Heckler&amp;Koch</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
P7M8	4.10"												82	82							
P7M13	4.10"												82	82							
P30 DAO	3.78"		295		295								295						295	295	
P2000	3.50"						744		97										97	97	97
P2000, P2000SC	3.25"						744		297												
P2000 European Version w/light mount frame	3.62"			97			744				97	97									
P2000 European Version and US Version w/light mount frame	3.50"			97			744				97	97									
US Version P2000 DAO (bobbed hammer)	3.50"						744		297										97		
US Version P2000 SC DAO (bobbed hammer)	3.25"						744		297												
USP 9, 40	4.25"					91	83	91	91				93	91				140	91	91	
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"																				91
USP9C,40C	3.58"					291	54	291		291	291	291	291	291		291		140	291		
USP45	4.53"						83	91	393				93	93				140			
USP45Compact,45ACP	3.8"												293		293			140			
USP40 Expert	5.20"								96				96								
USP45 Expert	5.20"						49		96				96								
HK 45	4.25"						83	74					393								
<b>With Lights</b>																					
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"								932												
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 light or X300 <b>NOTE: Holsters will not retain weapon without the light attached</b>	4.41"								1930				1930								
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"												1936								
USP 9, 40 "Hammer down or Cocked and locked" w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon <b>Note: The Holster will not retain weapon without light attached.</b>	4.25"												9221								
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. <b>Note: Holster will not retain weapon without light attached.</b>	4.25"												19312								
USP 9, USP .40 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	4.13"												9321								
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only <b>Note: N/A for M6X. Note: The holsters will not retain</b>	3.58"												29111								
USP .45 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI	4.41"												9321								
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"												9711								
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"																				
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"												9710								
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon <b>NOTE: Holster</b>	3.50"												9721								
P30L with ITI M3X or M6X Light	4.44"								39512				39512								
<b>HSAmerica</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
HS2000 9MM, 40, 357	4.00"												148					140			

DUTY GEAR WILL FIT CHARTS  
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 6/25/09

GunMnctr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
KAHR		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
E9,K9,K40	3.50"			53	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
Kimber		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
KIP45CUS	5.00"		53	53	53	53	53	53	53				53	53		53	53			53	53
1911	5.00"																			53	53
Pro Carry 1911	4.00"																			52	
Gold Combat RL II, Warrior ( w/light rail)	5.00"						53		56				56	56		56				56	56
<b>With Lights</b>		<b>18</b>																			
1911 w/rails: Gold Combat RL,Custom TLE/RL w/Surefire X200 light or X300 <b>NOTE: Holster will not retain weapon without light attached</b>	5.00"								5340				5340								560
<b>ParaOrdance</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
12.45LDA	3.50"			53		54	54	54													
12.45LDASS	3.50"			53		54	54	54													
14.40LDASS	3.50"			53		54	54	54													
14.45LDA	5.00"		53	53		53	53	53					53	53							
14.45LDALTD	5.00"		53	53		53	53	53					53	53							
14.45LDALTDSS	5.00"		53	53		53	53	53					53	53							
14.45LDASS	5.00"		53	53		53	53	53					53	53							
16.40LDALTD	5.00"		53	53		53	53	53					53	53							
16.40LDALTDSS	5.00"		53	53		53	53	53					53	53							
18.9LDA	5.00"		53	53		53	53	53					53	53							
18.9LDASS	5.00"		53	53		53	53	53					53	53							
7.45LDA	5.00"		53	53		53	53	53					53	53							
7.45LDALTD	5.00"		53	53		53	53	53					53	53							
7.45LDALTDSS	5.00"		53	53		53	53	53					53	53							
7.45LDASS	5.00"		53	53		53	53	53					53	53							
Carry .45ACP	3.00"			53		54	54	54													
Companion.45ACP	3.50"			53		54	54	54													
P12-45LTDSS	3.50"			53		54	54	54													
P12-45SS	3.50"			53		54	54	54													
P13-45	4.25"		53	53		51	51	51													
P13-45LTD	4.25"		53	53		51	51	51													
P13-45LTDSS	4.25"		53	53		51	51	51													
P13-45SS	4.25"		53	53		51	51	51													
P-14	5.00"		53			53	53	53													
P14-45	5.00"		53	53	53	53	53	53					53	53		53					
P14-45LTD	5.00"		53	53		53	53	53					53	53							
P14-45LTDSS	5.00"		53	53		53	53	53					53	53							
P14-45SS	5.00"		53	53		53	53	53					53	53							
P16-40	5.00"		53	53		53	53	53					53	53							
P16-40LTDSS	5.00"		53	53		53	53	53					53	53							
P16-40SS	5.00"		53	53		53	53	53					53	53							
P18-9	5.00"		53	53		53	53	53					53	53							
<b>Ruger</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
KP89	4.50"					65	83	65													140
KP89DAO	4.50"					65	83	65													140
KP89DAOOW	4.50"					65	83	65													140
KP89DC	4.50"					65	83	65													140
KP89DW	4.50"					65	83	65													140
KP89W	4.50"					65	83	65													140
KP90	4.50"					65	49														140
KP90DC	4.50"					67															140
KP90DW	4.50"					67															140
KP90W	4.50"					67															140
KP91DAO	4.50"					67	49														140
<b>Ruger</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
KP91DC	4.50"					67	49														140
KP93	3.88"						744														140
KP94,KP944W,KP944DW	4.25"						744														140
KP944DAO,KP944	4.25"																				140
KP944DC,KP944DAO	4.25"																				140
P345	4.00"			383			83									77					140
P85	4.50"					65	83	65													140
P89	4.50"					65	83	65													140
P89DC	4.50"					65	83	65													140
P89W,P89DW	4.50"					65	83	65													140
P90.45CAL.	4.50"					67	49														140
P90DC	4.50"					67															140
P91DAO	4.50"					67															140
P91DC	4.50"					67	49														140
P95D,KP95D	4.25"						744														140
P95DAO,KP95DAO	4.25"						744														140
SR9	4.00"			77			54								84						140
<b>SigSauer</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77	77	77		77	744	77	77		77	77	77	77		77	1060	1090	6378	6367	1051
P220STstainlessSteel P220R,P220S,P226R ,P226S,P226SO withAccessoryRails	4.41"				77	77				777	774	774	77	77		77				77	77
P220afterS/NG158180(widetriggerguard)	4.41"																				

Gun/Mnfr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"						744														
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"						49														
P220R DAK, P226R DAK bobbed hammer w/light rails	4.41"									777			277						774	774	774
P220R DASA, P226R DASA Spurred hammer w/light rails	4.41"																		774	774	774
P226DAO,P220DAO	4.41"	77	77	77		77	83	77		777	77	77	77	77			77	140			
P226afterS/N365426(widetriggerguard)	4.41"																				
P220R Compact	3.75"				77	744	744						74	291							
P225	3.90"		77	77		79	54	79	74				74				77	140	79	79	79
P228	3.90"	74	77	77	74	79	54	79	74	74	74	74	74	74	744	74	77	140	74	74	74
P229	3.90"	74	77	77	74	74	54	74	74	74	74	74	74	74	744	74	74	140	74	74	74
P229R DASA spurred hammer w/light rails	3.90"				74	744	744	744	744	744			74	74	744	74			744	744	744
P229R DAK bobbed hammer w/light rails	3.90"					744	744		744	744			174						744	744	744
P230	3.62"					85											85				
P239 (will only fit 9mm as of manufactured date 4603)	3.63"			77		75	54			75			75						140		
P239 caliber 40 & 357	3.63"	75		77	75	75	54			75			75			75			140		
P245	3.90"			77			83	74											140		
P250	3.88"												750								
SIGProSP2340,2009	3.88"			77	74	78		78		78	78	78	78	74	78	74					
SIGPro SPC2009-wlightmountrails	3.50"						744						278								
P2022spurred hammer	3.50"					78		78					278							278	278
Sig Arms GSR Revolution 1911	5.00"						53						256								
<b>With Lights</b>																					
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	3.50"												27821								
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"							77421													
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. <b>NOTE: Holsters will not retain weapon without the light attached.</b>	4.41"												7721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"												27721								
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. <b>Note: Holster will not retain weapon without light attached.</b>	4.41"												2770								
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D <b>NOTE: Holster will retain weapon without light attached</b>	4.41"												778								
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	4.41"												77421								
<b>P220R,P226R</b> (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light <b>NOTE: P220SO,P220ST,P220R,P226R</b> (DASA Spurred Hammer) w/Sure Fire X200 or X300 light <b>NOTE: Holster will not retain weapon without light</b>	4.41"												77412								
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"												7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. <b>NOTE: The Holster will not retain weapon without light attached.</b>	4.41"												7712								
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D <b>NOTE: Holster will retain weapon without light</b>	4.41"												778								
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"												77421								
P226 with Surefire MR14 Rail & Surefire X200 or X300 light <b>Note: Right Handed Holsters will accommodate LASER GRIPS</b>	4.41"												7700								
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300, or SSL-1 lights	4.41"																		7742		
P226R X-Five with Surefire X200 or X300 light	5.00"												3770								
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"												7421								

GunMnfr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051	
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Holster will not retain pistol without light attached.</b>	3.90"												74421									
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. <b>NOTE: Holster will not retain pistol without light attached.</b>	3.90"												17421									
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. <b>NOTE: Holster will not retain pistol without light attached.</b>	3.90"												17412									
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light <b>NOTE: The Holster will not retain weapon without light attached.</b>	3.90"												1740									
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light <b>NOTE: Holster will not retain weapon without light attached.</b>	3.90"												7440									
P229R with ITI M3, TLR-1, M3X, Surefire X200, X300 or SSL-1	3.90"																				7442	
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon <b>NOTE: The holster will not retain 1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached</b>	3.50" 5.00"												2782 25621									
<b>Smith&amp;Wesson</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>	
39	4.00"		83	18		18	83	18		18											140	
59	4.00"		83	18		18	83	18		18											140	
410	4.00"						83										19				140	
411	4.00"				140	140	83			140				140		140					140	
439	4.00"		83	18		18	83	18		18											140	
457	4.00"						83														140	
459	4.00"		83	18		18	83	18		18											140	
469	3.50"		83	18		20	54	20													140	
639	4.00"		83	18		18	83	18		18											140	
645	5.00"					23	53						210				320				140	
659	4.00"		83	18		18	83	18		18											140	
669	3.50"		83	18		20	54	20													140	
908	3.50"						54														140	
909	4.00"						83											19			140	
910	4.00"						83											19			140	
915	4.00"					18	83	18		18								118			140	
1006	5.00"						53						210	210				320			140	
1026	5.00"						53						210					320			140	
1046	5.00"						53											320			140	
1066	4.25"					410	83											320			140	
1076	4.25"					310	83											320			140	
1086	4.25"					410	83											320			140	
2213	3.00"																	36				
3904	4.00"		83	18	140	18	83	18		18				140		140		118			140	
3906	4.00"		83	18	140	18	83	18		18				140		140		118			140	
3913	3.50"		83	18	20	54	20			20				20				118			140	
<b>Smith&amp;Wesson</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>	
3953	3.50"			18			54	20										320			140	
4006	4.00"		83	140	140	140	83			140			140	140		140		320			140	
4013	3.50"		83			423	54											320			140	
4026	4.00"		83	140	140	140	83			140				140		140		320			140	
4043	4.00"												140					320			140	
4046	4.00"		83	140	140	240	83			140				140		140		320			140	
4053	3.50"		83				54											320			140	
4506	5.00"						53						210					320			140	
4526	5.00"						53						210					320			140	
4536	3.75"		83			423	54											320			140	
4546	5.00"						53											320			140	
4556	3.75"		83				54											320			140	
4566	4.25"					410	83											320			140	
4576	4.25"					310	83											320			140	
4586	4.25"					410	83						210					320			140	
5903	4.00"		83	18	140	18	83	18		18			140	140		140		118			140	
5904	4.00"		83	18	140	18	83	18		18			140	140		140		118			140	
5923	4.00"		83	18		18	83	18		18								118			140	
5924	4.00"		83	18		18	83	18		18								118			140	
5926	4.00"		83	18		18	83	18		18								118			140	
6904	3.50"		83	18		20	54	20		20				20				118			140	
6924	3.50"		83	18		20	54	20		20				20				118			140	
6926	3.50"		83	18		20	54	20		20				20				118			140	
3953 3954	3.50"			18			54	20		20			321					320			140	
3913LS	3.50"		83	18		20		20													140	
3913NL	3.50"		83	18		20		20													140	
3913TSW,3953TSW(with rails)	3.50"																				140	
3913TSW w/o lightmnt	3.50"			18		20	54	20						20				118			140	
3914LS	3.50"		83	18		20		20						20							140	
3953TSW	3.50"			18				20										320			140	
3953TSW w/o lightmnt	3.50"			18				20										320			140	

Gun/Mnfr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
4006TSW w/Picatinny Rails, 4006TSW W/STD Rails <b>BOBBED HAMMER ONLY</b>	4.00"												141								
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW (with rails)	4.00"						744											140			
4013TSW, 4053TSW (with rails)	3.50"																	140			
4013TSW w/o lightmnt	3.50"			18		20	54	20						20				118	140		
4053TSW w/o lightmnt	3.50"			18			54	20										320	140		
4056TSW w/o lightmnt	3.50"			18			54	20										320	140		
4506-1	5.00"					23	53						210	210				320	140		
<b>Smith&amp;Wesson</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
4513TSW, 4553TSW (with rails)	3.50"																	140			
4513TSW w/ lightmnt	3.50"					423	744											320	140		
4516-1 Ver. II. 4516-2	3.75"		83			423	54											320	140		
4553TSW w/o lightmnt	3.50"					410	54														
4563TSW, 4566TSW (with rails)	4.25"					430															
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"												210								140
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"		83					83					140								140
5906lgrtrgrd	4.00"			18		18	83	18		18											140
5906shtrtrgrd	4.00"		83	18	140	18	83	18		18			140	140				140	118	140	
5943shtrtrgrd	4.00"			18	140		83	18		18			140	140				140	320	140	
5944shtrtrgrd	4.00"			18	140		83	18		18			140	140				140	320	140	
5946lgrtrgrd	4.00"		83	18			83	18		18											140
5946shtrtrgrd	4.00"		83	18	140		83	18		18			140	140				140	320	140	
5946 & 5943 DAO without Rails	4.00"																				320
6906lgrtrgrd	3.50"			18		20	54	20													140
6906shtrtrgrd	3.50"			18		20	54	20		20				20					118	140	
6944shtrtrgrd	3.50"		83	18			54	20											320	140	
6946lgrtrgrd	3.50"		83	18			54	20													140
6946shtrtrgrd	3.50"		83	18			54	20											320	140	
ChiefsSpecialCS40	3.25"						54														
ChiefsSpecialCS45	3.25"						54														
ChiefsSpecialCS9	3.00"			83			54														140
Sigma380	3.00"					38															40
Sigma40, 9mm	4.50"			40		40	83	40					40								40
<b>Smith&amp;Wesson</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
Sigma9C, 40C, 40V, 9V, 9E	4.00"			40		39	83	40					40						40	140	
Sigma9F, 40F	4.50"			40		40	83	40					40						40		
<b>Smith&amp;Wesson</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
SW99 9mm & .40	4.00"					84	744			84			84		84				84	84	84
SW99 45ACP	4.25"												86								
S&W M&P 9mm & .40	4.50"	219	83	383	74	39	83	40	219				219	74		74	74	140	319	219	219
S&W M&P 9mm & .40 with thumb safety	4.50"									619			619								
<b>S&amp;W M&amp;P 9mm &amp; .40</b>	<b>5.00"</b>								<b>819</b>	<b>819</b>											
S&W M&P 9C & .40C	3.38"		83	83	48	291	83	291	97				719	291		48	83		319	219	
S&W M&P .45 without thumb safety	4.50"		83	383			83						519						419	419	
S&W M&P .45 with or without thumb safety	4.50"						83						519						519	519	
1911	5.00"		53				53												53	53	
1911 w/Tactical Rails	5.00"						53		56										56	56	
<b>With Lights</b>																					
4566 TSW w/light rails and ITI Streamlight M5	4.13"												4302								
4566TSW w/Picatinny Rails and ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, ITI SSL-1 or Insight XTI Procyon light	4.25"																				4302
SW M&P 9 & .40 W/ M3 or M6 IT Tactical Illuminator, Streamlight TRL-1 or TRL-2	4.50"												21921								
SW M&P 9mm & .40 w/ITI Streamlight M3, TLR-1, SSI-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon Light	4.50"																				2192
S&W M&P .45 without thumb safety with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon lights	4.50"																				4192
S&W M&P .45 with or without thumb safety with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon lights	4.50"												51921								5192
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																				560
<b>Sphinx</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
3000 cocked and locked or with hammer down	3.75"												182								
3000 cocked and locked or with hammer down	4.50"						49						182								
<b>With Lights</b>																					
3000 cocked and locked w/ITI LAM light	3.75"												1825								
3000 cocked and locked w/ITI LAM light	4.50"												1825								
<b>SpringfieldArmory</b>		<b>18</b>	<b>27</b>	<b>527</b>	<b>528</b>	<b>518</b>	<b>568</b>	<b>5181</b>	<b>5188</b>	<b>0701</b>	<b>0707</b>	<b>0708</b>	<b>6287</b>	<b>328</b>	<b>329</b>	<b>747</b>	<b>1060</b>	<b>1090</b>	<b>6378</b>	<b>6367</b>	<b>1051</b>
Model1911-A1	5.00"		53	53	53	53	53	53	53				53	53		53	53		53	53	
Operator1911-A1	5.00"						53		56				56						56	56	
XD-45, XD-9, XD-40, XD-357	4.00"				48		744		48				148						148	148	
XD 9, 40, 45 and .357	5.00"				49		49		49				149			49			149	149	
XD 9mm & .40 Subcompact	3.00"		47						47												
XDM 9mm & .40	4.50"						49		49				149			49			140	149	149

GunMnctr./Model	BBL.	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
XMD .40	4.50"																		146	146	
<b>With Lights</b>																					
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"												5621								
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"												530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"												5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"												5612								
Operator with Surefire X200 or X300 light	5.00"								5340											560	
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light <b>Note: Holster will NOT retain weapon without light attached</b>	4.00"								14821				14821								
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached	5.00"								14921				14921								
XDM 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI	4.50"								14921				14921								
<b>STI/SVI</b>																					
1911 with rails	5.00"	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
1911 without rails	5.00"		53	53		53	53	53	53				56						56		
STI Tactical	5.00"												56						53	53	
<b>With Lights</b>																					
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite, Duty One w/Surefire X200 light or X300 <b>NOTE: Holster will not retain weapon without light attached</b>	5.00"												5340								
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2 or Insight XTI Procyon	5.00"												5621								
<b>Stinger</b>																					
S-200		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
<b>Taser International</b>																					
Advanced Taser M26		18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
X26													63								
<b>Taurus</b>																					
24/7 w/accy rails	4.00"	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
PT92, PT99C	5.00"			77		39	83	40	74				40	83	78						
PT99	5.00"			73		73	53	73	73		73	73					73	140			
PT99C	4.00"			73		273	51	73	73		73	73					73	140			
PT92C	4.00"			73		273	51	73	73		73	73					73	140			
PP	3.86"			89				89										89			
<b>Walther</b>																					
PPK	3.27"	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
PPKS	3.27"			89		89		89						89				89			
P5	3.50"												87								
P99	4.00"					84	54				84	84			84				84	84	84
P99QA	4.00"																			84	84
P99C QA	3.50"					84									84			140	84	284	84
<b>Wilson</b>																					
1911 CQB w/light rail	5.00"	18	27	527	528	518	568	5181	5188	0701	0707	0708	6287	328	329	747	1060	1090	6378	6367	1051
1911	4.88"					53	53	53	53				53								
<b>With Lights</b>																					
1911 w/rails: CQB w/Surefire X200 light or X300 <b>NOTE: Holster will not retain weapon without light attached</b>	5.00"								5340				5340								560

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.