



DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights-Pistols

Gun/Make/Model	BBL	2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
17, 22, 31 w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) Note: holster will not retain weapon without light attached	4.50"									8310	8310	8310	8310									
17, 22, 31 w/ITI Streamlight M3 or Insight XTI Procyon <b>NOTE: Holster will retain weapon without light attached</b>	X 4.50"	832								832	832	832	832			832	832			832	832	
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"									8312	8312	8312	8312									
17, 22, 31 w/Insight Technology Streamlight M3X/M6X	4.50"									8312	8312	8312	8312									
17, 22, 31 w/Sure Fire P111, P111C or P111D with trigger guard rail mount <b>NOTE: Holster will retain weapon without light attached</b>	X 4.50"									830	830	830	830									
17, 22, 31 w/ITI LAM UNIT	4.50"									835	835	835	835									
17, 22, 31 w/Glock Tactical Light	4.50"									837	837	837	837									
17, 22, 31, 23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"									8321	8321	8321	8321									
Glock 17/22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"									8341	8341	8341	8341									
17, 22, 31 w/Oerlikon LAM Module (#LLM01)	4.50"									834	834											
17, 19, 22, 23 w/Sure-Fire 6v #644R	4.00"									831	831											
19, 19C, 23, 23C w/ Surefire X200 or X300	4.00"									2830	2830	2830	2830									
19, 19C, 23, 23C, 25, 32, 32C with ITI Streamlight M3, TLR-1 or Insight XTI Procyon <b>NOTE: Holster will retain</b>	X 4.00"									2832	2832	2832	2832									
19, 23 with ITI M3, M3X, TLR-1, Surefire X200, X300, LAS-TAC 2, SSL-1, or XTI Procyon Light	4.00"													2832	2832	2832	2832	2832	2832	2832	2832	2832
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) <b>Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) Note: holster will not retain weapon without light attached</b>	4.00"									2837	2837	2837	2837									
20, 21 w/STD Glock Rails with ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"													3832	3832	3832	3832	3832	3832	3832	3832	3832
20, 21 with ITI Streamlight M3 light or Insight XTI Procyon <b>NOTE: Holster will retain weapon without light attached</b>	X 4.50"									3832	3832	3832	3832									
20, 21, w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)	4.60"									3837	3837	3837	3837									
21SF w/STD Glock Rails w/Glock Tactical light, GTL 10 (light only)	4.60"									3837	3837	3837	3837									
20, 21 w/STD Glock Rails w/Sure-Fire Millennium 9V, #M111, M111C, M111D w/trigger guard light rail mount	4.60"									3839	3839	3839	3839									
20, 21, w/STD Glock Rails with Surefire X200 light or X300 <b>Note: holster will not retain weapon without light attached</b>	4.60"									3830	3830	3830	3830									
21SF w/STD Glock Rails with Surefire X200 light or X300 <b>Note: holster will not retain weapon without light attached</b>	4.60"									3830	3830	3830	3830									
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED, or Insight XTI Procyon <b>Note: holsters listed will not retain the handgun without the light attached</b>										38321	38321	38321	38321									
20, 21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"									38321	38321	38321	38321									
21SF w/STD Glock Rails w/Laser Device Inc, Laser-Tac 2 (6V) Or Streamlight TLR-1	4.60"									38321	38321	38321	38321									
20, 21 w/Standard Glock Rails w/Sure-Fire 6V Light #645AR	4.60"									3831	3831											
21SF w/STD Glock Rails with Surefire 6V light #645AR	4.60"									3831	3831											
21SF w/STD Glock Rails with Streamlight M3, M6, M3 LED, or Insight XTI Procyon. <b>Note: holsters will not retain weapon without the light attached.</b>	4.60"									38321	38321	38321	38321									
Glock 20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"									938321	9E+05	938321	9E+05									
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon <b>NOTE: Holster will retain weapon without light</b>	X 5.32"									6832	6832	6832	6832									
34, 35 w/IT Tactical Illuminator Light M3, M6, M3 LED, TLR-1, TLR-2, or Insight XTI Procyon <b>Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.</b>	5.32"									68321	68321	68321	68321									
34, 35 with ITI M3, TLR-1, Surefire X200, X300, LAS-TAC2, or SSL-1	X 5.32"													6832	6832	6832	6832	6832	6832	6832	6832	6832
37 with ITI M3, M3X, TLR-1, SSL-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"													7832	7832	7832	7832	7832	7832			
37 with ITI M3, TLR-1, Surefire X200 or X300	4.50"									7832	7832	7832	7832									
USP 9, 40 w/H&K Light (UTL)	4.25"									932	932	932										
USP 9, 40 w/ Surefire Mount and Surefire P1057 P115 Light	4.25"									1936	1936	1936	1936									
USP 9, 40 w/Sure Fire 6V Light Classic #609R	4.25"									931	931											
USP 9, 40 w/H&K USP Light Cocked & Locked Only	4.25"									922	922											
USP 9, 40 w/LAS/TAC 6V Light by Laser	4.25"									917	917	917	917									
USP 9, 40 w/BA-5 Laser by Laser devices	4.25"									918	918	918	918									
USP 9, 40 w/OERILKON LIGHT (LLM-R)	4.25"									914												

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights-Pistols

GunMnfrctr./Model	BBL.	2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
USP 9, 40" Hammer down or Cocked and locked" w/B & I Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. <b>Note: The Holster will not retain weapon without light attached.</b>	4.25"									9221	9221	9221	9221									
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. <b>Note: Holster will not retain weapon without light attached.</b>	4.25"									19312	19312	19312	19312									
USP 9, 40, 45 W/ HK USP Light Hammer Down N/A for DA only	4.25"																					
HK USP 40C with G&G Slime Rail Adapter and Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon. Bobbed Hammer Only <b>Note: N/A for M6X Note: The holsters will not retain</b>	3.58"									29111	29111	29111	29111									
USP 9, USP .40 with Surefire Mount and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI	4.13"									9321	9321	9321	9321									
USP 9C, USP .40C Cocked & Locked with Surefire Mount and Surefire X200 or X300 lights	3.58"									2910	2910	2910	2910									
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 or X300 light <b>NOTE: Holsters will not retain weapon without the light attached</b>	4.41"									1930	1930	1930	1930									
USP 45 LEM (D.A.O. (Bobbed Hammer)), USP 45 Spurred Hammer w/Surefire X200 light adapter with Surefire X200 or X300 light <b>Note: Holsters will not retain weapon without the light attached</b>	4.41"									930	930	930	930									
USP 45 w/H&K Light (UTL)	4.41"									932	932	932										
USP 45 w/H&K USP Light Cocked & Locked Only	4.41"									922	922											
USP 45 w/Sure Fire 6V Light #CLASSIC 609R	4.41"									931	931											
USP .45 with Surefire Mount ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon light	4.41"									9321	9321	9321	9321									
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI	3.5"									19721	19721	19721	19721									
P2000 (US Version) D.A.O. Bobbed Hammer, w/Insight P2000 DAO (bobbed Hammer) with B&I adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch)	3.66"									9711	9711	9711	9711									
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon <b>NOTE: Holster will not retain weapon without light attached.</b>	3.50"									9721	9721	9721	9721									
P2000 US Version with ITI M3, TLR-1, Surefire X200, X300, LAS-TAC2, or SSL-1	X 3.50"													1972	1972	1972	1972	1972	1972	1972	1972	1972
P30L with ITI M3X or M6X light	4.44"									39512	39512	39512	39512									
HK 45 Cocked & Locked with ITI M3, TLR-1, Surefire X200, X300, LAS-TAC2, or SSL-1	4.53"									3930	3930	3930	3930									
<b>Kimber</b>		2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
1911 w/rails: Gold Combat RL: Custom TLE/RL w/Surefire X200 or X300 light <b>NOTE: Holster will not</b>	5.00"									5340	5340	5340	5340	560	560	560	560	560	560	560	560	560
CLASSIC CUSTOM w/Sure Fire 3V #310	4.60"									533	533											
CUSTOM Royale w/Sure Fire 3V #310	4.60"									533	533											
Gold Match w/Sure Fire 3V #310	4.60"									533	533											
Gold Combat RL II Warrior w/light rail w/Streamlight M3, M6, M3 LED, or Insight XTI Procyon	5.00"									5621	5621	5621	5621									
<b>Para Ordnance</b>		2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
P-14 w/Sure Fire 6V Light #310	5.00"									533	533											
P-14 w/Sure Fire 6V Light #610R	5.00"									536	536											
<b>Sphinx</b>		2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
3000 cocked and locked w/ITI LAM light	3.75"									1825	1825	1825	1825									
3000 cocked and locked w/ITI LAM light	4.50"									1825	1825	1825	1825									
3000 Hammer down or cocked & locked with IT M3X or M6X light . <b>NOTE: Holster will not retain weapon without light attached</b>	3.75"									18212	18212											
3000 Hammer down or cocked & locked with IT M3X or M6X light . <b>NOTE: Holster will not retain weapon without light attached</b>	4.50"									18212	18212											
<b>Sig Sauer</b>		2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
Sig P220R DAK, P226R DAK (with bobbed hammer) with ITI M3, M6 light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>Note: holster will not retain gun</b>	4.41"									27721	27721	27721	27721									
Sig P220R DAK, P226R DAK (with bobbed hammer) with Sure-Fire X200 or X300 Light. <b>Note: Holster will not retain weapon without light attached.</b>	4.41"									2770	2770	2770	2770									
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3 M3X, ITI Tactical Illuminator Light, TLR-1, Surefire X200, X300, SSL-1, LAS-TAC 2, or Insight XTI Procyon <b>NOTE: Holster will retain weapon without light attached</b>	X 4.50"													7742	7742	7742	7742	7742	7742	7742	7742	7742
P220R, P226R DASA/ DAK W/ Accessory Rails W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"																					
(ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. <b>NOTE: Holsters will not retain weapon</b>	4.41"									7721	7721	7721	7721									
P220, P226 w/Sure-Fire 3v #314, #332	4.41"									773	773											

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights-Pistols

GunMfctr./Model	BBL.	2	200	2005	295	2955	070	0705	MIL. Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325	
P220, P226 w/Sure-Fire 6v #614R, # 632R	4.41"									771	771											
P220, P226 w/Sure-Fire 6v & 3V w/LAS TACT LIGHT LASER HOUSING 3A PISTOL LASER	4.41"									772	772											
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D <b>NOTE: Holster will retain weapon without light attached</b>	X 4.41"									778	778	778	778									
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/#P004 Ligh	4.41"									7746	7746	7746	7746									
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 IT Tac Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"									77421	77421	77421	77421									
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Tac Illuminator Light or Surefire X400 light <b>NOTE: Holster will not retain</b>	4.41"									77412	77412	77412	77412									
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 Light <b>NOTE: Holster will not retain weapon without light attached</b>	4.41"									7740	7740	7740	7740									
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"									7712	7712	7712	7712									
P220, P226 with IT Mount and Insight Technology M3X, M6X, <b>NOTE: The Holster will not retain weapon without light attached.</b>	4.41"									7712	7712	7712	7712									
P226 w/ITI LAM UNIT <b>NOTE: Holster will retain weapon without light attached</b>	X 4.41"									775	775											
P226 w/Sure-Fire Millennium Light, M114C, M114D, M114 <b>NOTE: Holster will retain weapon without light</b>	X 4.41"									779	779											
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D <b>NOTE: Holster will retain weapon without light attached</b>	X 4.41"									776	776	778	778									
P220R P226R (DASA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or insight XTI Procyon										77421	77421	77421	77421									
P226 with Surefire MR14 Rail & Surefire X200 or X300 light. <b>Note: Right Handed Holsters will accommodate LASER GRIPS</b>	4.41"									7700	7700	7700	7700									
P226 with Surefire MR14 Rail & Surefire X200 or X300 light. <b>Note: Right Handed Holsters will accommodate LASER GRIPS</b>	4.41"									7700	7700	7700	7700									
P226R X-Five with Surefire X200 or X300 Light	5.00"									3770	3770	3770	3770									
P225, P228, 229 w/Sure-Fire 6v #640R	3.9"									741	741											
P228,P229 with M3, M6, M3 LED light with ITI mount, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.										7421	7421	7421	7421									
P229R DASA (Spurred Hammer) with accy rails with M3, M6 or M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.</b>	3.9"									74421	74421	74421	74421									
P229 R DAK with Light Rails: Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: The Holster will not retain weapon without light attached.</b>	3.9"									17421	17421	17421	17421									
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. <b>NOTE: Holster will not retain pistol without light attached.</b>	3.9"									17412	17412	17412	17412									
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light <b>NOTE: The Holster will not retain weapon without light attached.</b>	3.9"									1740	1740	1740	1740									
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light <b>NOTE: Holster will not retain weapon without light attached.</b>	3.9"									7440	7440	7440	7440									
P229R with ITI M3, TLR-1, Surefire X200, X300 or SSL-	3.9"													7442	7442	7442	7442	7442	7442	7442	7442	7442
P229 w/ ITI mount and ITI M3X light	3.86"									7411	7411											
Sig Pro SP 2340 LDI Laser #20872 or LDI LASER #20871	3.9"									782	782											
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon <b>NOTE: The holster will not retain weapon without light attached.</b>	3.5"									2782	2782	2782	2782									
Surefire X200, X300, SSL-1, or Insight XTI Procyon <b>NOTE: Holster will NOT retain weapon without light attached</b>	5.00"									25621	25621	25621	25621									
Sig Pro P2022 with Insight Technology M3, M6, M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>Note: The holster will not retain weapon without light attached.</b>	3.50"									27821	27821	27821	27821									
<b>Smith &amp; Wesson</b>		2	200	2005	295	2955	070	0705	<b>MIL. Holster (All Models)</b>	<b>6004</b>	<b>6005</b>	<b>6280</b>	<b>6285</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	<b>6354</b>	<b>6355</b>	<b>6320</b>	<b>6325</b>	
4006TSW, 4046TSW w/ITI M5 Streamlight Light	4.00"									1402	1402	1402	1402									
4006TSW Bobbed Hammer w/STD S&W Rails & Streamlight M5 or TLR-1 OR 4006TSW Bobbed Hammer w/Picatinny Rails & Streamlight M5 or TLR-1	4.00"									6004CHP-1402		6280CHP-1402										
4506-1 w/Sure Fire 6V Light	5.00"									2101	2101											
5906TSW, 5946 w/M5 ITI Streamlight Light	4.00"									1402	1402	1402	1402									
4566 TSW w/light rails and ITI Streamlight M5	4.125"									4302	4302	4302	4302									

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights-Pistols

GunMfctr./Model	BBL.	2	200	2005	295	2955	070	0705	MIL Holster (All Models)	6004	6005	6280	6285	6360	6365	6304	6305	6354	6355	6320	6325
4566TSW w/Picatinny Rails & ITI M3, TLR-1, Surefire X200, X300, or LAS-TAC 2, or ITI SSL-1 lights	4.25"													4302	4302	4302	4302	4302	4302	4302	4302
99 w/ITI Streamlight M5	4.00"									842	842	842									
S&W M&P 9mm & .40 W/ M3, M6 IT Tactical Illuminator, Streamlight TRL-1, TRL-2, or Insight XTI Procyon	4.50"									21921	21921	21921	21921								
Smith & Wesson M&P 9mm & 40mm with ITI M3, M3X, SSL-1, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"													2192	2912	2192	2192	2192	2192	2192	2192
S&W M&P .45 without manual safeties with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"													4192	4192	4192	4192	4192	4192	4192	4192
S&W M&P .45 with or without manual safeties with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC	4.50"									51921	51921	51921	51921	5192	5192	5192	5192	5192	5192	5192	5192
<b>Springfield Armory</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>MIL Holster (All Models)</b>	<b>6004</b>	<b>6005</b>	<b>6280</b>	<b>6285</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	<b>6354</b>	<b>6355</b>	<b>6320</b>	<b>6325</b>
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"									5621	5621	5621	5621								
1911 w/rails: Operator w/Surefire X200 or X300 light	5.00"									5340	5340	5340	5340	560	560	560	560	560	560		
<b>NOTE: Holster will not retain weapon without light attached</b>																					
1911-A1 w/Sure Fire 3V Light#310	5.00"									533	533										
1911-A1 w/Sure Fire 6V Light#610R	5.00"									536	536										
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"									530	530	530	530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight, or Insight XTI Procyon	5.00"									5621	5621	5621	5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI	5.00"									5612	5612	5612	5612								
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon <b>Note: Holster will NOT retain weapon without light attached</b>	4.00"									14821	14821	14821	14821								
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon <b>Note: Holster will NOT retain weapon without light attached</b>	5.00"									14921	14921	14921	14921								
XDM 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"									14921	14921	14921	14921								
<b>STI/SVI</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>MIL Holster (All Models)</b>	<b>6004</b>	<b>6005</b>	<b>6280</b>	<b>6285</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	<b>6354</b>	<b>6355</b>	<b>6320</b>	<b>6325</b>
1911 w/rails: Infinity Lighted Gun, STI 2011 Tactical, Tactical Lite Duty One w/Surefire X200 or X300 light <b>NOTE: Holster will not retain weapon without light attached</b>	5.00"									5340	5340	5340	5340								
STI Tactical w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2, or Insight XTI Procyon	5.00"									5621	5621	5621	5621								
<b>Walther</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>MIL Holster (All Models)</b>	<b>6004</b>	<b>6005</b>	<b>6280</b>	<b>6285</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	<b>6354</b>	<b>6355</b>	<b>6320</b>	<b>6325</b>
P99 w/Laser B5 and with optional accessories Rail	4.00"									848	848	848	848								
<b>Wilson</b>		<b>2</b>	<b>200</b>	<b>2005</b>	<b>295</b>	<b>2955</b>	<b>070</b>	<b>0705</b>	<b>MIL Holster (All Models)</b>	<b>6004</b>	<b>6005</b>	<b>6280</b>	<b>6285</b>	<b>6360</b>	<b>6365</b>	<b>6304</b>	<b>6305</b>	<b>6354</b>	<b>6355</b>	<b>6320</b>	<b>6325</b>
1911 w/rails: COB w/Surefire X200 or X300 light <b>NOTE: Holster will not retain weapon without light attached</b>	5.00"									5340	5340	5340	5340	560	560	560	560	560	560	560	560
1911 COB w/light rail with M3/M6, or Insight XTI Procyon light	5.00"									5621	5621	5621	5621								

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.