



PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
AMT	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Hardballer	5.00"				53				53					53								
Beretta	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
92/96 Vertec M9A1	4.70"								49		450			73	73		73	73	73		73	
92/96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70"								49								73	73	73		73	
92 Brigadier D	4.90"												73									
92 Brigadier FS	4.90"								53				73	73								
92 Brigadier	4.90"								49				73		73							
92 D	4.90"								53		450	73	73	173	73	73	73	73	73			73
92 DM	4.30"								53					173								
92 DS	4.90"								53				73	173								
92 F	4.90"								53		450	73	73	73	73	73	73	73	73			73
92 FC	4.30"								51					73								
92 FCM	4.30"								51				73	73								
92 FS	4.90"								53		450	73	73	73	73	73	73	73	73			73
92 FS Centurion	4.30"								51		450			73	73		73	73	73			73
92 G	4.90"								53					73	73							
96	4.90"								53		450			73								
96 Brigadier D	4.90"								53					173								
96 Brigadier G	4.90"								53					73								
96 Brigadier	4.90"														73							
96 Centurion	4.30"								51					73								
96 D	4.90"								53					173	73							
96 DC	4.30"								51					173								
96 DS	4.90"								53					173								
96 DS Brigadier D	4.90"								53					173								
96 F 96 FS	4.90"														73							
96 G	4.90"								53					73	73							
96 G SD	4.90"													73								
Cougar 8000, 8040 Cougar D DAO	3.60"								54					171								
Cougar 8000, 8040 Cougar F, D	3.60"								54					71								
Cougar 8045 F	3.60"													71								
PX4 Storm 9mm & .40 DAO Only	4.00"															181						
PX4 Storm 9mm & .40 DASA Only	4.00"													180	180	180						
PX4 Storm .45ACP	4.00"					77			744							185						
APX 9/40	4.25"												750	673	673	185						
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"													736								
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"													73421								
92, Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"													736								
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"															73421						
PX4 Storm with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"															18021						
APX 9/40 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"															6732						
Browning	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
BDM 9mm	4.73"								53													76
High Power 9mm	4.66"								53						76							76
Hi Power 9mm (Canadian Version)	4.60"													376								76
Canik	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
TP9SF	4.46								83		83											
TP9SF Elite	4.19								83		83											
TP9SA	4.47								83		83											

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
19X	4.00"	283			283	283	283		54	283	283		283		283		2835	2835	2835		2835
19 & 23 Dual Mag release Gen1-4	4.00"	283								283	283										
20, 20C, 21, 21C Gen1-4	4.60"					383			83		83	383	383	383	383	383	383	383	383		383
21SF Gen1-4 w/ STD Glock Rails	4.60"								83				383	383	383	383	383	383	383		383
21SF Gen1-4 w/ Picatinny Rails	4.60"													383							
33, 28	3.50"				83				54			283	183	183		183					
26, 27 All Gen	3.50"	183	183		183				54	283	183		183	283		183	183				183
29, 30, 30S All Gen	3.78"								83	283	183	483			483	483	483	483	483		483
30S	3.77"								83	283	183		383		485	485	483	483	483		483
30SF	3.77"															483					
34 All Gen	5.32"								49		683		683					6835	6835		6835
34, 35 Gen1-4	5.32"								49		683		683		683		6835	6835			6835
36	3.75"								54					283							
37	4.50"								49		83			783	783	783					
38	4.00"								83	283	283					783					
39	3.38"								744	283	183					883					
41 Gen4	5.31"								49		683										
42	3.25"			894	894								894				895			895	895
43, 43X	3.39"	895	895	895	895					895	895		895				895			895	895
48	4.17"								54								896				896
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
17, 22 All Gen w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"							832						832	832	832	8325	8325	8325		8325
17, 22, 31 Gen 1-4 w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"							832						832	832	832	832	832	832		832
17, 22 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.50"																8327	8327	8327		8327
17, 22 All Gen w/ Surefire X200, X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																8302	8302	8302		8302
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"													8301							
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"													8314							
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"							8324													
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"														8310	8310					
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"													836							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"													8312							
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"													8312							
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"													8321	8321						
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"													8341							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"													9832							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"													98310							
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"							2832							28325	2832	28325	28325	28325		28325
19, 23 Gen1-4 W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"							2832							2832	2832	2832	2832	2832		2832
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.00"																28327	28327	28327		28327
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"													28301	28301						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"													8321	28321							
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"							28324														
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"							2832						2830								
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"														28310							
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"															3832	3832	3832	3832			3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.60"																38327	38327	38327			38327
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U	4.60"													3832		3832						
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"													3830								
20, 21 Gen1-4 w/ STD Glock Rails w/ Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"													38321								
20, 20C, 21, 21C Gen1-4 w/ Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"													38321								
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"													938321								
29, 30 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.78"																48327	48327	48327			48327
34, 35 ALL Gen with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, SureFire X200, X300, or X300U	5.32"													6832	68325	6832	68325	68325	68325			68325
34, 35 Gen1-4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, SureFire X200, X300, or X300U	5.32"															6832	832	832	832			832
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"													6832								
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"													68321								
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"														7832	7832						
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"													7832								
41 Gen4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"														8932		832	832	832			832
43 with TLR-6	3.39"															89518						89518
47	4.50"																8972	8972	8972	8972		8972
Heckler & Koch	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P7 M8	4.10"													82								
P7 M13	4.10"													82								
P10	3.80"												295									
P30 DAO	3.78"				295	391	391			283	283		295	295	295	295	295	295	295			295
P30L	4.45"															395	395	395	395			395
P2000	3.50"				295	391			744		283	97			97	97	197	197	197			197
P2000 European Version w/light mount frame	3.50"				295				744					97			197	197	197			197
P2000 European Version and US Version w/light mount frame	3.50"				295				744					97			197	197	197			197
US Version P2000 DAO (bobbed hammer)	3.50"				295	391			744	283	283				97	197	197	197			197	
US Version P2000 DA/SA	3.50"				295	391			744	283	283					397	397	397			397	
US Version P2000 SK DAO (bobbed hammer)	3.25"				295				744	283	283											
P2000SK	3.33"								744	283	183											
P2000	3.66"				295				744	283	283											

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
USP 9, 40	4.25"					391			83	283	283			93	91	91					
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"					391				283	283				91						
USP 9C, 40C	3.58"					391	391		54	283	283	291		291		291	291	291	291		291
USP 9 Compact/P10 (Non-US Version)	3.80"					391	391								391	391	391	391	391		391
USP 45	4.53"					391			83					93							
USP 45 Compact .45ACP	3.80"					391								293							
USP 40 Expert	5.20"													96							
USP 45 Expert	5.20"								49					96							
HK .45	4.25"								83		83			393		395					
HK .45 Compact	3.90"									283	283					295					
VP9	4.09"				295	391			744	283	283		593	593	593	593	593	593	593		593
VP40	4.09"										83										
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"													1930							
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"													9221							
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"													19312							
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"													9321							
USP 9C and .40C with TLR-3	3.58"														29116						
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"													29111							
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"													9321							
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"													9711							
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light /laser with dim-switch)	3.50"													9710							
P2000 European Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"													9721							
H&K P30 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	3.85"							2952							2952	2952					
H&K P30 with Surefire XC-1 or XC-2	3.85"							29524													
H&K P30L with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	4.45"													3952	3952	3952					
P30L with ITI M3X or M6X Light	4.44"													39512							
VP9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-IHL, Surefire X200, X300, or X300U	4.09"							5932							5932						
VP9 with XC-1	4.09"														59322						
Kahr	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
E9, K9, K40	3.50"								54												
P380	2.50"			189																	
PM9	3.00"			186																	
CT9	3.80"								54												
CT380	3.50"			189																	
CW9	3.00"								54												
S9	3.50"								54												
ST9	4.00"				54				54												

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P226 DAO, P220 DAO	4.41"		77		77				83	283	450			77								
P226	4.41"		77							283	450											
P226 X-Five	5.00"								49													
P220R DAK, P226R DAK	4.41"		77								450	477		277	477	477						
P220R DASA, P226R DASA Spurred hammer	4.41"		77								450	477		477	477	477						
P220ST Stainless Steel P220R, P220S, P226R, P226S, P226SO with Accessory Rails	4.41"		77								450			77								
P224 9mm	3.50"								744													
P226R MK25	4.25"		77						49		450			77		477						
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77						49		450											
P226 after S/N 365426 (wide trigger guard)	4.41"		77								450											
P226R Elite	4.41"		77						49		450					477						
P225	3.90"				77				54	283	750	79		74	79	79						
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77						49				477	77	477	477						
P227R3 .45	3.78"		77						744								477	477	477			477
P228	3.90"		74		77				54		750	74		74	74	74	447	447	447			447
SIG P229R / P229 .40 CAL .357	3.90"		74														447	447	447			447
SIG P229R DAK/ P229R E2 9MM	3.90"		74														474	474	474			474
P229	3.90"		74		77				54		750	74		74	74	74						
P229 Elite	3.90"		74		77				54		750	74										
P229 R E2	3.90"										750											
P229R DASA spurred hammer w/ light rails	3.90"					744			744			744		74	744	744						
P229R DAK bobbed hammer w/ light rails	3.90"					744			744		750	744		174	744	744						
P239 (will only fit 9mm as of manufactured date 4603)	3.63"								54					75								
P239 .40 & .357	3.63"		75						54					75		754						
P239 9mm	3.63"														75	75						
P245	3.90"								83													
P250 Full Size 9mm, .40, .45	4.70"					450									450	450	450	450	450			450
P320 9mm, .40	4.70"	450				450			49		450		450		450	450	450	450	450			450
P320 X-Full or X-Vtac	4.70"																450	450	450			450
P320 .45 ACP	4.50"																451	451	451			451
P320 X-Five	5.00"												452									
P250 Compact 9mm, .40	3.88"	750				750			49					750	750	750	750	750	750			750
P320C (Carry and Compact) 9mm, .40	3.90"	750				750			744		750		750	750	750	750	750	750	750			750
P320SCR 9mm	3.50"								744		750				750		750	750	750			750
P320SC (No Rails) 9mm	3.50"								744		750				750		750	750	750			750
P320C (Compact and Carry) .45 ACP	3.90"																751	751	751			751
P320 X-Carry	3.90"																752	752	752			752
P938	3.00"			194																		
P365	3.10"		365	894	894												365	365	365	365		365
SIGPro SP2340, 2009	3.88"													78								
SIGPro SPC2009 - w light mount rails	3.50"								744					278								
P2022 spurred hammer	3.87"		278			278					750		278	278	278	278	278	278	278			278
P2022R-w standard light mount rail	3.87"		278			278			744		750		278				278	278	278			278
Sig Arms GSR Revolution 1911	5.00"								53						256							53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P220R W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																	7702	7702	7702		7702
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"							7742									4772	4772	4772			4772
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"							77421														
P220R, P226R DASA/ DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAG 2, or Insight XT1 Procyon	4.41"																7742					
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XT1 Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"													27721								
P220R, P220S, P226S, P226SO, P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XT1 Procyon	4.41"													77421								
P220R, P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"													77412								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"															7740						
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"															7712						
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"															7712						
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"															77421						
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"															7721						
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"															778						
P226 MK25 with X300 or X300 Ultra light	4.41"															7740						
P226R X-Five with Surefire X200 or X300 light	5.00"															3770						
P227 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"																7742					
P227 W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																	6772	6772	6772		6772
P228,P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"															7421						
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"															74421						
P229 R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"															17421						
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"															17412						
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"															7440						
P229R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"															7442	7442					
P229R .40 S&W W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																	4472	4472	4472		4472
P229R 9mm W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																	4742	4742	4742		4742
P320 9/40, X-Full, or X-Vtac with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"																	4502	4502	4502		4502
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"																	4512	4512	4512		4512
P320 9/40, X-Full, or X-Vtac W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.70"																	45027	45027	45027		45027
P320 Compact and Carry 9mm and .40 S&W with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																	7502	7502	7502		7502
P320 Compact and Carry 9mm and .40 S&W W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.90"																	75027	75027	75027		75027

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P320 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7512									7512	7512	7512		7512
P320 X-Carry ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																7522	7522	7522		7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"													2782							
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.50"													27821							
1911 GSR w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	5.00"													25621							
Smith & Wesson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
39	4.00"				83				83												
59	4.00"				83				83												
410	4.00"								83												
411	4.00"								83												
439	4.00"				83				83												
457	4.00"								83												
459	4.00"				83				83												
469	3.50"				83				54	283	283										
639	4.00"				83				83												
645	5.00"								53					210							
659	4.00"				83				83												
669	3.50"				83				54												
908	3.50"								54												
909	4.00"								83												
910	4.00"								83												
915	4.00"								83												
1006	5.00"								53					210							
1026	5.00"								53					210							
1046	5.00"								53												
1066	4.25"								83												
1076	4.25"								83												
1086	4.25"								83												
3904	4.00"				83				83												
3906	4.00"				83				83												
3913	3.50"				83				54												
3913LS	3.50"				83																
3913NL	3.50"				83																
3913TSW w/o light mount	3.50"								54												
3914LS	3.50"				83																
3953	3.50"								54												
3953/3954	3.50"								54					321		320					
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"								744												
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"													141							
4006	4.00"				83				83					140							
4013	3.50"				83				54												
4013TSW, 4053TSW (with rails)	3.50"																				
4013TSW w/o light mount	3.50"								54												
4026	4.00"				83				83												
4043	4.00"													140							
4046	4.00"				83				83					140							
4053	3.50"				83				54												
4053TSW w/o light mount	3.50"								54												
4056TSW w/o light mount	3.50"								54												
4506-1	5.00"								53					210							
4506	5.00"								53					210							
4513TSW w/ Light Rails	3.50"								744												
4516-1 Ver.II.4516-2	3.75"				83				54												
4526	5.00"								53					210							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
4536	3.75"				83				54													
4546	5.00"								53													
4553TSW w/o light mount	3.50"								54													
4556	3.75"				83				54		450											
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"													210								
4566	4.25"								83													
4576	4.25"								83													
4586	4.25"								83					210								
5903	4.00"				83				83					140								
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"				83				83					140								
5904	4.00"				83				83					140								
5906 lqtriggrd	4.00"								83		450											
5906 shrtriggrd	4.00"				83				83		450			140								
5923	4.00"				83				83													
5924	4.00"				83				83													
5926	4.00"				83				83													
5943 shrtriggrd	4.00"								83					140								
5944 shrtriggrd	4.00"								83					140								
5946 lqtriggrd	4.00"				83				83								320					
5946 shrtriggrd	4.00"				83				83					140			320					
5946 & 5943 DAO without Rails	4.00"																320					
6904	3.50"				83				54													
6906 lqtriggrd	3.50"								54													
6906 shrtriggrd	3.50"								54													
6924	3.50"				83				54													
6926	3.50"				83				54													
6944 shrtriggrd	3.50"				83				54													
6946 lqtriggrd	3.50"				83				54								320					
6946 shrtriggrd	3.50"				83				54								320					
Bodyguard .380	2.75"		194																			
Chiefs Special CS40	3.25"								54													
Chiefs Special CS45	3.25"								54													
Chiefs Special CS9	3.00"								54													
Sigma 40, 9mm	4.50"								83					40								
Sigma 9C, 40C, 40V, 9V, 9E	4.00"								83					40								
Sigma SD9VE, 40VE	4.00"									283	283		40									
Sigma 9F,40F	4.50"								83	283	83			40								
SW99 9mm & .40	4.00"					391			744	283	283	84		40	84	84	84					
SW99 45ACP	4.25"													86								
M&P 1.0 22 LR	4.25"									283	83				219	219						
M&P 1.0 & 2.0 9 Shield	3.10"	179	179		179				54	179	179		179			179	179				179	179
M&P 1.0 & 2.0 40 Shield	3.10"	179	179							179	179		179				179				179	179
M&P 1.0 45 Shield	3.30"									179	179											
M&P 2.0 9C with or without thumb safety	4.00"	219	219		83	219	219		219	283	83	222	219	219	222	222	222	219	222		222	
M&P 2.0 40C with or without thumb safety	4.00"	219	219		83	219	219		219	283	83	219	219	219	219	219	219	219	219		219	
M&P 2.0 9 with or without thumb safety	4.25"	219	219		83	219	219		219	283	83	222	219	219	222	222	222	219	222		222	
M&P 2.0 40 with or without thumb safety	4.25"	219	219		83	219	219		219	283	83	219	219	219	219	219	219	219	219		219	
M&P 2.0 9L with or without thumb safety	5.00"	219									683		819	819	818		818	819	818		818	
M&P 2.0 40L with or without thumb safety	5.00"	219									683		819				819	819	819		819	
M&P 2.0 45 without thumb safety	4.60"				83				83	283	283			519	419	419	419	419	419	419	419	
M&P 2.0 45 with or without thumb safety	4.60"				83				83	283	283			519	519	519	419	419	419	419	419	
M&P 1.0 9C & 40C without thumb safety	3.38"	319	319		83	319	319		83	283	183		319	719	219	319						
M&P 1.0 9C & 40C with thumb safety	3.38"	319	319							283	183											
M&P 1.0 9 & 40 without thumb safety	4.25"	219	219		83	219	219		83	283	83	219	219	219	219	219	219	219	219		219	
M&P 1.0 9 & 40 with thumb safety	4.25"	219	21		83	219	219		83	283	83		219	619			219	219	219	219	219	
M&P 1.0 9L & 40L without thumb safety	5.00"									683	683						819	819	819		819	
M&P 1.0 9L & 9 Pro without thumb safety	5.00"									683			819	819	819		819	819	819		819	
M&P 1.0 9L & 9 Pro with thumb safety	5.00"									683			819		820							
M&P 1.0 45C without thumb safety	4.00"									283	183				919	919						
M&P 1.0 45C with thumb safety	4.00"									283	183				920	920						
M&P 1.0 45 without thumb safety	4.60"				83				83	283	283			519	419	419	419	419	419	419	419	
M&P 1.0 45 with or without thumb safety	4.60"								83	283	283			519	519	519	419	419	419	419	419	
1911	5.00"				53				53		683				53	53						53
1911 w/Tactical Rails	5.00"								53		683				56	56						53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
4566TSW w/Picatinny Rails and ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"														4302							
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"							2192						2190								
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"													21921								
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2222	2222	2222	2192	2222		2222	
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2192	2192	2192	2192	2192		2192	
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																8182	8182	8182		8182	
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																8192	8192	8192		8192	
M&P 2.0 9 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2222	2222	2222	2192	2222		2222	
M&P 2.0 40 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2192	2192	2192	2192	2192		2192	
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192	4192	4192	4192	4192		4192	
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192	5192	4192	4192	4192		4192	
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace LaserGuard Pro or TLR-6	3.10"																				17918	
M&P 9 & 40 W/ M3 or M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"													21921								
M&P 9 & 40 w/ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192							2192	2192	2192	2192	2192		2192	
M&P 9 & 40 with XC-1	4.25"																21922	21922	21922		21922	
M&P 9 & 40 with SureFire X200, X300	4.25"							2192							2190							
M&P 9 & 40 with SureFire X400 Ultra	4.25"														21914							
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL Surefire X200, X300, or X300U	5.00"																8192	8192	8192		8192	
M&P 45 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192	4192	4192	4192	4192		4192	
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"													51921								
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192	5192	4192	4192	4192		4192	
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														9192	9192						
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	4.00"														9202	9202						
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"														560							
Sphinx	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard	4.50"														281							
SDP-S WLI-AA with laser	4.50"														28115	28115						
SDP Compact	3.70"															282						
SDP Subcompact	3.13"				285							285				285						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
3000 cocked and locked or with hammer down	3.75"													182								
3000 cocked and locked or with hammer down	4.50"								49					182								
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard w/ W400U	4.50"													28114								
Springfield Armory	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Model1911-A1	5.00"				53				53		683		53	53	53	53						53
Operator1911	5.00"								53		683			56	56	56						53
XD 9mm, .40, and .45	4.00"										450											
XD MOD2 9, .40	4.00"								744		750		48	148	148	148						
XD 9mm, .40, .45 and .357	4.00"								744		450		48	148	148	148						
XD 9mm, .40, .45 and .357	5.00"								49		450		49	149	149	149						
XD MOD2 9mm, .40, .45 and .357	5.00"								49		450		49	149	149	149						
XD 9mm & .40 Subcompact	3.00"		47								750											
XD (M) 9mm	3.80"													148		148						
XD(M) 9mm & .40	4.50"					146			49		450		49	149	149	149						
XD(M) .40	4.50"		47			146			49		450		49	149	146	146						
XD(M) 9mm	4.50"		47			146			49		450		49	149	145	145						
XD(M) 45	4.50"								49		450		49		146							
XD(M) 45	5.25"								49		450		147									
XD(M) 9mm & 40	4.50"										450											
XD(M) 9mm & 40	5.25"										450		49									
XD(M) 9mm	5.25"										450		147									
XD-S	3.30"	45	45		45					895	895		45				45				45	45
XD-S 45ACP MOD2	3.30"	45	45		45					283	183		45									
XD-E	3.30"										183											
911	2.75"			188																		
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"													5621								
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"													530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light	5.00"													5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"													5612								
Operator 1911-A1 with Surefire X200 or X300 light	5.00"														560							
XD 9mm, .40, .45 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.00"													14821								
XD 40 & 45 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"														1482							
XD 9mm with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"														462							
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"													14921								
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"														1492							
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"													14921	1492							
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	4.00"													14821								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														1462							
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"														1452							
XD(M) 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"														1462							
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"													14921								
XD(M) .45 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"														1462							
Steyr	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
M40A1	4.00"								744													
STI/SVI	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 with rails	5.00"								53		683			56		56						53
1911 without rails	5.00"				53				53		683		53		53	53						53
2011 with Full Size Dust Cover	5.00"												850									53
2011 with Short Dust Cover	5.00"												851									53
2011 with Short Dust Cover	6.00"												852									
STI Tactical	5.00"								53					56								53
GP6	4.25"								83													51
GP5 9mm	3.58"								744													
DVS 3-GUN	5.40"										683											
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"													5340								
Stinger	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
S-200														164								
Tangfolio	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Force	3.66"													262								
Force Full Size	4.45"													362								
Defiant Stock 1	4.45"												399									
Defiant Stock 2	4.50"												499									
Witness	4.50"									283	283											
Witness P Full Size	4.50"									283	283											
Witness P Compact	3.60"									283	183											
Taser International	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Advanced Taser M26														63								
X26														64								
X3														163								
Taurus	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
24/7 w/accy rails	4.00"								83	283	283			40								
PT92, PT99C	5.00"								53													
PT99	5.00"								53													
PT99C	4.00"								51													
PT92C	4.00"								51													
PT100	5.00"																					
PT840	4.00"									283	83				268							
PT809	4.00"									283	83				268							
PT845	4.00"									283	83											
PT111 G2	3.20"								54		183		172									
Spectrum	2.80"			188																		

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 8/30/19

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Walther	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
CCP	3.54"								54	283	283											
PPS	3.20"									283	183											
P5	3.50"								54				87	87								
P99	4.00"					391			54	283	283	84		84	84	84						
P99Q/PPQ M1	4.00"					391	384			283	283		384	384	384	384		384	384	384		384
P99Q/PPQ M1 and M2 (2008 & newer)	4.00"					391	384			283	283		384	384	384	384		384	384	384		384
P99, P99Q PPQ, PPQ M2 9mm, .40 S&W	5.00"										683						385	385	385			385
P99Q/PPQ M2 .45 cal	4.00"								744		750											
P99QA	4.00"									283	283			84	84							
P99C QA	3.50"									283	183	84		84	284							
P99 2008 Version	4.00"									283	283					384						
Q5 Match Ploymer Frame	5.00"												385									
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.00"							3842								3842						
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	5.00"														3852							
Wilson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 CQB w/light rail	5.00"								744													53
1911	4.88"								53				53	53								53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"													5340	560							

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.