

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18



PT 1 Duty - Pistols

| GunMnfctr./Model | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
|---|-------------|-------------------|-----------------|-----------------|-------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-----------------------|-----------------------|-----------------------|
| AMT | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| Hardballer | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| Beretta | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| 84FS | 3.80" | | | | | 62 | | | | | | | |
| 92/96Vertec M9A1 | 4.70" | | 73 | | 73 | 73 | | 73 | | | 73 | 73 | 73 |
| 92/96FS M9A1 | 4.70" | | | | | 73 | 73 | 73 | | | 73 | 73 | 73 |
| 90 Two Note: Weapon will not fit in Holster with the accessory rail cover attached. | 4.78" | | | | | 73 | | | | | 73 | 73 | 73 |
| 92 Brigadier D | 4.90" | | 373 | | | 173 | | | | | | | |
| 92 Brigadier FS | 4.90" | | 373 | | | 73 | | | | | | | |
| 92 D | 4.90" | 73 | 73 | | 73 | 173 | | 73 | | | | | |
| 92 DM | 4.30" | 73 | 73 | | 73 | 173 | | | | | | | |
| 92 DS | 4.90" | 73 | 73 | | 73 | 173 | | 73 | | | | | |
| 92 F | 4.90" | 73 | 73 | | 73 | 73 | 73 | 73 | | | 73 | 73 | 73 |
| 92 FC | 4.30" | 273 | 273 | | 273 | 73 | 73 | | | | | | |
| 92 FCDA | 4.30" | 273 | | | | 473 | | | | | | | |
| 92 FCM | 4.30" | 273 | 273 | | 273 | 73 | | | | | | | |
| 92 FS | 4.90" | 73 | 73 | | 73 | 73 | 73 | 73 | | | 73 | 73 | 73 |
| 92 FS Centurion | 4.30" | 273 | 273 | | 273 | 73 | | | | | 73 | 73 | 73 |
| 92 G | 4.90" | 73 | 73 | | 73 | 73 | 73 | 73 | | | | | |
| 96 | 4.90" | 73 | 73 | | 73 | 73 | 73 | 73 | | | | | |
| 96 Brigadier D | 4.90" | | 373 | | | 173 | | | | | | | |
| 96 Brigadier G | 4.90" | | 373 | | | 73 | | | | | | | |
| 96 Centurion | 4.30" | 273 | 273 | | 273 | 73 | | | | | | | |
| 96 D | 4.90" | 73 | 73 | | 73 | 173 | | 73 | | | | | |
| 96 DC | 4.30" | 273 | 273 | | 273 | 473 | | | | | | | |
| 96 DS | 4.90" | 73 | 73 | | 73 | 173 | | 73 | | | | | |
| 96 DS Brigadier D | 4.90" | | 373 | | | 173 | | | | | | | |
| 96 F, 96 FS | 4.90" | | | | | | | 73 | | | | | |
| 96 G | 4.90" | 73 | 73 | | 73 | 73 | | 73 | | | | | |
| 96 G SD, 92 G SD | 4.90" | | | | | 73 | | 73 | | | | | |
| Cougar 8000, 8040 Cougar D DAO | 3.60" | 71 | 71 | | | 171 | | | | | | | |
| Cougar 8000, 8040 Cougar F, D | 3.60" | 71 | 71 | | | 71 | | | | | | | |
| Cougar 8045 F | 3.60" | | 70 | | | 71 | | | | | | | |
| Cougar 8357 | 3.60" | 71 | 71 | | | | | | | | | | |
| M9 | 4.90" | | | | | | | 73 | | | 73 | 73 | 73 |
| PX4 Storm DASA 9mm, .40 | 4.00" | | | | | 180 | 180 | 180 | | | | | |
| PX4 Storm DAO 9mm, .40 | 4.00" | | | | | | 180 | 180 | | | | | |
| PX4 Storm .45ACP | 4.10" | | | | | | | 185 | | | | | |
| APX 9/40 | 4.25" | | | | | | 673 | 673 | | | | | |
| Browning | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| High Power 9mm | 4.66" | 76 | 76 | | | 76 | | | | | | | |
| High Power 9mm (Canadian Version) | 4.60" | | | | | 376 | | | | | | | |
| High Power 9mm-to be carried with hammer down | 4.75" | | | | | 1376 | | | | | | | |
| Canik | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| TP9SF | 4.46 | | | | | | 150 | 150 | | | | | |
| TP9SF Elite | 4.19 | | | | | | 150 | 150 | | | | | |
| TP9SA | 4.47 | | | | | | 150 | 150 | | | | | |
| Colt | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| | | | | | | | | | | | | | |
|---|-------------|-------------------|-----------------|-----------------|-------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-----------------------|-----------------------|-----------------------|
| Combat Elite | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| Commander | 4.25" | 51 | 51 | | | | | | | | | | |
| Delta Elite | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| Delta Gold Cup | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| Gold Cup N'I Match | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| Government.380 | 3.25" | | | | | | | | | | | | |
| Government 1911 | 5.00" | 53 | 53 | | 53 | 53 | 53 | 53 | | | | | |
| Colt M45A1 CQBP | 5.00" | | | | | 056 | | | | | | | |
| CZ | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| 75.85 | 4.50" | | | | | 90 | | | | | | | |
| 75 P-01 | 3.80" | | | | | 290 | | | | | | | |
| P-07 | 3.80" | | | | | | 292 | 292 | | | | | |
| P-09 | 4.53" | | | | | | 294 | 294 | | | | | |
| P-10C | 4.02" | | | | | | | | | | 392 | 392 | 392 |
| EAA | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| Witness 9mm, 40SW, Sport 9mm, Sport 40SW | 4.50" | | | | | 90 | | | | | | | |
| FN | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| Five-Seven | 4.80" | | | | | 61 | | | | | | | |
| Five-Seven MKII | 4.80" | | | | | 361 | | | | | | | |
| Browning PRO-9 | 4.00" | | | | | 260 | | | | | | | |
| FNP 9 | 4.00" | | | | | 260 | | | | | | | |
| FNP 45 | 4.50" | | | | | 261 | | | | | | | |
| FNS 9 | 4.00" | | | | | 266 | 269 | 269 | | | | | |
| FNS 40 | 4.00" | | | | | 266 | 266 | 266 | | | | | |
| FNS 9/40 | 5.00" | | | | | | 267 | 267 | | | | | |
| FNX 9/40 | 4.00" | | | | | 265 | | | | | | | |
| FN 509 | 4.00" | | | | | | | | | | 270 | 270 | 270 |
| Glock | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| 17, 17C, 22, 22C, 31 All Gen | 4.50" | 83 | 83 | 83 | 83 | 83 | 83 | 83 | | | 835 | 835 | 835 |
| 17 & 22 Gen1-4 Dual Mag release | 4.50" | | | | | 983 | 983 | 983 | | | | | |
| 19,19C, 23, 23C, 25, 32, 19X, 45 All Gen | 4.00" | 83 | 83 | 83 | 83 | 283 | 283 | 283 | | | 2835 | 2835 | 2835 |
| 19 & 23 Gen1-4 Dual Mag release | 4.00" | | | | | 9283 | | | | | | | |
| 20, 20C, 21, 21C Gen1-4 | 4.60" | 383 | 383 | 383 | 383 | 383 | 383 | 383 | | | 383 | 383 | 383 |
| 21SF Gen1-4 w/ STD Glock Rails | 4.60" | 383 | 383 | 383 | 383 | 383 | | 383 | | | 383 | 383 | 383 |
| 21SF Gen1-4 w/ Picatinny Rails | 4.60" | 383 | | | | 383 | | | | | | | |
| 26, 27, 33, 28 Gen1-4 | 3.50" | | | | | 283 | | | | | | | |
| 29, 30, 30S Gen1-4 | 3.78" | | | 383 | | | | 483 | | | 483 | 483 | 483 |
| 30S | 3.77" | | | | | | | 485 | | | 483 | 483 | 483 |
| 34 All Gen | 5.32" | 683 | | | | 683 | | | | | | | |
| 34, 35 Gen1-4 | 5.32" | | 683 | | | | 683 | 683 | | | | | |
| 36 | 3.75" | | | | | 283 | | | | | | | |
| 37 | 4.50" | | 783 | 383 | 783 | 783 | 783 | 783 | | | | | |
| 38 | 4.00" | | | | | | | 783 | | | | | |
| 41 Gen4 | 5.31" | | | | | | | 893 | 893 | | | | |
| Heckler & Koch | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| P7 | 4.10" | | | | | 82 | | | | | | | |
| P7M8 | 4.10" | 82 | | | | 82 | | | | | | | |
| P7M13 | 4.10" | 82 | | | | 82 | | | | | | | |
| P30 | 3.78" | | | | | 295 | 295 | 295 | | | 295 | 295 | 295 |
| P30L | 4.45" | | | | | | | | | | 395 | 395 | 395 |
| P2000 | 3.50" | | | | | | | 97 | | | 197 | 197 | 197 |
| P2000 European Version w/light mount frame | 3.50" | | | | | 97 | 97 | | | | 197 | 197 | 197 |
| P2000 European Version and US Version w/light mount frame | 3.50" | | | | | 97 | 97 | | | | 197 | 197 | 197 |
| US Version P2000 DAO (bobbed hammer) | 3.50" | | | | | 297 | | | | | 197 | 197 | 197 |
| US Version P2000 DA/SA | 3.50" | | | | | | | | | | 397 | 397 | 197 |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| | | | | | | | | | | | | | |
|---|-------------|-------------------|-----------------|-----------------|-------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-----------------------|-----------------------|-----------------------|
| US Version P2000 SK DAO (bobbed hammer) | 3.25" | | | | | 297 | | | | | | | |
| USP 9,40 | 4.25" | 91 | 91 | | | 93 | | 91 | | | | | |
| USP 9, 40 with Rubber Spurred Hammer (holster manufacture date of 2308 and after) | 4.25" | | | | | | | 91 | | | | | |
| USP 9C,40C | 3.58" | 291 | 291 | | | 291 | 291 | 291 | | 291 | 291 | 291 | |
| USP 9 Compact/P10 (Non-US Version) | 3.80" | | | | | | 391 | 391 | | 391 | 391 | 391 | |
| USP45 | 4.41" | 93 | 93 | | 93 | 93 | | | | | | | |
| USP45 Compact .45ACP | 3.80" | | 293 | | 293 | 293 | | | | | | | |
| USP40 Expert, USP45 Expert | 5.20" | | | | | 96 | | | | | | | |
| HK .45 | 4.25" | 91 | 91 | | 91 | 393 | | | | | | | |
| VP9 | 4.09" | | | | | 593 | 593 | 593 | | 593 | 593 | 593 | |
| Karbon Arms | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| MPID | | | | | | | | | 263 | | | | |
| Kimber | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| KIP45CUS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| PROCarry1911 | 5.00" | | 52 | | | | | | | | | | |
| 1911 with Tactical Rails | 5.00" | | | | | | | | | | | | |
| Gold Combat RL II, Warrior (w/light rail) | 5.00" | | | | | 56 | | 56 | | | | | |
| ParaOrdance | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| 14.45LDA | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 14.45LDALTD | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 14.45LDALTDSS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 14.45LDASS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 16.40LDALTD | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 16.40LDALTDSS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 18.9LDA | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 18.9LDASS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 7.45LDA | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| 7.45LDASS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P13-45 | 4.25" | 51 | 51 | | | | | | | | | | |
| P13-45LTD | 4.25" | 51 | 51 | | | | | | | | | | |
| P13-45LTDSS | 4.25" | 51 | 51 | | | | | | | | | | |
| P13-45SS | 4.25" | 51 | 51 | | | | | | | | | | |
| P14-45 | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P14-45LTD | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P14-45LTDSS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P14-45SS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P16-40 | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P16-40LTDSS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P16-40SS | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| P18-9 | 5.00" | 53 | 53 | | 53 | 53 | | | | | | | |
| PRX1445 | 5.00" | | 56 | | 56 | 56 | | 56 | | 56 | | | |
| Todd Jarrett 1911 | 5.00" | | 53 | | 53 | 53 | | 53 | | 53 | | | |
| Ruger | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 |
| KP89 | 4.50" | 67 | 65 | | | | | | | | | | |
| KP89DAO | 4.50" | 67 | 65 | | | | | | | | | | |
| KP89DAOW | 4.50" | 67 | 65 | | | | | | | | | | |
| KP89DC | 4.50" | 67 | 65 | | | | | | | | | | |
| KP89DW | 4.50" | 67 | 65 | | | | | | | | | | |
| KP89W | 4.50" | 67 | 65 | | | | | | | | | | |
| KP90 | 4.50" | 67 | 67 | | | | | | | | | | |
| KP90DC | 4.50" | 67 | 67 | | | | | | | | | | |
| KP90DW | 4.50" | 67 | 67 | | | | | | | | | | |
| KP90W | 4.50" | 67 | 67 | | | | | | | | | | |
| KP91DAO | 4.50" | 67 | 67 | | | | | | | | | | |
| KP91DC | 4.50" | 67 | 67 | | | | | | | | | | |
| KP93 | 3.88" | 69 | | | | | | | | | | | |
| KP94,KP944W,KP944DW | 4.25" | 69 | | | | 69 | | | | | | | |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| | | | | | | | | | | | | | | | | | | | |
|---|-------------|-------------------|-----------------|-----------------|-------------|-----------------------|-----------------------|-----------------------|-------------|-------------|-----------------------|-----------------------|-----------------------|-----|--|--|--|--|--|
| KP944DAO, KP944 | 4.25" | 69 | | | | 69 | | | | | | | | | | | | | |
| KP944DC, KP944DAO | 4.25" | 69 | | | | 69 | | | | | | | | | | | | | |
| KP94DAO | 4.25" | 69 | | | | | | | | | | | | | | | | | |
| KP94DC | 4.25" | 69 | | | | 69 | | | | | | | | | | | | | |
| P345 | 4.00" | 69 | | | | 69 | | | | | | | | | | | | | |
| P85 | 4.50" | 67 | 65 | | | | | | | | | | | | | | | | |
| P89 | 4.50" | 67 | 65 | | | | | | | | | | | | | | | | |
| P89DC | 4.50" | 67 | 65 | | | | | | | | | | | | | | | | |
| P89W, P89DW | 4.50" | 67 | 65 | | | | | | | | | | | | | | | | |
| P90.45CAL. | 4.50" | 67 | 67 | | | | | | | | | | | | | | | | |
| P90DC | 4.50" | 67 | 67 | | | | | | | | | | | | | | | | |
| P91DAO | 4.50" | 67 | 67 | | | | | | | | | | | | | | | | |
| P91DC | 4.50" | 67 | 67 | | | | | | | | | | | | | | | | |
| P95D, KP95D | 4.25" | 69 | | | | 69 | | | | | | | | | | | | | |
| P95DAO, KP95DAO | 4.25" | 69 | | | | 69 | | | | | | | | | | | | | |
| SR9 | 4.00" | 84 | | | | | | | | | | | | | | | | | |
| American 9mm and .40 S&W | 4.20" | | | | | | | | | | | 167 | 167 | 167 | | | | | |
| American .45 ACP | 4.50" | | | | | | | | | | | 168 | 168 | 168 | | | | | |
| Sig Sauer | BBL. | 2/200/2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/6282 | 6390/6395/6392 | 6360/6365/6362 | 6520 | 7520 | 7280/7285/7282 | 7360/7365/7362 | 7390/7395/7392 | | | | | | |
| P210 | 4.7" | | | | | | | | | | | | | | | | | | |
| P220 before gun serial number G158180 | 4.41" | 77 | 77 | | 77 | 77 | 77 | 77 | | | | | | | | | | | |
| P220ST StainlessSteel P220R, P220S, P226R P226S, P226SO with Accessory Rails DASA | 4.41" | 77 | 777 | | 777 | 77 | 477 | 477 | | | | | | | | | | | |
| P220 after S/NG158180 (widetriggerguard) | 4.41" | | 777 | | 777 | | | | | | | | | | | | | | |
| P220R Carry | 3.90" | | | | | 174 | | | | | | | | | | | | | |
| P220R Compact | 3.75" | | | | | 74 | | | | | | | | | | | | | |
| P220R DAK, P226R DAK bobbed hammer w/light rails | 4.41" | 277 | 1774 | | 1774 | 277 | 477 | 477 | | | | | | | | | | | |
| P225 | 3.90" | 74 | 79 | | 79 | 74 | | 79 | | | | | | | | | | | |
| P226R / P220R / P226 / MK25 9MM/.40CAL / P227R3 .45 | 4.41" | | | | | | | | | | 477 | 477 | 477 | | | | | | |
| P226R MK25 | 4.25" | | | | | 77 | | | | | | | | | | | | | |
| P226DAO, P220DAO | 4.41" | 77 | 777 | | 777 | 77 | 77 | 77 | | | | | | | | | | | |
| P226 after S/N365426 (wide trigger guard) | 4.41" | | 777 | | 777 | | | | | | | | | | | | | | |
| P226 DAK/DASA before serial gun number 365426 | 4.41" | 77 | 77 | | 77 | 77 | 77 | 77 | | | | | | | | | | | |
| P226R Elite | 4.41" | | 777 | | 777 | | | 477 | | | | | | | | | | | |
| P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer) | 4.40" | | | | | 77 | 477 | 477 | | | | | | | | | | | |
| P228 | 3.90" | 74 | 74 | | 74 | 74 | 74 | 74 | | | 447 | 447 | 447 | | | | | | |
| SIG P229R / P229 .40CAL .357 | 3.90" | | | | | | | | | | 447 | 447 | 447 | | | | | | |
| SIG P229R DAK/ P229R E2 9MM | 3.90" | | | | | | | | | | 474 | 474 | 474 | | | | | | |
| P229 | 3.90" | 74 | 74 | | 74 | 74 | 74 | 74 | | | | | | | | | | | |
| P229 Elite | 3.90" | | | | | | 74 | | | | | | | | | | | | |
| P229R 9mm DASA spurred hammer w/light rails | 3.90" | 744 | 744 | | 744 | 74 | 744 | 744 | | | | | | | | | | | |
| P229R 9mm DAK bobbed hammer w/light rails | 3.90" | | 1744 | | 1744 | 174 | 744 | 744 | | | | | | | | | | | |
| P229R, P229R-1 or E2 DASA spurred hammer DAK bobbed hammer w/light rails 40 cal only | 4.41" | | | | | | | 447 | 447 | | | | | | | | | | |
| P239 (will only fit 9mm as of manufactured date 4603) | 3.63" | 75 | 75 | | 75 | 75 | | | | | | | | | | | | | |
| P239 9mm | 3.63" | | | | | | | | | | 75 | | | | | | | | |
| P239 caliber 40 & 357 | 3.63" | 75 | 754 | | 754 | | | | | | | | | | | | | | |
| P239 DAK | 3.63" | | 75 | | 75 | | | | | | | | | | | | | | |
| P250 Compact 9mm, .40 | 3.88" | | | | | 750 | | 750 | | | 750 | 750 | 750 | | | | | | |
| P250 Full Size 9mm, .40, .45 | 4.70" | | | | | 450 | | 450 | | | 450 | 450 | 450 | | | | | | |
| P320 9mm, .40 | 4.70" | | | | | 450 | 450 | 450 | | | 450 | 450 | 450 | | | | | | |
| P320 X-Full or X-Vtac | 4.70" | | | | | | | | | | 450 | 450 | 450 | | | | | | |
| P320 .45 ACP | 4.50" | | | | | | | | | | 451 | 451 | 451 | | | | | | |
| P320C (Compact and Carry) 9mm, .40 | 3.90" | | | | | 750 | 750 | 750 | | | 750 | 750 | 750 | | | | | | |
| P320SCR 9mm | 3.50" | | | | | | | | | | 750 | 750 | 750 | | | | | | |
| P320SC (No Rails) 9mm | 3.50" | | | | | | | | | | 750 | 750 | 750 | | | | | | |
| P320C (Compact and Carry) .45 ACP | 3.90" | | | | | | | | | | 751 | 751 | 751 | | | | | | |
| P320 X-Carry | 3.90" | | | | | | | | | | 752 | 752 | 752 | | | | | | |
| SIGPro SP2340, 2009 | 3.88" | 78 | 78 | | 78 | 78 | | | | | | | | | | | | | |
| SIGPro SPC2009-w light mount rails | 3.50" | | | | | 278 | | | | | 278 | 278 | 278 | | | | | | |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| | | | | | | 278 | | 278 | | | 278 | 278 | 278 |
|---|-------------|------------------------|-----------------|-----------------|-------------|----------------------------|----------------------------|----------------------------|-------------|-------------|----------------------------|----------------------------|----------------------------|
| P2022 spurred hammer | 3.87" | | | | | 278 | | 278 | | | 278 | 278 | 278 |
| P2022R-w standard light mount rail | 3.87" | | | | | 278 | | 278 | | | 278 | 278 | 278 |
| Sig Arms GSR Revolution 1911 | 5.00" | | | | | 256 | | | | | | | |
| Smith&Wesson | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| 39 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 59 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 410 | 4.00" | 19 | | | | | | | | | | | |
| 411 | 4.00" | 140 | 140 | | 140 | | | | | | | | |
| 439 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 459 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 469 | 3.50" | 20 | 20 | | | | | | | | | | |
| 639 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 645 | 5.00" | 23 | 23 | | 23 | 210 | | | | | | | |
| 659 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 669 | 3.50" | 20 | 20 | | | | | | | | | | |
| 909 | 4.00" | 19 | | | | | | | | | | | |
| 910 | 4.00" | 19 | | | | | | | | | | | |
| 915 | 4.00" | 140 | 18 | | | | | | | | | | |
| 1006 | 5.00" | 210 | 210 | | 210 | 210 | | | | | | | |
| 1026 | 5.00" | 210 | 210 | | 210 | | | | | | | | |
| 1066 | 4.25" | 410 | 315 | | 315 | | | | | | | | |
| 1076 | 4.25" | 310 | 310 | | 310 | | | | | | | | |
| 1086 | 4.25" | 410 | 410 | | 410 | | | | | | | | |
| 3904 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 3906 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 3913 | 3.50" | 20 | 20 | | | | | | | | | | |
| 3913LS | 3.50" | 20 | 20 | | | | | | | | | | |
| 3913NL | 3.50" | 20 | 20 | | | | | | | | | | |
| 3913TSW w/o lightmnt | 3.50" | 20 | | | | | | | | | | | |
| 3914LS | 3.50" | 20 | 20 | | | | | | | | | | |
| 3953TSW | 3.50" | 240 | | 420 | | | | | | | | | |
| 3953TSW w/o lightmnt | 3.50" | 240 | | 420 | | | | | | | | | |
| 3953/3954 | 3.50" | 240 | 218 | 420 | 218 | | 320 | | | | | | |
| 4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails) | 4.00" | 140 | 520 | | 520 | 140 | | | | | | | |
| 4006TSW w/PICATINNY Rails, 4006TSW w/STD. Rails BOBBED HAMMER ONLY | 4.00" | | 141 | | 141 | 141 | | | | | | | |
| 4006 Bobbed Hammer | 4.00" | 140 | 140 | | 140 | 140 | | | | | | | |
| 4006 Bobbed Hammer without Light Rails | 4.00" | 200CHP-140 | | | | 6280CHP-140 | | | | | | | |
| 4013 | 3.50" | 423 | 540 | | | | | | | | | | |
| 4013TSW w/o lightmnt | 3.50" | 20 | | | | 20 | | | | | | | |
| 4026 | 4.00" | 140 | 140 | | 140 | | | | | | | | |
| 4043 | 4.00" | | | | | 140 | | | | | | | |
| 4046 | 4.00" | 240 | 240 | | 240 | 140 | | | | | | | |
| 4053 | 3.50" | 410 | 340 | | | 340 | | | | | | | |
| 4053TSW w/o lightmnt | 3.50" | 240 | | 420 | | | | | | | | | |
| 4056TSW w/o lightmnt | 3.50" | 240 | | 420 | | | | | | | | | |
| 4506-1 | 5.00" | 210 | 210 | | 210 | 210 | | | | | | | |
| 4506 | 5.00" | 23 | 23 | | 23 | 210 | | | | | | | |
| 4513TSW w/ light rails | 3.50" | | 423 | | | | | | | | | | |
| 4513TSW w/o lightmnt | 3.50" | 423 | 423 | | | | | | | | | | |
| 4516-1Ver.II.4516-2 | 3.75" | 423 | 423 | | | | | | | | | | |
| 4526 | 5.00" | 210 | 210 | | 210 | 210 | | | | | | | |
| 4536 | 3.75" | 423 | | | | | | | | | | | |
| 4553TSW (6-1/2" Over All Slide Length) N/A for size 6-3/4" Over All Slide Length | 3.75" | | 610 | | 610 | | | | | | | | |
| 4553TSW w/o lightmnt | 3.50" | 410 | 410 | | 410 | | | | | | | | |
| 4556 | 3.75" | 410 | | | | | | | | | | | |
| 4563TSW,4566TSW,4583TSW,4586TSW(with rails) | 4.25" | | 430 | | | 210 | | | | | | | |
| 4566 | 4.25" | 410 | 315 | | 315 | 210 | | | | | | | |
| 4576 | 4.25" | 310 | 310 | | 310 | | | | | | | | |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| | | | | | | | | | | | | | |
|---|------------|------------------------|-----------------|-----------------|-------------|----------------------------|----------------------------|----------------------------|-------------|-------------|----------------------------|----------------------------|----------------------------|
| 4586 | 4.25" | 410 | 410 | | 410 | 210 | | | | | | | |
| 5903 | 4.00" | 140 | 18 | | 18 | 140 | | | | | | | |
| 5903TSW,5906TSW (manufacturing date of 4603) .5943TSW,5946TSW (with rails) | 4.00" | 140 | 520 | | 520 | 140 | | | | | | | |
| 5904 | 4.00" | 140 | 18 | | 18 | 140 | | | | | | | |
| 5906lgtriggrd | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 5906shrtriggrd | 4.00" | 140 | 18 | | 18 | 140 | | | | | | | |
| 5923 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 5924 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 5926 | 4.00" | 140 | 18 | | 18 | | | | | | | | |
| 5943shrtriggrd | 4.00" | 240 | 218 | 420 | 218 | 140 | | | | | | | |
| 5944shrtriggrd | 4.00" | 240 | 218 | 420 | 218 | 140 | | | | | | | |
| 5946 & 5943 DAO Without Rails | 4.00" | | | | | | | | 320 | | | | |
| 5946lgtriggrd | 4.00" | 240 | 218 | | 218 | | | | | | | | |
| 5946shrtriggrd | 4.00" | 240 | 218 | 420 | 218 | 140 | | | | | | | |
| 6904 | 3.50" | 20 | 20 | | | 20 | | | | | | | |
| 6906lgtriggrd | 3.50" | 20 | | | | | | | | | | | |
| 6906shrtriggrd | 3.50" | 20 | 20 | | | 20 | | | | | | | |
| 6924 | 3.50" | 20 | 20 | | | 20 | | | | | | | |
| 6926 | 3.50" | 20 | 20 | | | 20 | | | | | | | |
| 6944shrtriggrd | 3.50" | 240 | 218 | 420 | 218 | | | | | | | | |
| 6946lgtriggrd | 3.50" | 240 | 218 | | 218 | | | | 320 | | | | |
| 6946shrtriggrd | 3.50" | 240 | 218 | 420 | 218 | | | | 320 | | | | |
| Sigma40.9mm | 4.50" | 40 | 40 | | | 40 | | | | | | | |
| Sigma9C,40C,40V,9V,9E | 4.00" | 39 | 40 | | | 40 | | | | | | | |
| Sigma9F,40F | 4.50" | 40 | 40 | | | 40 | | | | | | | |
| SW99 9mm & .40 | 4.00" | 84 | 84 | | | 84 | | | 84 | | | | |
| SW99 45ACP | 4.25" | | | | | 86 | | | | | | | |
| M&P 2.0 9 without thumb safety | 4.25" | | | | | 219 | 222 | 222 | | 219 | 222 | 222 | |
| M&P 2.0 .40 without thumb safety | 4.25" | | | | | 219 | 219 | 219 | | 219 | 219 | 219 | |
| M&P 2.0 9 without thumb safety | 5.00" | | | | | 819 | 818 | 818 | | 819 | 818 | 818 | |
| M&P 2.0 .40 without thumb safety | 5.00" | | | | | 819 | 819 | 819 | | 819 | 819 | 819 | |
| M&P 2.0 9 with thumb safety | 4.25" | | | | | | | | | 219 | 222 | 222 | |
| M&P 2.0 .40 with thumb safety | 4.25" | | | | | | | | | 219 | 219 | 219 | |
| M&P 2.0 9 with thumb safety | 5.00" | | | | | | | | | 819 | 818 | 818 | |
| M&P 2.0 .40 with thumb safety | 5.00" | | | | | | | | | 819 | 819 | 819 | |
| M&P 2.0 9 Compact without thumb safety | 4.00" | | | | | 219 | 222 | 222 | | 219 | 222 | 222 | |
| M&P 2.0 .40 Compact without thumb safety | 4.00" | | | | | 219 | 219 | 219 | | 219 | 219 | 219 | |
| M&P 2.0 45 without thumb safety | 4.60" | | | | | 519 | 419 | 419 | | 419 | 419 | 419 | |
| M&P 2.0 45 with or without thumb safety | 4.60" | | | | | 519 | | 519 | | 419 | 419 | 419 | |
| M&P 22 LR | 4.25" | | | | | | 219 | 219 | | | | | |
| M&P 9 & 40 with & without thumb safety | 4.25" | | 619 | | 619 | | 219 | 219 | | 219 | 219 | 219 | |
| M&P 9 & 40 without thumb safety | 4.25" | | | | | 219 | | | | | | | |
| M&P 9 & 40 with thumb safety | 4.25" | | | | | 619 | | 619 | | | | | |
| M&P 9C & 40C without thumb safety | 3.375" | | | | | | 219 | 219 | | | | | |
| M&P 9C & 40C with thumb safety | 3.375" | | | | | 719 | | | | | | | |
| M&P 9L | 5.00" | | | | | 819 | | 819 | | 819 | 819 | 819 | |
| M&P 9L with thumb safety | 5.00" | | | | | | | 820 | | | | | |
| M&P 45 without thumb safety | 4.60" | | | | | 519 | 419 | 419 | | 419 | 419 | 419 | |
| M&P 45 with or without thumb safety | 4.60" | | | | | 519 | | 519 | | 419 | 419 | 419 | |
| M&P .5C without thumb safety | 4.00" | | | | | | 919 | 919 | | | | | |
| M&P 45C with thumb safety | 4.00" | | | | | | | 920 | | | | | |
| 1911 | 5.00" | | | | | | | 53 | | | | | |
| 1911 w/ Tactical Rails | 5.00" | | | | | | | 56 | | | | | |
| Sphinx | BBL | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| SDP Standard | 4.5" | | | | | | 281 | 281 | | | | | |
| SDP Compact | 3.7" | | | | | | | 282 | | | | | |
| XDP Subcompact | 3.13" | | | | | | | 285 | | | | | |
| 3000 cocked and locked or with hammer down | 3.75" | | | | | 182 | | | | | | | |
| 3000 cocked and locked or with hammer down | 4.50" | | | | | 182 | | | | | | | |

DUTY HOLSTER WILL FIT CHART
Part 1 Duty Holsters - Pistols

Revised: 11/30/18

| Springfield Armory | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
|------------------------------------|-------|----------------|----------|----------|------|--------------------|--------------------|--------------------|------|------|--------------------|--------------------|--------------------|
| Model1911-A1 | 5.00" | 53 | 53 | | 53 | 53 | | 53 | | | | | |
| 1911 Operator | 5.00" | 56 | 56 | | 56 | 56 | | 56 | | | | | |
| Operator TRP | 5.00" | | | | | 56 | 56 | 56 | | | | | |
| XD 9mm, .40, .45, & .357 | 4.00" | | | | | 148 | | 148 | | | | | |
| XD MOD2 9, .40 | 4.00" | | | | | 148 | | 148 | | | | | |
| XD 9, 40, 45 and .357 | 5.00" | | | | | 149 | | 149 | | | | | |
| XD MOD2 9, 40, 45 and .357 | 5.00" | | | | | 149 | | 149 | | | | | |
| XD (M) 9mm | 3.80" | | | | | 148 | | 148 | | | | | |
| XD (M) 9mm | 4.50" | | | | | 149 | | 145 | | | | | |
| XD(M) .40 | 4.50" | | | | | 149 | 146 | 146 | | | | | |
| XD (M) .45 | 4.50" | | | | | 149 | 146 | 146 | | | | | |
| Stinger | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| S-200 | | | | | | 164 | | | | | | | |
| STI/SVI | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| 1911 with rails | 5.00" | | | | | 56 | | | | | | | |
| 1911 without rails | 5.00" | | | | | | | 53 | | | | | |
| STI Tactical | 5.00" | | | | | 56 | | | | | | | |
| Steyr | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| M40 | 4.00" | | | | | 98 | | | | | | | |
| Tangfolio | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| Force | 3.66" | | | | | 262 | | | | | | | |
| Force Full Size | 4.50" | | | | | 362 | | | | | | | |
| Taser International | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| Advanced Taser M26 | | | | | | 63 | | | 63 | | | | |
| X26 | | | | | | 64 | | | 64 | 364 | 364 | | |
| X26P | | | | | | 364 | | | 364 | 364 | 364 | | |
| X2 | | | | | | | | | 264 | | | | |
| X3 | | | | | | 163 | | | 163 | | | | |
| Taurus | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| 24/7 w/ accy rails | 4.00" | | | | | 40 | | | | | | | |
| PT92, PT99C | 5.00" | 73 | 73 | | 73 | | | | | | | | |
| PT99 | 5.00" | 73 | 73 | | 73 | | | | | | | | |
| PT99C | 4.00" | 73 | 73 | | 73 | | | | | | | | |
| PT92C | 4.00" | 73 | 73 | | 73 | | | | | | | | |
| PT100 | 5.00" | | | | | | | | | | 175 | 175 | 175 |
| PT840 | 4.00" | | | | | | 268 | 268 | | | | | |
| PT809 | 4.00" | | | | | | 268 | 268 | | | | | |
| Walther | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| P5 | 3.50" | | | | | 87 | | | | | | | |
| P99, P99Q PPQ, PPQ M2 9mm, .40 S&W | 4.00" | 87 | | | | | | | | | 384 | 384 | 384 |
| P99, P99Q PPQ, PPQ M2 9mm, .40 S&W | 5.00" | | | | | | | | | | 385 | 385 | 385 |
| P99 | 4.00" | | 84 | | | 84 | | 84 | | | | | |
| P99Q/PPQ 9mm only (2008 & newer) | 4.00" | 84 | | | | 384 | | 384 | | | | | |
| P99QA | 4.00" | | | | | 84 | | 84 | | | | | |
| P99C QA | 3.50" | | | | | 84 | | 284 | | | | | |
| Wilson | BBL. | 2/200/ 2005 | 070/0705 | 295/2955 | 0705 | 6280/6285/ 6282 | 6390/6395/ 6392 | 6360/6365/ 6362 | 6520 | 7520 | 7280/7285/ 7282 | 7360/7365/ 7362 | 7390/7395/ 7392 |
| 1911 CQB w/light rail | 5.00" | | | | | 56 | | | | | | | |
| 1911 | 4.88" | 53 | 53 | | 53 | 53 | | | | | | | |

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for or the consequences resulting from such errors and urges any user of this information to personally check for holster/handgun compatibility using actual products.