

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Revised: 11/30/18



PT 3 Pistols w/ Light

Note: Items with an X by the gun description fit with or without a light

Gun Mfr/Model	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Hardballer w/Sure-Fire 6V #610R	5.00"		536																
Hardballer w/Sure-Fire 3V #310	5.00"		533																
<b>Beretta</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
90-Two TLR-1	4.78"		7321			7321													
92F w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI mount M3/M6, Streamlight TLR-1, TLR-2, or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	4.90"		7321			7321													
92F w/ ITI mount M3/M6, M3X/M6X, Streamlight TLR-1, TLR-2, Surefire X200 or X300 NOTE: Retention is reduced by removal of light	4.90"				7312														
92 Brigadier FS w/ SureFire 3v CLASSIC #333	4.90"		733																
92 Brigadier FS w/ SureFire 6v #633R	4.90"		731																
92 F w/ SureFire 3v CLASSIC #333	4.90"		733																
92 F w/ SureFire 6v #633R	4.90"		731																
92 FS w/ SureFire 3v CLASSIC #333	4.90"		733																
92 FS w/ SureFire 6v #633R	4.90"		731																
92 FC w/ SureFire 3v CLASSIC #333	4.90"		733																
92 FC w/ SureFire 6v #633R	4.30"		731																
92 G w/ SureFire 3v CLASSIC #333	4.30"		733																
92 G w/ SureFire 6v #633R	4.90"		731																
92 FCM w/ SureFire 3v CLASSIC #333	4.30"		733																
92 FCM w/ SureFire 6v #633R	4.30"		731																
92 FS Centurion w/ Sure-Fire 3v CLASSIC #333	4.30"		733																
92 FS Centurion w/ Sure-Fire 6v #633R	4.30"		731																
92F, 92FS, 92 Brigadier w/Surefire P116	4.90"		736			736													
92F w/ SureFire MR-11 adapter & Surefire X200 or X300	4.90"		73421			73421													
92 D w/ SureFire 6v #633R	4.90"		1731																
92 DS w/ SureFire 6v #633R	4.90"		1731																
92 DM w/ SureFire 6v #633R	4.90"		1731																
96 Centurion w/ Sure-Fire 3v CLASSIC #333	4.30"		733																
96 Centurion w/ Sure-Fire 6v #633R	4.30"		731																
96 D w/ SureFire 6v #633R	4.90"		1731																
96 DS w/ SureFire 6v #633R	4.90"		1731																
96 Brigadier w/ SureFire 6V #633R	4.90"		731																
96 Brigadier w/ SureFire 3V CLASSIC #333R	4.90"		733																
96 Brigadier G w/ SureFire 3v CLASSIC #333	4.90"		733																
96 Brigadier G w/ SureFire 6V #633R	4.90"		731																
96D w/ Sure-Fire 6V #633R	4.90"		1731																
96 Brigadier D w/ Sure-Fire 6V #633R	4.90"		1731																
96 w/Sure-Fire 6v #633R	4.90"		731																
96 G w/ Sure-Fire 6v #633R	4.90"		731																
96 w/ Sure-Fire 3v CLASSIC #333	4.90"		733																
96 G w/ Sure-Fire 3v CLASSIC #333	4.90"		733																
96 DC w/ Sure-Fire 6v #633R	4.90"		1731																
92FS, 92G, 96	4.90"					732													
92F w/ ITI M3X Light or ITI SSL-1	4.90"		7311																
92 Sure-Fire Nitrolon Light P116C, P116D, P116E NOTE: Retention is reduced by removal of light	X 4.90"		736			736													
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"		7346			7346													
Vertec 92FS, 96 w/ M3, M6, M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XT1 Procyon	4.70"		73421			73421													
PX4 Storm 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, Insight XT1 Procyon, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U lights	4.00"	11264	18021			18021													
APX 9/40 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"				6732		6732	6732	6732		6732	6732							
<b>Caspian</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
1911 w/Military mount M3X/M6X light	5.00"		5322																
1911 w/Dawson light adaptor w/Surefire Military 6V light system (Model #DP037)	5.00"		538																
1911 w/ Military Mount w/ Beamshot Light Model 8800	5.00"		5322																
<b>Colt</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
Combat Elite w/ Sure Fire 3V #310	5.00"		533																
Combat Elite w/ Sure Fire 6V #610R	5.00"		536																
Combat Target w/ Sure Fire 3V #310	5.00"		533																
Delta Elite w/ Sure Fire 3V #310	5.00"		533																
Delta Elite w/ Sure Fire 6V Light #610R	5.00"		536																
Delta Gold Cup w/ Sure Fire 3V Light #310	5.00"		533																
Delta Gold Cup w/ Sure Fire 6V Light#610R	5.00"		536																
Gold Cup Nat'l Match w/ Sure Fire3V Light#310	5.00"		533																
Gold Cup Nat'l Match w/ Sure Fire 6V Light#610R	5.00"		536																
1911-A1 Non Rail, w/ Surefire mount MR07, w/Surefire X200, X300, or X300U	5.00"		530			530													

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Revised: 11/30/18

Gun Mfrctr./Model	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Gov't. 1911 w/ Sure-Fire X200, X300, and X300U	5.00"																		
Gov't. 1911 w/ Sure-Fire 3v #310	5.00"		533																
Gov't. 1911 w/ Sure-Fire 6v #610R	5.00"		536																
Colt M45A1 CQBP w/ Surefire X200, X300, or X300U	5.00"		530			530													
<b>CZ</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
P07 w/ ITI M3, TLR-1, Surefire X200 or X300	3.80"						2922	2922	2922			2922							
<b>FN</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
Five-Seven w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Tactical Illuminator light refire M3, M6, M3 LED, Insight XTI Procyon or Streamlight TLR-1 and TLR-2 N/A for M3X/M6X. <b>NOTE: Retention is reduced by removal of light</b>	4.80"		6121			6121													
FNS 40 w/ M3, TLR-1, Surefire X200, X300	4.00"						2662	2662	2662		2662	2662							
FNS 9 w/ M3, TLR-1, Surefire X200, X300, or X300U light	4.00"						2692	2692	2692		2692	2692							
FNS 40 w/ M3, TLR-1, Surefire X200, X300 Light	5.00"						2672	2672	2672		2672	2672							
FN 509 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X 4.00"						2702	2702	2702		2702	2702							
<b>Glock</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
17, 22 Gen1-4 w/ Surefire X200, X300, or X300U	4.50"		836			836													
17, 22 All Gen W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X 4.50"		832			832	8325	8325	8325		8325	8325	832	832	832	832	832	832	832
17, 22 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc	4.50"												8328	8328	8328	8328	8328	8328	8328
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch <b>NOTE: Retention is reduced by removal of light</b>	4.50"						8301	8301	8301		8301	8301							
17, 22 All Gen W/ ITI Streamlight M3, TLR-1, TLR-1HL with Pressure Switch <b>NOTE: Retention is reduced by removal of light</b>	4.50"												8302	8302	8302	8302	8302	8302	8302
17, 22 with SureFire All Gen 200, X300, X300U, X300V, X400, X400U, or X400V Light	4.50"							8314				8314							
17, 22, 31 All Gen W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M3X, M6, M6X, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL. <b>NOTE: Retention is reduced by removal of light</b>	4.50"		8321			8321	8321	8321	8321		8321	8321							
17, 22 All Gen with DBAL light	4.50"		8317			8317													
17, 22 All Gen with SBAL light	4.50"						8323	8323	8323		8323	8323							
17, 22 All Gen with SureFire X400 Light	4.50"			8314															
17, 22 Gen1-4 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X 4.50"						832	832	832		832	832							
17, 22 Gen1-4 Dual Magazine Release with ITI M3	4.50"		9832			9832													
17, 22 Gen1-4 Dual Magazine Release with Glock GTL10 Light	4.50"		98310			98310													
17, 22 Gen1-4 Dual Magazine Release with Glock GTL 10 Light, or GTL 21, GTL 22 Light/Laser Combo	4.50"		98310			98310													
17, 22, 31 Gen1-4 W/ITI Streamlight TLR-1, TLR-1HL, M3 or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.50"	832	832			832													
17, 22, 31 All Gen w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) <b>Note: holster will not retain weapon without light attached</b>	4.50"		8310			8310	8310	8310	8310		8310	8310							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"		8312			8312													
17, 22, 31 Gen1-4 w/Insight Technology Streamlight M3X / M6X	4.50"		8312			8312													
17, 22 Gen1-4 w/Insight Technology Streamlight M3X	4.50"								8311		8311	8311							
17, 22, 31 Gen1-4 w/ SureFire P111, P111C or P111D with trigger guard rail mount <b>NOTE: Retention is reduced by removal of light</b>	X 4.50"		830			830													
17, 22, 31 Gen1-4 w/ ITI LAM UNIT	4.50"		8350			8350													
Glock 17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"		8341			8341													
17, 22, 31 Gen1-4 w/ Oerlikon LAM Module (#LLMO1)	4.50"		834			834													
17, 22, 19 Gen1-4 w/Sure-Fire 6v #644R	4.00"		831			831													
17, 22, 19 and 23 Gen1-4 with SureFire, X200, X300, X300U, X300V, X400, X400U, or X400V Light	4.50"		8314	8314		8314													

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfctr./Model	BBL.	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
19, 23, 19X, 45 All Gen W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X	4.00"		2832		2832	28325	28325	28325		28325	28325	2832	2832	2832	2832	2832	2832	2832
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc		4.00"											28328	28328	28328	28328	28328	28328	28328
19, 19X, 23, 45 All Gen with SureFire, X200, X300, X300U, X300V, X400, X400U, or X400V Light		4.00"						28314				28314							
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch <b>NOTE: Retention is reduced by removal of light</b>		4.00"					28301	28301	28301		28301	28301							
19, 23 Gen1-4 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X	4.00"					2832	2832	2832		2832	2832							
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300		4.00"		2830		2830													
19, 19C, 23, 23C, 25, 32, 32C Gen1-4 with ITI Streamlight M3, TLR-1 or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	X	4.00"		2832		2832													
19, 23 Gen1-4 W/ ITI M3, M3X, M6, M6X, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL <b>NOTE: Retention is reduced by removal of light</b>		4.00"		8321		8321	28321	28321	28321		28321	28321							
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) <b>NOTE: Retention is reduced by removal of light</b>		4.00"					28310	28310	28310		28310	28310							
20, 21, 21SF, 29, or 37 Gen1-4 w/ STD Glock Rails with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	X	4.60"					3832	3832	3832		3832	3832	3832	3832	3832	3832	3832	3832	3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc		4.60"											38327	38327	38327	38327	38327	38327	38327
20, 21, 21SF Gen1-4 with ITI Streamlight TLR-1, M3 light or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	X	4.50"		3832		3832													
20, 21 Gen1-4 w/STD Glock Rails w/Sure-Fire Millennium 9V, # M111, M111C, M111D w/trigger guard light rail mount		4.60"		3839		3839													
20, 21 Gen1-4 w/ STD Glock Rails with Inforce APL, Surefire X200 or X300 light <b>NOTE: Retention is reduced by removal of light</b>		4.60"		3830		3830													
21SF Gen1-4 w/STD Glock Rails with Surefire X200 light or X300 <b>NOTE: Retention is reduced by removal of light</b>		4.60"		3830		3830													
20, 20C, 21, 21C Gen1-4 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight TLR-1, TLR-2, Technology M3, M6, M3 LED, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>		4.60"		38321		38321													
20, 21 Gen1-4 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2		4.50"		38321		38321													
21SF Gen1-4 w/STD Glock Rails w/Laser Device Inc, Laser-Tac 2 (6V) Or Streamlight TLR-1		4.60"		38321		38321													
20, 21 Gen1-4 w/Standard Glock Rails w/Sure-Fire 6V Light #645AR		4.60"		3831															
21SF Gen1-4 w/STD Glock Rails with Surefire 6V light #645AR		4.60"		3831															
21SF Gen1-4 w/STD Glock Rails with Streamlight M3, M6, M3 LED, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>		4.60"		38321		38321													
Glock 20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, X300U, Insight XTI Procyon		4.60"		938321		938321													
29, 30 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc		3.78"											48328	48328	48328	48328	48328	48328	48328
34 All Gen with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights		5.32"		6832		6382													
34, 35 Gen1-4 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	X	5.32"					6832	6832	6832		6832	6832	832	832	832	832	832	832	832
34, 35 Gen1-4 w/ITI Streamlight M3 or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	X	5.32"		6832		6832													
34, 35 Gen1-4 w/IT Tactical Illuminator Light M3, M6, M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. <b>NOTE: Retention is reduced by removal of light.</b>		5.32"		68321		68321													
37 Gen1-4 with ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon	X	4.50"					7832	7832	7832		7832	7832							

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfctr/Model	BBL	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
37 Gen1-4 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200 or X300	4.50"		7832			7832													
41 Gen4 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U lights	X 5.31"						8932	8932	8932		8932	8932	832	832	832	832	832	832	832
<b>Heckler &amp; Koch</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
USP 9, 40 w/ H&K Light (UTL)	4.25"		932			932													
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"		1936			1936													
USP 9, 40 w/ Sure Fire 6V Light Classic #609R	4.25"		931																
USP 9, 40 w/ H&K UTL Light Cocked & Locked Only	4.25"		922																
USP 9, 40 w/ LAS TAC 6V Light by Laser	4.25"		917			917													
USP 9, 40 w/ BA-5 Laser by Laser devices	4.25"		918			918													
USP 9, 40 w/ OERILIKON LIGHT (LLM-R)	4.25"		914																
USP 9, 40 Hammer Down or Cocked and locked w/ B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light</b>	4.25"		9221			9221													
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. <b>NOTE: Retention is reduced by removal of light.</b>	4.25"		19312			19312													
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.13"		9321			9321													
USP 40C with GG&G Slime Rail Adapter and Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon. Bobbed Hammer Only. Note: N/A for M6X. <b>NOTE: Retention is reduced by removal of light</b>	3.58"		29111			29111													
USP 9C and .40C Cocked & Locked with Surefire Mount and Surefire X200 or X300 lights	3.58"		2910			2910													
USP 9C and .40C with TLR-3	3.58"				29116	29116	29116			29116	29116								
H&K 45 Compact with TLR-3	3.94"		49316			49316													
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 or X300 light <b>NOTE: Retention is reduced by removal of light</b>	4.41"		1930			1930													
USP 45 LEM (D.A.O. (Bobbed Hammer)), USP 45 Spurred Hammer w/Surefire X200 light adapter with Surefire X200 or X300 light <b>NOTE: Retention is reduced by removal of light</b>	4.41"		930			930													
USP 45 w/ H&K Light (UTL)	4.41"		932			932													
USP 45 w/ H&K USP Light Cocked & Locked Only	4.41"		922																
USP 45 w/ Sure Fire 6V Light #CLASSIC 609R	4.41"		931																
USP .45 with Spurred Hammer and Surefire Mount MR09, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, or Insight XTI Procyon light	4.41"		9321			9321													
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon Light.	3.5"		19721			19721													
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"		9711			9711													
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light /laser with dim-switch)	3.50"		9710			9710													
P2000 European Version with B & T adaptor (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light.	3.50"		9721			9721													
P2000 US Version with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U lights	X 3.50"						1972	1972	1972		1972	1972							
H&K P30 with ITI M3, TLR-1, Surefire X200, or X300	3.85"		2952			2952													
H&K P30 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.85"						2952	2952	2952		2952	2952							
H&K P30 with ITI M3, TLR-2	3.85"		29521			29521													
H&K P30 with DBAL light	3.85"		29517			29517													
H&K P30L with DBAL Light	4.45"		39517			39517													
H&K P30L with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.45"		3952			3952	3952	3952	3952			3952							
P30L with ITI M3X or M6X light	4.45"		39512			39512													

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfctr./Model	BBL	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
HK 45 Cocked & Locked with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, LAS-TAC2, or SSL-1	4.53"		3930			3930													
VP9 with TLR-2	4.09"		59321			59321													
VP9 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.09"						5932	5932	5932		5932	5932							
VP9 with XC-1	4.09"						59322	59322	59322		59322	59322							
<b>Kimber</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/Inforce APL, Surefire X200, X300, X300U light <b>NOTE: Retention is reduced by removal of light</b>	5.00"		5340			5340	560	560	560		560								
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Surefire X200, X300, or X300U light <b>NOTE: Retention is reduced by removal of light</b>	5.00"		5340			5340													
CLASSIC CUSTOM w/Sure Fire 3V #310	4.60"		533																
CUSTOM Royale w/Sure Fire 3V #310	4.60"		533																
Gold Match w/Sure Fire 3V #310	4.60"		533																
Gold Combat RL II Warrior w/light rail w/Streamlight M3, M6, M3 LED, or Insight XTI Procyon	5.00"		5621			5621													
<b>Para Ordnance</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
P-14 w/Sure Fire 6V Light #310	5.00"		533																
P-14 w/Sure Fire 6V Light #610R	5.00"		536																
<b>Sphinx</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
3000 cocked and locked w/ITI LAM light	3.75"		1825			1825													
3000 cocked and locked w/ITI LAM light	4.50"		1825			1825													
3000 Hammer down or cocked & locked with IT M3X or MGX light. <b>NOTE: Retention is reduced by removal of light</b>	3.75"		18212																
3000 Hammer down or cocked & locked with IT M3X or MGX light. <b>NOTE: Retention is reduced by removal of light</b>	4.50"		18212																
SDP-S With WLI-AA With laser	4.50"						28115	28115	28115			28115							
SDP Compact With WLI-AA With laser	4.50"		28215			28215													
<b>Sig Sauer</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
P220R W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.411"		27721			27721							7702	7702	7702	7702	7702	7702	7702
P226R W/ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"												4772	4772	4772	4772	4772	4772	4772
Sig P220R DAK, P226R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6 light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light</b>	4.41"		27721			27721													
Sig P220R DAK, P226R DAK with Sure-Fire X200 or X300 Light. <b>NOTE: Retention is reduced by removal of light</b>	4.41"		2770			2770													
P220R, P226R DASA/ DAK W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	X 4.41"						7742	7742	7742		7742	7742							
P226 (full size hammer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2, TLR-2HL, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light</b>	4.41"		7721			7721													
P220, P226 w/Sure-Fire 3v #314, #332	4.41"		773																
P220, P226 w/Sure-Fire 6v #614R # 632R	4.41"		771																
P220, P226 w/ Sure-Fire 6v & 3V w/ LAS TACT LIGHT LASER HOUSING 3A PISTOL LASER	4.41"		772																
P220, P226 w/ Sure-Fire Military Series Light W113, W113C, W113D & W114, W114C, W114D <b>NOTE: Retention is reduced by removal of light</b>	X 4.41"		778			778													
P220R, P220S, P226S, P226SO, P226R (DASA Spurred Hammer), w/#P004 Light	4.41"		7746			7746													
P220R, P220S, P226S, P226SO, P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"		77421			77421													

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Revised: 11/30/18

Gun Mfctr./Model	BBL	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P220R, P226R (DA/SA Spurred Hammer) w/ Insight Technology Streamlight M3X or M6X Light or Surefire X400 light <b>NOTE: Retention is reduced by removal of light</b>	4.41"		77412			77412													
P220, P220ST, P220R, P226R (DA/SA Spurred Hammer) w/ Sure Fire X200 or X300 Light <b>NOTE: Retention is reduced by removal of light</b>	4.41"		7740			7740													
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"		7712			7712													
P220, P226 with IT Mount and Insight Technology M3X, M6X. <b>NOTE: Retention is reduced by removal of light</b>	4.41"		7712			7712													
P220R, P226R with MOLAD Light Laser	4.41"		77413			77413													
P220, P226 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Mount M3X, M6X, M3, M6, TLR-1, TLR-2, SureFire X200 or X300	X 4.41"		7712			7712													
P220R, P226R with SureFire X400 or X400U	4.41"		77414			77414													
P226 E2 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, X200, X300, or X300U	4.41"						7742	7742	7742		7742	7742							
P226 w/ITI LAM UNIT <b>NOTE: Retention is reduced by removal of light</b>	X 4.41"		775																
P226 w/Sure-Fire Millennium Light , M114C, M114D, M114 <b>NOTE: Retention is reduced by removal of light</b>	X 4.41"		779																
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D <b>NOTE: Retention is reduced by removal of light</b>	X 4.41"		776			778													
P226 with Surefire MR14 Rail & Surefire X200 or X300 light. <b>Note: Right Handed Holsters will accommodate LASER GRIPS</b>	4.41"		7700			7700													
P226 MK25 with X300 or X300 Ultra light	X 4.41"		7740			7740													
P226R X-Five with Surefire X200, X300, or X300U Light	5.00"		3770			3770													
P227 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U or Insight XTI Procyon (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"							7742				7742							
P227 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"												6772	6772	6772	6772	6772	6772	6772
P228,P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light with ITI mount, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.	3.9"		7421			7421													
P229R DASA (Spurred Hammer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6 or M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light/A M3X, M6X.</b>	3.9"		74421			74421													
P229R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light</b>	3.9"		17421			17421													
P229R DAK w/ Insight Technology M3X or M6X light. <b>NOTE: Retention is reduced by removal of light</b>	3.9"		17412			17412													
P229 R DAK with Surefire X200 or X300 light <b>NOTE: Retention is reduced by removal of light</b>	3.9"		1740			1740													
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light <b>NOTE: Retention is reduced by removal of light.</b>	3.9"		7440			7440													
P229R with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL,Surefire X200, X300, or X300U lights	3.9"						7442	7442	7442		7442	7442							
P229 w/ ITI mount and ITI M3X light	3.9"		7411																
P229R .40 S&W W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"												4472	4472	4472	4472	4472	4472	4472
P229R 9mm W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"												4742	4742	4742	4742	4742	4742	4742
P250 9/40 with ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"				4502		4502	4502	4502		4502	4502	4502	4502	4502	4502	4502	4502	4502
P250 Compact and Carry 9mm and .40 S&W with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"						7502	7502	7502		7502	7502	7502	7502	7502	7502	7502	7502	7502

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfncr./Model	BBL.	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P250 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"												4512	4512	4512	4512	4512	4512	4512
P250 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"												7512	7512	7512	7512	7512	7512	7512
P320 9/40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"				4502	4502	4502	4502	4502		4502	4502	4502	4502	4502	4502	4502	4502	4502
P320 X-Full or X-Vtac with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"												4502	4502	4502	4502	4502	4502	4502
P320 Compact and Carry 9mm and .40 S&W with ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"						7502	7502	7502		7502	7502	7502	7502	7502	7502	7502	7502	7502
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.7"												4512	4512	4512	4512	4512	4512	4512
P320 Compact and Carry .45 ACP with ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"												7512	7512	7512	7512	7512	7512	7512
P320 X-Carry with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"												7522	7522	7522	7522	7522	7522	7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT Streamlight M3 tactical illuminator light or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	3.5"		2782			2782													
1911 GSR w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	5.00"		25621			25621													
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6, M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. <b>NOTE: Retention is reduced by removal of light</b>	3.50"		27821			27821													
<b>Smith &amp; Wesson</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
4006TSW, 4046TSW w/ITI M5 Streamlight Light	4.00"		1402			1402													
4506-1 w/Sure Fire 6V Light	5.00"		2101																
5906TSW, 5946 w/M5 ITI Streamlight Light	4.00"		1402			1402													
4566 TSW w/light rails and ITI Streamlight M5	4.125"		4302			4302													
4566TSW w/Picatinny Rails & ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.25"						4302	4302	4302		4302								
SW99 W/ITI Streamlight M5	4.00"		842			842													
M&P 2.0 9 & 40 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6 Streamlight TRL-1, TLR-1HL, or TRL-2	4.25"		21921			21921													
M&P 2.0 9 & 40 W/ Surefire X200, X300, or X300U	4.25"		2190			2190													
M&P 2.0 9 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"						2222	2222	2222		2222	2222	2192	2192	2222	2222	2222	2222	2222
M&P 2.0 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"						2192	2192	2192		2192	2192	2192	2192	2192	2192	2192	2192	2192
M&P 2.0 9 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"						8182	8182	8182		8182	8182	8192	8192	8182	8182	8182	8182	8182
M&P 2.0 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"						8192	8192	8192		8192	8192	8192	8192	8192	8192	8192	8192	8192
M&P 2.0 9 Compact with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"						2222	2222	2222		2222	2222	2192	2192	2222	2222	2222	2222	2222
M&P 2.0 40 Compact with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"						2192	2192	2192		2192	2192	2192	2192	2192	2192	2192	2192	2192
M&P 45 2.0 without manual safeties with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.60"						4192	4192	4192		4192	4192	4192	4192	4192	4192	4192	4192	4192
M&P .45 2.0 with or without manual safeties with ITI M3, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U lights	4.60"		51921			51921	5192	5192	5192		5192		4192	4192	4192	4192	4192	4192	4192

DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfctr./Model	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
M&P 9 & 40 W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6 Streamlight TRL-1, TLR-1HL, TLR-2, Insight XTI Procyon, or Surefire X200, X300	4.25"		21921			21921													
M&P 9 & 40 with SureFire X200 or X300 lights	4.25"		2190			2190													
M&P 9 & 40 with XC-1	4.25"												21922	21922	21922	21922	21922	21922	21922
M&P 9 & 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"						2192	2192	2192		2192	2192	2192	2192	2192	2192	2192	2192	2192
M&P 9 & 40 with SureFire X400 Ultra light	4.25"		21914			21914													
M&P 9L M&P 9 Pro with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"												8192	8192	8192	8192	8192	8192	8192
M&P 45 without manual safeties with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.60"						4192	4192	4192		4192	4192	4192	4192	4192	4192	4192	4192	4192
M&P .45 with or without manual safeties with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.60"		51921			51921	5192	5192	5192		5192	5192	4192	4192	4192	4192	4192	4192	4192
M&P 45C without manual safeties W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"						9192	9192	9192		9192	9192							
M&P 45C with manual safeties W/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"						9202	9202	9202		9202	9202							
<b>Sphinx</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
SDP Standard w/ WL1-AA	4.5"										28115	28115							
SDP Standard w/ X400U	4.50"		28114			28114													
<b>Springfield Armory</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
1911 Operator w/Laser/Tac 2 (6v) from Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Laser Device Inc. Or Streamlight TLR-1 and TLR-2	5.00"		5621			5621													
1911 Operator w/ Inforce APL, Surefire X200, X300, or X300U light <b>NOTE: Retention is reduced by removal of light</b>	5.00"		5340			5340	560	560	560		560	560							
1911-A1 w/Sure Fire 3V Light#310	5.00"		533																
1911-A1 w/Sure Fire 6V Light#610R	5.00"		536																
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"		530			530													
1911 Operator w/ M3, M6, M3 LED StreamLight, or Insight XTI Procyon	5.00"		5621			5621													
1911 Operator w/ M6X or M3X StreamLight or ITI SSL-1	5.00"		5612			5612													
1911 Operator with SureFire X200, X300, or X400 light	5.00"		5614																
XD 9mm, .40, .45 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.00"		14821			14821													
XD .40, .45 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.00"						1482	1482	1482		1482	1482							
XD 9mm w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.00"						462	462	462		462	462							
XD 9mm, .40, .45 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	5.00"		14921			14921													
XD 9mm, .40, w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon	5.00"						1492	1492	1492		1492	1492							
XD MOD2 9mm, .40, w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon	5.00"		14921		1492	14921		1492	1492										
XD MOD2 9, .40 w/ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, or Insight XTI Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.00"		14821			14821													



DUTY GEAR WILL FIT CHART  
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Revised: 11/30/18

Gun Mfctr./Model	BBL.	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6360/6365/ 6362	6378USN	6384/6385	6390/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"						1462	1462			1462	1462							
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XT1 Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.50"						1452	1452	1452										
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.50"						1462	1462	1462										
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, or Insight XT1 Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.50"		14921			14921													
XD(M) .45 with ITI M3, M6, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon <b>NOTE: Retention is reduced by removal of light</b>	4.50"		14921				1462	1462	1462		1462	1462							
<b>STI/SVI</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light <b>NOTE: Retention is reduced by removal of light</b>	5.00"		5340			5340													
STI 2011 Tactical 5 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED StreamLight, TLR-1, TLR-1HL, TLR-2, or Insight XT1 Procyon	5.00"		5621			5621													
<b>Walther</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
P99Q/PPQ 9mm only (2008 & newer) with M3, TLR-1, SureFire X200/X300	4.00"		3842			3842	3842	3842	3842		3842	3842							
P99 w/Laser B5 and with optional accessories Rail	4.00"		848			848													
<b>Wilson</b>	<b>BBL</b>	<b>200/2005</b>	<b>6004/6005</b>	<b>6004USN</b>	<b>6034/6035</b>	<b>6280/6285/ 6282</b>	<b>6304/6305</b>	<b>6354/6355</b>	<b>6360/6365/ 6362</b>	<b>6378USN</b>	<b>6384/6385</b>	<b>6390/6395/ 6392</b>	<b>7004/7005</b>	<b>7280/7285/ 7282</b>	<b>7304/7305</b>	<b>7354/7355</b>	<b>7360/7365/ 7362</b>	<b>7384/7385</b>	<b>7390/7395/ 7392</b>
1911 w/rails: CQB w/ Inforce APL, Surefire X200, X300, or X300U light <b>NOTE: Retention is reduced by removal of light</b>	5.00"		5340			5340	560	560	560		560	560							
1911 CQB w/light rail with M3/M6, or Insight XT1 Procyon light	5.00"		5621			5621													

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.