

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfncr./Model	BBL	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Colt M45A1 COBP w/ Surefire X200, X300, or X300U	5.00"		530			530														
CZ	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P07 w/ ITI M3, TLR-1, Surefire X200 or X300	3.80"					7832														
FN	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED, Insight XTI Procyon or Streamlight TLR-1 and TLR-2 N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	4.80"		6121			6121														
FNS 9/40 w/M3, TLR-1, Surefire X200/X300	4.00"						2662	2662		2662		2662	2662							
FNS 40 w/M3, TLR-1, SUREFIRE X200/X300 Light	5.00"						2672			2672										
Glock	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
17, 22 w/ Surefire X200, X300, or X300U	4.50"		836			836														
17, 22 W/ITI Streamlight M3, TLR-1, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	X 4.50"						832	832		832		832	832	832	832	832	832	832	832	832
17, 22 Dual Magazine Release with ITI M3	4.50"		9832			9832														
17, 22 Dual Magazine Release with Glock GTL10 Light	4.50"		98310			98310														
17, 22 Dual Magazine Release with Glock GTL 10 Light or GTL 21, GTL 22 Light/Laser Combo	4.50"		98310			98310														
17, 22, 31 W/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	4.50"	832	832			832														
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"		8310			8310	8310	8310		8310		8310	8310							
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"		8312			8312														
17, 22, 31 w/Insight Technology Streamlight M3X/M6X	4.50"		8312			8312														
17, 22 w/Insight Technology Streamlight M3X	4.50"									8311		8311	8311							
17, 22, 31 w/Sure Fire P111, P111C or P111D with trigger guard rail mount NOTE: Holster will retain weapon without light attached	X 4.50"		830			830														
17, 22, 31 w/ITI LAM UNIT	4.50"		835			835														
17, 22, 31, 23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"		8321			8321														
Glock 17, 22 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"		8341			8341														
17, 22, 31 w/ Oerlikon LAM Module (#LLM01)	4.50"		834																	
17, 22, with SureFire X400 Light	4.50"		8314																	
17, 22, 19 w/Sure-Fire 6v #644R	4.00"		831																	
17, 22 with M3, TLR-1, SureFire X200, orX300 with Dr. Optic Red Dot	4.50"							832												
17, 22, 19 and 23 with SureFire ,X200, X300, X300U, X400, and X400U Light	4.50"		8314			8314														
19, 19C, 23, 23C w/ Surefire X200 or X300	4.00"		2830			2830														
19, 19C, 23, 23C, 25, 32, 32C with ITI Streamlight M3, TLR-1 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	X 4.00"		2832			2832														
19, 23 with ITI M3, TLR-1, Surefire X200, X300, X300U, or XTI Procyon Light	4.00"						2832	2832		2832	2832	2832	2832	2832	2832	2832	2832	2832	2832	2832
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"																			
20, 21, 21SF w/STD Glock Rails with ITI M3, TLR-1, Surefire X200, X300, X300U, or Insight XTI Procyon	4.60"						3832	3832		3832		3832	3832							
20, 21, 21SF with ITI Streamlight M3 light or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	X 4.50"		3832			3832														
20, 21 w/STD Glock Rails w/Sure-Fire Millennium 9V, # M111, M111C, M111D w/trigger guard light rail mount	4.60"		3839			3839														
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"		3830			3830														
21SF w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"		3830			3830														
20, 20C, 21, 21C w/Insight Technology M3, M6, M3 LED, or Insight XTI Procyon Note: holsters listed will not retain the handgun without the light attached	4.60"		38321			38321														

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mnfctr./Model	BBL.	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
20, 21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"		38321			38321														
21SF w/STD Glock Rails w/Laser Device Inc, Laser-Tac 2 (6V) Or Streamlight TLR-1	4.60"		38321			38321														
20, 21 w/Standard Glock Rails w/Sure-Fire 6V Light #645AR	4.60"		3831																	
21SF w/STD Glock Rails with Surefire 6V light #645AR	4.60"		3831																	
21SF w/STD Glock Rails with Streamlight M3, M6, M3 LED, or Insight XTI Procyon. Note: holsters will not retain weapon without the light attached.	4.60"		38321			38321														
Glock 20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, X300U, Insight XTI Procyon	4.60"	11260	938321			938321														
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	X 5.32"		6832			6832														
34, 35 w/IT Tactical Illuminator Light M3, M6, M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.32"		68321			68321														
34, 35 with ITI M3, TLR-1, Surefire X200, X300 lights	X 5.32"						6832	6832		6832		6832	6832	832	832	832	832	832	832	832
34, 35 with ITI M3, TLR-1, Surefire X200, X300 lights with Dr. Optic Red Dot	5.32"							6832												
37 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"						7832	7832		7832			7832							
37 with ITI M3, TLR-1, Surefire X200, X300, or X300U	4.50"		7832			7832						7832	7832							
37 with Glock Tactical Light, GTL 10 (light only)	4.50"																			
41 with ITI M3, TLR-1, Surefire X200, X300, X300U lights	5.31"													832	832	832	832	832	832	832
Heckler & Koch	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
USP 9, 40 w/H&K Light (UTL)	4.25"		932			932														
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"		1936			1936														
USP 9, 40 w/Sure Fire 6V Light Classic #609R	4.25"		931																	
USP 9, 40 w/H&K UTL Light Cocked & Locked Only	4.25"		922																	
USP 9, 40 w/LAS/TAC 6V Light by Laser	4.25"					917														
USP 9, 40 w/BA-5 Laser by Laser devices	4.25"					918														
USP 9, 40 w/ OERILIKON LIGHT (LLM-R)	4.25"		914																	
USP 9, 40 Hammer Down or Cocked and locked w/B &T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. Note: The Holster will not retain weapon without light attached.	4.25"		9221			9221														
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"		19312			19312														
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.13"		9321			9321														
USP 40C with GG&G Slime Rail Adapter and Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon. Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"		29111			29111														
USP 9C and .40C Cocked & Locked with Surefire Mount and Surefire X200 or X300 lights	3.58"		2910			2910														
USP 9C and .40C with TLR-3	3.58"						29116	29116		29116		29116	29116							
H&K 45 Compact with TLR-3	3.94"		49316			49316														
USP 45 LEM (D.A.O. (Bobbed Hammer)) w/Surefire X200 light adapter with Surefire X200 or X300 light NOTE: Holsters will not retain weapon without the light attached	4.41"		1930			1930														
USP 45 LEM (D.A.O. (Bobbed Hammer)), USP 45 Spurred Hammer w/Surefire X200 light adapter with Surefire X200 or X300 light Note: Holsters will not retain weapon without the light attached	4.41"		930			930														
USP 45 w/H&K Light (UTL)	4.41"		932			932														
USP 45 w/H&K USP Light Cocked & Locked Only	4.41"		922																	
USP 45 w/Sure Fire 6V Light #CLASSIC 609R	4.41"		931																	

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfnctr./Model	BBL.	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
USP .45 with Spurred Hammer and Surefire Mount MR09, ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon light	4.41"		9321			9321														
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon Light.	3.5"		19721			19721														
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.66"		9711			9711														
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light /laser with dim-switch)	3.50"		9710			9710														
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"		9721			9721														
P2000 US Version with ITI M3, TLR-1, Surefire X200, X300, X300U lights	X 3.50"						1972	1972		1972		1972	1972							
H&K P30 with ITI M3, TLR-1, Surefire X200, or X300	3.85"		2952			2952														
H&K P30 with ITI M3, TLR-1, Surefire X200, X300, or X300U	3.85"						2952	2952		2952		2952	2952							
H&K P30L with ITI M3, TLR-1, Surefire X200, X300, or X300U	4.45"		3952			3952	3952	3952		3952		3952	3952							
P30L with ITI M3X or M6X light	4.45"		39512			39512														
HK 45 Cocked & Locked with TLR-1, Surefire X200, X300, X300U, LAS-TAG2, or SSL-1	4.53"		3930			3930														
VP9 with ITI M3, TLR-1, Surefire X200, X300, or X300U lights	4.09"				5932		5932	5932		5932		5932	5932							
Kimber		200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
1911 w/rails: Gold Combat RL, Custom TLE/RL w/Force APL, Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"		5340			5340	560	560		560		560								
1911 w/rails: Gold Combat RL, Custom TLE/RL w/Surefire X200, X300, or X300U light NOTE: Holster will not retain weapon without light attached	5.00"		5340			5340														
CLASSIC CUSTOM w/Sure Fire 3V #310	4.60"		533																	
CUSTOM Royale w/Sure Fire 3V #310	4.60"		533																	
Gold Match w/Sure Fire 3V #310	4.60"		533																	
Gold Combat RL II Warrior w/light rail w/Streamlight M3, M6, M3 LED, or Insight XTI Procyon	5.00"		5621			5621														
Para Ordnance	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P-14 w/Sure Fire 6V Light #310	5.00"		533																	
P-14 w/Sure Fire 6V Light #610R	5.00"		536																	
Sphinx	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
3000 cocked and locked w/ITI LAM light	3.75"		1825			1825														
3000 cocked and locked w/ITI LAM light	4.50"		1825			1825														
3000 Hammer down or cocked & locked with IT M3X or M6X light . NOTE: Holster will not retain weapon without light attached	3.75"		18212																	
3000 Hammer down or cocked & locked with IT M3X or M6X light . NOTE: Holster will not retain weapon without light attached	4.50"		18212																	
SDP-S With WLI-AA With laser	4.50"						28115	28115		28115			28115							
SDP Compact With WLI-AA With laser	4.50"		28215			28215														
Sig Sauer	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Sig P220R DAK, P226R DAK with ITI M3, M6 light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: holster will not retain gun without light attached.	4.41"		27721			27721														
Sig P220R DAK, P226R DAK with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"		2770			2770														
P220R, P226R DASA/ DAK w/ ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	X 4.41"						7742	7742		7742		7742	7742							
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"		7721			7721														
P220, P226 w/Sure-Fire 3v #314, #332	4.41"		773																	
P220, P226 w/Sure-Fire 6v #614R, # 632R	4.41"		771																	
P220, P226 w/Sure-Fire 6v & 3v w/LAS TACT LIGHT LASER HOUSING 3A PISTOL LASER	4.41"		772																	

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mfrctr./Model	BBL.	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	X	4.41"	778			778														
P220R,P220S P226S,P226SO,P226R (DASA Spurred Hammer) w/#P004 Light		4.41"	7746			7746														
P220R,P220S P226S,P226SO,P226R w/Accy Rails (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.		4.41"	77421			77421														
P220R,P226R (DA/SA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached		4.41"	77412			77412														
P220,P220ST,P220R,P226R (DA/SA Spurred Hammer) w/Sure Fire X200 or X300 Light NOTE: Holster will not retain weapon without light attached		4.41"	7740			7740														
P220, P226 with Beamshot Model 8000 or Model 8100		4.41"	7712			7712														
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.		4.41"	7712			7712														
P220R, P226R with MOLAD Light Laser		4.41"	77413			77413														
P220, P226 with ITI Mount M3X, M6X, M3, M6, TLR-1, TLR-2, SureFire X200 or X300	X	4.41"	7712			7712														
P220R, P226R with SureFire X400		4.41"	77414			77414														
P226 E2 with TLR-1, X200, X300, or X300U		4.41"					7742	7742		7742		7742	7742							
P220R P226R (DA/SA Spurred Hammer) w/Accy Rails w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon		4.41"	77421			77421														
P226 w/ITI LAM UNIT NOTE: Holster will retain weapon without light attached	X	4.41"	775																	
P226 w/Sure-Fire Millennium Light , M114C, M114D, M114 NOTE: Holster will retain weapon without light attached	X	4.41"	779																	
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	X	4.41"	776			778														
P226 with Surefire MR14 Rail & Surefire X200 or X300 light. Note: Right Handed Holsters will accomodate LASER GRIPS		4.41"	7700			7700														
P226 MK25 with X300 or X300 Ultra light	X	4.41"	7740			7740														
P226R X-Five with Surefire X200, X300, or X300U Light		5.00"	3770			3770														
P227 with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, X300U or Insight XTI Procyon (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)		4.40"				77421				7742			7742							
P225, P228, 229 w/Sure-Fire 6v #640R		3.9"	741																	
P228,P229 with M3, M6, M3 LED light with ITI mount, Streamlight TLR-1, TLR-2 or Insight XTI Procyon.		3.9"	7421			7421														
P229R DASA (Spurred Hammer) with M3, M6 or M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.		3.9"	74421			74421														
P229R DAK with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.		3.9"	17421			17421														
P229R DAK w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.		3.9"	17412			17412														
P229 R DAK with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.		3.9"	1740			1740														
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Holster will not retain weapon without light attached.		3.9"	7440			7440														
P229R with ITI M3, TLR-1, Surefire X200, X300 lights		3.9"					7442	7442		7442		7442								
P229 w/ ITI mount and ITI M3X light		3.9"	7411																	
P320 with ITI M3, TLR-1, Surefire X200, X300, or X300U lights		4.7"			4502		4502	4502		4502		4502	4502							
Sig Pro SP 2340 LDI Laser #20872 or LDI LASER #20871		3.9"	782																	

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mnfctr./Model	BBL.	200/ 2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.5"		2782			2782														
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, X300U, SSL-1, or Insight XTI Procyon NOTE: Holster will NOT retain weapon without light attached	5.00"		25621			25621														
Sig Pro P2022 with Insight Technology M3, M6, M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"		27821			27821														
Smith & Wesson	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
4006TSW, 4046TSW w/ITI M5 Streamlight Light	4.00"		1402			1402														
4506-1 w/Sure Fire 6V Light	5.00"		2101																	
5906TSW, 5946 w/M5 ITI Streamlight Light	4.00"		1402			1402														
4566 TSW w/light rails and ITI Streamlight M5	4.125"		4302			4302														
4566TSW w/Picatinny Rails & ITI M3, TLR-1, Surefire X200, X300, or X300U lights	4.25"						4302	4302		4302		4302								
SW99 W/ITI Streamlight M5	4.00"		842			842														
M&P 9mm & .40 W/ ITI M3, M6 Streamlight TRL-1, TRL-2, Insight XTI Procyon, or Surefire X200, X300	4.50"		21921			21921														
M&P 9mm/.40 with SureFire X200, X300, or X300U lights	4.50"		2190			2190														
M&P 9mm & 40 with ITI M3, TLR-1, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"						2192	2192		2192		2192	2192							
M&P 9L, M&P 9 Pro with ITI M3, TLR-1, Enforce APL Surefire X200 or X300	5.00"						8192	8192		8192		8192	8192							
M&P .45 without manual safeties with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights	4.50"						4192	4192		4192		4192	4192							
M&P .45 with or without manual safeties with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.50"		51921			51921	5192	5192		5192		5192								
M&P 45C without manual safeties W/ Enforce APL, SureFire X200, X300	4.00"						9192	9192		9192		9192	9192							
M&P 45C with manual safeties W/ Enforce APL, SureFire X200, X300	4.00"						9202	9202		9202		9202	9202							
Sphinx	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
SDP Standard w/ WL1-AA	4.5"											28115	28115							
SDP Standard w/ X400U	4.50"		28114			28114														
Springfield Armory	BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"		5621			5621														
1911 Operator w/ Enforce APL, Surefire X200, X300, or X300U light NOTE: Holster will not retain weapon without light attached	5.00"		5340			5340	560	560		560		560	560							
1911-A1 w/Sure Fire 3V Light#310	5.00"		533																	
1911-A1 w/Sure Fire 6V Light#610R	5.00"		536																	
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"		530			530														
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight, or Insight XTI Procyon	5.00"		5621			5621														
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"		5612			5612														
Operator with SureFire X200, X300, X400, X400U light	5.00"			5614																
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached	4.00"		14821			14821														
XD .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	X 4.00"						1482	1482		1482		1482								
XD 9mm w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	X 4.00"						462	462		462		462								
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached	5.00"		14921			14921														
XD 9mm, .40, w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	5.00"						1492	1492		1492		1492								
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	X 4.50"						1452	1452		1452										

DUTY GEAR WILL FIT CHART
PT 3 DG Duty and Tactical Holsters with Lights -Pistols

Gun Mnfctr./Model		BBL.	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
XD(M) .40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	X	4.50"						1462	1462		1462										
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached		4.50"		14921			14921														
XD(M) .45 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached		4.50"						1462	1462		1462		1462	1462							
STI/SVI		BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached		5.00"		5340			5340														
STI 2011 Tactical 5 w/ M3, M6, M3 LED StreamLight, TLR-1, TLR-2, or Insight XTI Procyon		5.00"		5621			5621														
2011 Tactical Lite 5 w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached		4.25"																			
Walther		BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
P99Q/PPQ 9mm only (2008 & newer) with M3, TLR-1, SureFire X200/X300		4.00"						3842	3842		3842		3842	3842							
P99 w/Laser B5 and with optional accessories Rail		4.00"		848			848														
Wilson		BBL	200/2005	6004/6005	6004USN	6034/6035	6280/6285/ 6282	6304/6305	6354/6355	6354DO	6360/6365/ 6362	6378USN	6384/6385	6394/6395/ 6392	7004/7005	7280/7285/ 7282	7304/7305	7354/7355	7360/7365/ 7362	7384/7385	7390/7395/ 7392
1911 w/rails: COB w/ Enforce APL, Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached		5.00"		5340			5340	560	560		560		560	560							
1911 COB w/light rail with M3/M6, or Insight XTI Procyon light		5.00"		5621			5621														

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.