



PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
AMT	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Hardballer	5.00"					53				53								53							
Beretta	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92/96 Vertec M9A1	4.70"									49								73	73			73	73	73	73
92/96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70"									49						73						73	73	73	73
92 Brigadier D	4.90"																73								
92 Brigadier FS	4.90"									53							73	73							
92 Brigadier	4.90"									49							73		73						
92 D	4.90"									53		450	73	73	73		73		173	73	73	73	73	73	73
92 DM	4.30"									53			73				73		173						
92 DS	4.90"									53			73			73			173						
92 F	4.90"									53		450	73	73	73		73		73	73	73	73	73	73	73
92 FC	4.30"									51			73				73		73						
92 FCM	4.30"									51			73				73		73						
92 FS	4.90"									53		450	73	73	73		73		73	73	73	73	73	73	73
92 FS Centurion	4.30"									51		450	73				73		73		73	73	73	73	73
92 G	4.90"									53			73				73	73							
96	4.90"									53		450	73						73						
96 Brigadier D	4.90"									53									173						
96 Brigadier G	4.90"									53									73						
96 Brigadier	4.90"																		73						
96 Centurion	4.30"									51			73						73						
96 D	4.90"									53			73						173	73					
96 DC	4.30"									51			73						173						
96 DS	4.90"									53			73						173						
96 DS Brigadier D	4.90"									53									173						
96 F 96 FS	4.90"																		73						
96 G	4.90"									53			73						73	73					
96 G SD	4.90"																		73						
Cougar 8000, 8040 Cougar D DAO	3.60"									54									171						
Cougar 8000, 8040 Cougar F, D	3.60"									54									71						
Cougar 8045 F	3.60"																		71						
Cougar 8357	3.60"																								
PX4 Storm 9mm & .40 DAO Only	4.00"														181					181					
PX4 Storm 9mm & .40 DASA Only	4.00"					77				744						180			180	180					
PX4 Storm .45ACP	4.00"														185				185	185					
APX 9/40	4.25"											750							673	673					
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
92 F w/ITI mount Streamlight M3 / M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.90"																		7321						
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"																		736						
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"																		73421						
92, Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"																		736						
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"																		7346						
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"																		73421						
PX4 Storm with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"																		18021						
APX 9/40 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"																							6732	
Browning	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
BDM 9mm	4.73"									53															76
High Power 9mm	4.66"									53									76						76
Hi Power 9mm (Canadian Version)	4.60"																		376						76
Canik	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
TP9SF	4.46									83		83													
TP9SF Elite	4.19									83		83													

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 11/30/18

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
TP9SA	4.47									83		83													
Caracal	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
C	3.50"									83															
F	4.10"									83	283	283													
Caspian with Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/ Military Mount with Beamshot Model 8800	5.00"																	5322							
Colt	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Combat Elite	5.00"					53				53		683					53	53						53	
Combat Target	5.00"											683						53						53	
Commander	4.25"		54			53				51		83		52	51	51				52				51	
Delta Elite	5.00"					53				53		683					53	53						53	
Delta Gold Cup	5.00"					53				53		683					53	53						53	
Gold Cup Nat'l Match	5.00"					53				53		683					53	53						53	
Government .380	3.25"																								
Government 1911	5.00"		53			53		53		53		683		53			53	53	53	53				53	
Mustang	2.75"																								
Officer's .45ACP	3.50"	51	51							54		283				54	54							54	
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911-A1 Non Rail, w/ Surefire mount MR07, w/ Surefire X200 or X300 Light	5.00"																	530							
CZ	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
75, 85	4.50"									51								90							
75	4.50"											683													
75 P-01	3.80"									744								290							
75 SP01 Shadow	4.00"																490								
Shadow 2	4.89"																590								
P-07	3.80"											750							292						
P-09	4.53"											450							294						
RAMI	3.00"					183																			
P10C	4.02"																					392	392	392	392
EAA	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"									51								90							
FN	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Five-Seven	4.80"									49								61							
Five-Seven MKII	4.80"																	361							
FNP-9	4.00"					77				744								260							
FNP 45	4.50"									744		450						261							
FNS 9mm	4.00"									744	283	283					266	266	269	266					
FNS 40 SW	4.00"									744	283	283					266	266	266	266					
FNS 9mm & 40 SW	5.00"											683					267	267	267						
FNS 9mm Compact	3.60"										283	183													
FNS 40 SW Compact	3.60"										283	183													
FNX 9mm & 40 SW	4.00"									744							265	265							
FN 509	4.00"										283	283										270	270	270	270
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XT1 Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. NOTE: Retention is reduced by removal of light	4.80"								612									6121							
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL Surefire X200, X300, X300U, or WL1AA Light	4.00"														2662					2662					
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	5.00"														2672					2672					
FN 509 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	4.00"																		2702						
Glock	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
17, 17C, 22, 22C, 31 (.357) All Gen	4.50"	83	83			83	83	83		83		83	83	283	83		83	83	83	83	835	835	835	835	
17 & 22 Dual Mag release Gen1-4	4.50"	83										83						983	983						
19, 19C, 23, 23C, 25, 32, 45 All Gen	4.00"	283	283			283	283	283		54	283	283	283	283			283	283	283	283	2835	2835	2835	2835	
19X	4.00"	283				283	283	283		54	283	283				283		283	283		2835	2835	2835	2835	
19 & 23 Dual Mag release Gen1-4	4.00"	283									283	283													
20, 20C, 21, 21C Gen1-4	4.60"						383			83		83		383	383			383	383	383	383	383	383	383	

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
21SF Gen1-4 w/ STD Glock Rails	4.60"									83					383		383	383	383	383	383	383	383	383	
21SF Gen1-4 w/ Picatinny Rails	4.60"									49								383	383	383					
33, 28	3.50"					83				54			183	283	183			183	183		183				
26, 27 All Gen	3.50"	183	183			183				54	283	183	183	183	183			183	283		183	183		183	
29, 30, 30S All Gen	3.78"									83	283	183	483	483	483	483			483	483	483	483	483	483	
30S	3.77"									83	283	183							485	485	485	483	483	483	
30SF	3.77"																		483	483					
34 All Gen	5.32"									49		683													
34, 35 Gen1-4	5.32"														683		683		683	683					
36	3.75"									54					283			283							
37	4.50"									49		83			783			783	783	783					
38	4.00"									83	283	283			783				783	783					
39	3.38"									744	283	183			883					883					
41 Gen4	5.31"									49		683													
42	3.25"				894	894											894							895	
43	3.39"	895	895							895		895					895							895	
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
17, 22, 31 All Gen w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"								832		832				832	832			832	832	832	832	832	832	832
17, 22 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc	4.50"																				8328	8328	8328	8328	
17, 22 All Gen w/ Surefire X200, X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																				8302	8302	8302	8302	
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																	8301							
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"																	8314							
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"								8324																
17, 22 Gen1-4 w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XT1 Procyon	4.50"															8312									
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"															8310			8310	8310					
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"																	836							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"																		8312						
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"															8312			8312						
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1H, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"																		8321	8321					
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"																		8341						
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"																		9832						
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																		98310						
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"								2832		2832				2832					2832	2832	2832	2832	2832	
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc	4.00"																				28328	28328	28328	28328	
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"																		28301						
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1H, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"																		8321	28321					
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"								28324																
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"										2832					832			2830						
19, 23 Gen1-4 with Surefire X300	4.00"										2832					832									
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21, GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"																		28310						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"														3832						3832	3832	3832	3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, or Inforce APLc	4.60"																					38327	38327	38327
20, 21 Gen1-4 w/ STD Glock Rails, w/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.60"															3832								
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"															38321								
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U	4.60"														3832	3832			3832	3832				
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"															3832		3830						
20, 21 Gen1-4 w/ STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"																		38321					
20, 20C, 21, 21C Gen1-4 w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"																		38321					
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"																			938321				
29, 30 All Gen W/ Streamlight TLR-7, TLR-8, Surefire XC-1, XC-2, or Inforce APLc	3.78"																					48328	48328	48328
34 All Gen	5.32"																					6832		
34, 35 Gen1-4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, SureFire X200, X300, or X300U	5.32"														6832	6832				6832	832	832	832	832
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"															6832		6832						
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"															68321		68321						
34, 35 Gen1-4 with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	5.32"															68321								
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"														7832	6832			7832	7832				
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"																	7832						
41 Gen4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"																		8932		832	832	832	832
43 with TLR-6	3.39"																			89518				89518
Heckler & Koch	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P7 M8	4.10"																		82					
P7 M13	4.10"																		82					
P10	3.80"																			295				
P30 DAO	3.78"					295	391	391			283	283			295				295	295	295	295	295	295
P30L	4.45"														395					395	395	395	395	395
P2000	3.50"					295	391			744		283		97	97	97			97	97	197	197	197	197
P2000 European Version w/light mount frame	3.50"					295				744								97			197	197	197	197
P2000 European Version and US Version w/light mount frame	3.50"					295				744								97			197	197	197	197
US Version P2000 DAO (bobbed hammer)	3.50"					295	391			744	283	283			97					97	197	197	197	197
US Version P2000 DA/SA	3.50"					295	391			744	283	283									397	397	397	197
US Version P2000 SK DAO (bobbed hammer)	3.25"					295				744	283	283												
P2000SK	3.33"									744	283	183												
P2000	3.66"					295				744	283	283												
USP 9, 40	4.25"						391			83	283	283			91	91			93	91				
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"						391				283	283							91					

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
USP9C, 40C	3.58"						391	391		54	283	283	291	291	291			291		291	291	291	291	291	291
USP 9 Compact/P10 (Non-US Version)	3.80"						391	391							391				391		391	391	391	391	391
USP45	4.53"						391			83									93						
USP45 Compact .45ACP	3.80"						391												293						
USP40 Expert	5.20"																		96						
USP45 Expert	5.20"									49							96		96						
HK .45	4.25"									83		83				395	393		393		395				
HK .45 Compact	3.90"										283	283				295					295				
VP9	4.09"					295	391			744	283	283			593		593		593	593	593	593	593	593	593
VP40	4.09"											83													
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
USP 9, 40, 45 W/ HK ITL Light Hammer Down N/A for DA only	4.25"															932									
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"															1930		1930							
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"																		1936						
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"																		9221						
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"																		19312						
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"																		9321						
USP 9C and .40C with TLR-3	3.58"																		29116						
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"																		2910						
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"																		29111						
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"																		9321						
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"																		9711						
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.50"																								
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"																		9710						
P2000 European Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"																		9721						
H&K P30 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	3.85"								2952						2952				2952	2952					
H&K P30 with Surefire XC-1 or XC-2	3.85"								29524																
H&K P30L with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL, Surefire X200, X300, or X300U	4.45"														3952				3952	3952	3952				
P30L with ITI M3X or M6X Light	4.44"																		39512						
VP9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.09"								5932										5932						
VP9 with XC-1	4.09"																		59322						
Kahr	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
E9, K9, K40	3.50"									54															
P380	2.50"		189		189																				
PM9	3.00"				186																				
CT9	3.80"									54															
CT380	3.50"				189																				
CW9	3.00"									54															
S9	3.50"									54															
ST9	4.00"					54				54															

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
KIP45CUS	5.00"					53				53		683					53	53						53
1911	5.00"											683			53		53	53		53				53
Pro Carry 1911	4.00"													52						52				
Gold Combat RL II, Warrior (w/light rail)	5.00"									53		683						56	56	56				53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"														5340			5340	560					
Magnum Research	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Baby Desert Eagle II	4.00"									49														
Para Ordnance	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P12.45 LDA	3.50"									54														51
P14.45 LDA	5.00"					53				53							53	53						53
P16.40 LDA	5.00"																							53
P18.9 LDA	5.00"					53				53							53	53						53
P7.45 LDA	5.00"					53				53							53	53						53
Carry .45ACP	3.00"									54														
Companion .45ACP	3.50"									54														51
OPS 1911	3.50"									54		683												51
P13.45	4.25"					53				51														54
P14.45	5.00"					53				53							53	53						53
P16.40	5.00"					53				53							53	53						53
P18.9	5.00"					53				53							53	53						53
PRX1445	5.00"									49								56	56					53
Todd Jarrett 1911	5.00"									53					53			53	53	53				53
Ruger	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
KP89	4.50"									83														
KP89DAO	4.50"									83														
KP89DC	4.50"									83														
KP90	4.50"									49														
KP90DC	4.50"																							
KP91DAO	4.50"									49														
KP91DC	4.50"									49														
KP93	3.88"									744														
KP94	4.25"																							
KP944	4.25"																							
KP944DC, KP944DAO	4.25"																							
P345	4.00"									83														
P85	4.50"									83														
P89	4.50"									83														
P89DC	4.50"									83														
9E	4.14"										283	283												
P90.45CAL.	4.50"									49														
P90DC	4.50"																							
P91DAO	4.50"																							
P91DC	4.50"									49														
P95D, KP95D	4.25"									744														
P95DAO, KP95DAO	4.25"									744														
LC9	3.12"	184	184														184							184
LC9S	3.12"	184	184														184							184
LC380	3.12"	184	184																					184
LCP .380	2.75"				188	188																		
LCP .380 with Crimson Trace	2.75"				188	188																		
SR9	4.00"									54														
SR40	4.14"																							
SR45	4.50"																							
SR9C	3 3.8"					83				54														
SR40C	3.50"																							
SR1911	5.00"																							53
American 9mm and .40 S&W	4.20"											83												167
American .45 ACP	4.50"											683												168
Security 9	4.00"	283				283	283			83		283												
SAR Arms	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
SARK2	4.5"																							
Sig Sauer	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"		77			77				744				77	77		477	77	77	77				
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"		77							744							477							
P220R Compact	3.75"		77							744								74						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379		
P220R, P226R	4.41"		77					774	774								477									
P226R / P220R / P226 / MK25 9MM.40CAL / P227R3 .45	4.41"																							477	477	477
P226 DAO, P220 DAO	4.41"		77				77			83	283	450	777					77								
P226	4.41"		77								283	450														
P226 X-Five	5.00"										49															
P220R DAK, P226R DAK	4.41"		77									450	777	477	477			277	477	477						
P220R DASA, P226R DASA Spurred hammer	4.41"		77									450		477	477				477	477						
P220ST Stainless Steel P220R, P220S, P226R , P226S, P226SO with Accessory Rails	4.41"		77									450	777					77								
P224 9mm	3.50"									744																
P226R MK25	4.25"		77							49		450			477			77			477					
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77							49		450														
P226 after S/N 365426 (wide trigger guard)	4.41"		77									450														
P226R Elite	4.41"		77							49		450			477									477		
P225	3.90"						77			54	283	750		79	79	74		74	79	79						
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77							49					477		477	77	477	477						
P227R3 .45	3.78"		77							744													477	477	477	477
P228	3.90"		74			77				54		750	74	74	74	74		74	74	74			447	447	447	447
SIG P229R / P229 .40 CAL .357	3.90"		74																				447	447	447	447
SIG P229R DAK/ P229R E2 9MM	3.90"		74																				474	474	474	474
P229	3.90"		74			77				54		750	74	74	74	74		74	74	74						
P229 Elite	3.90"		74			77				54		750		74												
P229 R E2	3.90"											750														
P229R DASA spurred hammer w/ light rails	3.90"						744			744			744	744	744	744		74	744	744						
P229R DAK bobbed hammer w/ light rails	3.90"						744			744		750	744	744	744	744		174	744	744						
P230	3.62"																									
P239 (will only fit 9mm as of manufactured date 4603)	3.63"									54			75													
P239 .40 & .357	3.63"		75							54			75		754			75			754					
P239 9mm	3.63"														75											
P239 .40	3.63"																									
P245	3.90"									83																
P250 Full Size 9mm, .40, .45	4.70"						450								450				450	450	450	450	450	450	450	450
P320 9mm, .40	4.70"	450					450			49		450			450		450		450	450	450	450	450	450	450	450
P320 X-Full or X-Vtac	4.70"																						450	450	450	450
P320 .45 ACP	4.50"																						451	451	451	451
P250 Compact 9mm, .40	3.88"	750					750			49					750			750	750	750	750	750	750	750	750	750
P320C (Carry and Compact) 9mm, .40	3.90"	750					750			744		750			750		750	750	750	750	750	750	750	750	750	750
P320SCR 9mm	3.50"									744		750							750	750	750	750	750	750	750	750
P320SC (No Rails) 9mm	3.50"									744		750							750	750	750	750	750	750	750	750
P320C (Compact and Carry) .45 ACP	3.90"																						751	751	751	751
P320 X-Carry	3.90"																						752	752	752	752
P938	3.00"				194																					
P365	3.10"				894	894																	365	365	365	365
SIGPro SP2340, 2009	3.88"												78						78							
SIGPro SPC2009 - w light mount rails	3.50"									744									278							
P2022 spurred hammer	3.87"		278				278					750			278		278	278	278	278			278	278	278	278
P2022R-w standard light mount rail	3.87"		278				278					750					278						278	278	278	278
Sig Arms GSR Revolution 1911	5.00"										53							256								53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379		
P220R W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																						7702	7702	7702	7702
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"								7742													4772	4772	4772	4772	
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"								77421																	
P220R, P226R DASA/ DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.41"																									
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"															77421		27721								
Sig P220R DAK, P226R DAK with Sure-Fire X200 or X300 Light. NOTE: Retention is reduced by removal of light	4.41"																	2770								
P220, P226 w/Sure-Fire Military Series Light W113, W113C, W113D & W114, W114C, W114D NOTE: Retention is reduced by removal of light	4.41"																	778								
P220R, P220S P226S, P226SO, P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"																	77421								

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"																			77412					
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"																			7740					
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"																			7712					
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"																			7712					
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"															77421				77421					
P220R & P226R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	4.41"																				7742				
P220R, P226R with MOLAD Light Laser	4.41"																			77413					
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"																			7721					
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"																			778					
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"																			7700					
P226 MK25 with X300 or X300 Ultra light	4.41"																			7740					
P226R X-Five with Surefire X200 or X300 light	5.00"																			3770					
P227 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"														7742						7742				
P227 W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																					6772	6772	6772	6772
P228,P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"																			7421					
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"																			74421					
P229 R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails: Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"																			17421					
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"																			17412					
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	3.90"																			1740					
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"																			7440					
P229R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"														7442					7442	7442				
P229R .40 S&W W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																					4472	4472	4472	4472
P229R 9mm W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																					4742	4742	4742	4742
P320 9/40, X-Full, or X-Vtac with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.7"								4502													4502	4502	4502	4502
P320 Compact and Carry 9mm and .40 S&W with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"								7502													7502	7502	7502	7502

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 11/30/18

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379				
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.7"								4512															4512	4512	4512	4512	
P320 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"								7512																7512	7512	7512	7512
P320 X-Carry ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																								7522	7522	7522	7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"																		2782									
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.50"																		27821									
1911 GSR w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	5.00"																		25621									
Smith & Wesson	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379				
39	4.00"					83				83			18															
59	4.00"					83				83			18															
410	4.00"									83																		
411	4.00"									83			140															
439	4.00"					83				83			18															
457	4.00"									83																		
459	4.00"					83				83			18															
469	3.50"					83				54	283	283																
639	4.00"					83				83			18															
645	5.00"									53								210										
659	4.00"					83				83			18															
669	3.50"					83				54																		
908	3.50"									54																		
909	4.00"									83																		
910	4.00"									83																		
915	4.00"									83			18															
1006	5.00"									53								210										
1026	5.00"									53								210										
1046	5.00"									53																		
1066	4.25"									83																		
1076	4.25"									83																		
1086	4.25"									83																		
2213	3.00"																											
3904	4.00"					83				83			18															
3906	4.00"					83				83			18															
3913	3.50"					83				54			20															
3913LS	3.50"					83																						
3913NL	3.50"					83																						
3913TSW, 3953TSW(with rails)	3.50"																											
3913TSW w/o light mount	3.50"									54																		
3914LS	3.50"					83																						
3953	3.50"									54																		
3953TSW	3.50"																											
3953TSW w/o light mount	3.50"																											
3953/3954	3.50"									54			20		320			321		320								
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"									744																		
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"																		141									
4006	4.00"					83				83			140						140									
4013	3.50"					83				54																		
4013TSW, 4053TSW (with rails)	3.50"																											
4013TSW w/o light mount	3.50"									54																		
4026	4.00"					83				83			140															
4043	4.00"																		140									
4046	4.00"					83				83			140						140									
4053	3.50"					83				54																		
4053TSW w/o light mount	3.50"									54																		
4056TSW w/o light mount	3.50"									54																		
4506-1	5.00"									53									210									

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 11/30/18

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379		
4506	5.00"									53								210								
4553TSW (with rails)	3.75"																									
4513TSW w/ Light Rails	3.50"									744																
4516-1 Ver.II.4516-2	3.75"					83				54																
4526	5.00"									53									210							
4536	3.75"					83				54																
4546	5.00"									53																
4553TSW w/o light mount	3.50"									54																
4556	3.75"					83				54		450														
4563TSW, 4566TSW (with rails)																										
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"																		210							
4566	4.25"									83																
4576	4.25"									83																
4586	4.25"									83										210						
5903	4.00"					83				83			18						140							
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"					83				83									140							
5904	4.00"					83				83			18						140							
5906 lgtriggrd	4.00"									83		450	18													
5906 shrtriggrd	4.00"					83				83		450	18						140							
5923	4.00"					83				83			18													
5924	4.00"					83				83			18													
5926	4.00"					83				83			18													
5943 shrtriggrd	4.00"									83			18						140							
5944 shrtriggrd	4.00"									83			18						140							
5946 lgtriggrd	4.00"					83				83			18		320						320					
5946 shrtriggrd	4.00"					83				83			18		320				140							
5946 & 5943 DAO without Rails	4.00"														320											
6904	3.50"					83				54			20													
6906 lgtriggrd	3.50"									54																
6906 shrtriggrd	3.50"									54			20													
6924	3.50"					83				54			20													
6926	3.50"					83				54			20													
6944 shrtriggrd	3.50"					83				54																
6946 lgtriggrd	3.50"					83				54					320						320					
6946 shrtriggrd	3.50"					83				54					320						320					
Bodyguard .380	2.75"			194	194																					
Chiefs Special CS40	3.25"									54																
Chiefs Special CS45	3.25"									54																
Chiefs Special CS9	3.00"									54																
Sigma 380	3.00"																									
Sigma 40, 9mm	4.50"									83									40							
Sigma 9C, 40C, 40V, 9V, 9E	4.00"									83									40							
Sigma SD9VE, 40VE	4.00"										283	283					40									
Sigma 9F 40F	4.50"									83	283	83							40							
SW99 9mm & .40	4.00"						391			744	283	283	84	84	84				84	84	84					
SW99 45ACP	4.25"																		86							
M&P 2.0 9 without thumb safety	4.25"	219	219			83	219	219		219	283	83		222	222		219		222	222	222	222	219	222	222	222
M&P 2.0 .40 without thumb safety	4.25"	219	219			83	219	219		219	283	83		219	219		219		219	219	219	219	219	219	219	219
M&P 2.0 9 with or without thumb safety	5.00"	219										683						819	819	818		818	819	818	818	818
M&P 2.0 .40 with or without thumb safety	5.00"	219										683						819	819	819		819	819	819	819	819
M&P 2.0 9 Compact without thumb safety	4.00"	219	219			83	219	219		219	283	83		222	222		219		222	222	222	219	222	222	222	
M&P 2.0 .40 Compact without thumb safety	4.00"	219	219			83	219	219		219	283	83		219	219		219		219	219	219	219	219	219	219	219
M&P 2.0 45 without thumb safety	4.60"					83				83	283	283			419			519	419	419	419	419	419	419	419	419
M&P 2.0 45 with or without thumb safety	4.60"					83				83	283	283			519			519	519	519	519	419	419	419	419	419
M&P 22 LR	4.25"										283	83			219				219	219						
M&P 9 & 40 without thumb safety	4.25"	219	219			83	219	219		83	283	83		219	219		219		219	219	219	219	219	219	219	219
M&P 9 & 40 with thumb safety	4.25"	219									283	83							219	219						
M&P 9C & 40C without thumb safety	3.38"	319	319			83	319	319		83	283	183			319			319	719	219	319					
M&P 9C & 40C with thumb safety	3.38"	319	319								283	183														
M&P 9L & 40L without thumb safety	5.00"										283	683		819												
M&P 9L M&P 9 Pro without thumb safety	5.00"											683					819		819	819		819	819	819	819	819
M&P 9L M&P 9 Pro with thumb safety	5.00"											683					819		820							
M&P 9 Shield 1.0 and 2.0	3.10"	179	179			179				54	179	179			179					179						179
M&P 40 Shield 1.0 and 2.0	3.10"	179	179								179	179														179
M&P 45 Shield	3.30"										179	179														179
M&P 45 without thumb safety	4.60"					83				83	283	283			419			519	419	419	419	419	419	419	419	419
M&P 45 with or without thumb safety	4.60"									83	283	283			519			519	519	519	519	419	419	419	419	419
M&P 45C without thumb safety	4.00"										283	183			919				919	919						
M&P 45C with thumb safety	4.00"										283	183			920				920	920						
1911	5.00"					53				53		683			53				53	53						53
1911 w/Tactical Rails	5.00"									53		683			56				56	56						53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379		
4566 TSW w/light rails and ITI Streamlight M5	4.13"																	4302								

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
4566TSW w/Picatinny Rails and ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"																		4302						
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"								2192										2190						
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"																		21921						
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2222				2222	2222	2222	2192	2222	2222	2222
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2192				2192	2192	2192	2192	2192	2192	2192
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																				8182	8182	8182	8182	
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																				8192	8192	8192	8192	
M&P 2.0 9 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2222				2222	2222	2222	2192	2222	2222	2222
M&P 2.0 40 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"														2192				2192	2192	2192	2192	2192	2192	2192
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192				4192	4192	4192	4192	4192	4192	4192
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192				5192	5192	4192	4192	4192	4192	4192
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace LaserGuard Pro or TLR-6	3.10"																								17918
M&P 9 & 40 W/ M3 or M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"																		21921						
M&P 9 & 40 w/ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"								2192						2192				2192	2192	2192	2192	2192	2192	2192
M&P 9 & 40 with XC-1	4.25"																				21922	21922	21922	21922	21922
M&P 9 & 40 with SureFire X200, X300	4.25"								2192										2190						
M&P 9 & 40 with SureFire X400 Ultra	4.25"																		21914						
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL Surefire X200, X300, or X300U	5.00"																				8192	8192	8192	8192	8192
M&P 45 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														4192				4192	4192	4192	4192	4192	4192	4192
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"																		51921						
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"														5192				5192	5192	4192	4192	4192	4192	4192
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"														9192				9192	9192					
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, X300U	4.00"														9202				9202	9202					
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"																		560						
Sphinx	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
SDP Standard	4.50"																		281						
SDP-S WLI-AA with laser	4.50"														28115				28115	28115					
SDP Compact	3.70"																			282					
SDP Subcompact	3.13"					285									285	285	285				285				
3000 cocked and locked or with hammer down	3.75"																		182						
3000 cocked and locked or with hammer down	4.50"									49									182						
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
3000 cocked and locked w/ITI LAM light	3.75"																		1825						
3000 cocked and locked w/ITI LAM light	4.50"																		1825						
SDP Standard w/ W400U	4.50"																								
Springfield Army	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
Model1911-A1	5.00"					53				53		683			53		53	53	53	53					53
Operator1911	5.00"									53		683			56	56		56	56	56					53
XD 9mm, 40, and 45	4.00"											450													
XD MOD2 9, .40	4.00"									744		750			148		48	148	148	148					
XD 9mm, 40, 45 and .357	4.00"									744		450			148		48	148	148	148					
XD 9mm, 40, 45 and .357	5.00"									49		450			149		49	149	149	149					
XD MOD2 9mm, 40, 45 and .357	5.00"									49		450			149		49	149	149	149					
XD 9mm & .40 Subcompact	3.00"		47									750				47									
XD (M) 9mm	3.80"													148				148		148					
XD(M) 9mm & .40	4.50"						146			49		450			149		49	149	149	149					
XD(M) .40	4.50"		47				146			49		450			146	146	49	149	146	146					
XD(M) 9mm	4.50"		47				146			49		450			145	146	49	149	145	145					
XD(M) 45	4.50"									49		450					49		146						
XD(M) 45	5.25"									49		450													
XD(M) 9mm & 40	4.50"											450													
XD(M) 9mm & 40	5.25"											450					49								
XD(M) 9mm	5.25"											450					147								
XD-S	3.30"	45	45			45				895		895					45								45
XD-S	4.00"																								
XD-E	3.30"											183													
911	2.75"			188	188																				
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"																		5621						
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"																		530						
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"																		5621						
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"																		5612						
Operator 1911-A1 with Surefire X200 or X300 light	5.00"															5340			560						
XD 9mm, .40, .45 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XT1 Procyon light NOTE: Retention is reduced by removal of light	4.00"															14821			14821						
XD 40 & 45 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.00"																		1482						
XD 9mm with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.00"															14821			462						
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921			14921						
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921			1492						
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	5.00"															14921			14921	1492					
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XT1 Procyon NOTE: Retention is reduced by removal of light	4.00"																		14821						
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																		1462						
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XT1 Procyon lights NOTE: Retention is reduced by removal of light	4.50"																		1452						

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
XD(M) 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																		1462					
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																	14921						
XD(M) .45 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																		1462					
Steyr	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
M40A1	4.00"									744														
STI/SVI	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 with rails	5.00"									53		683			56			56		56				53
1911 without rails	5.00"						53			53		683			53		53	53		53				53
2011 with Full Size Dust Cover	5.00"																850							53
2011 with Short Dust Cover	5.00"																851							53
2011 with Short Dust Cover	6.00"																852							
STI Tactical	5.00"									53									56					53
GP6	4.25"									83						855								51
GP5 9mm	3.58"									744														
DVS 3-GUN	5.40"											683												
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"																		5340					
STI 2011 Tactical 5 w/ Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED StreamLight, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	5.00"																							
Stinger	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
S-200																			164					
Tangfolio	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Force	3.66"																		262					
Force Full Size	4.45"																		362					
Witness	4.50"										283	283												
Witness P Full Size	4.50"										283	283												
Witness P Compact	3.60"										283	183												
Taser International	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
Advanced Taser M26																			63					
X26																			64					
X3																			163					
Taurus	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
24/7 w/accy rails	4.00"									83	283	283							40					
PT92, PT99C	5.00"									53						73								
PT99	5.00"									53														
PT99C	4.00"									51						73								
PT92C	4.00"									51						73								
PT100	5.00"																				175	175	175	175
PT840	4.00"										283	83							268					
PT809	4.00"										283	83							268					
PT845	4.00"										283	83												
PT111 G2	3.20"									54		183												
Spectrum	2.80"			188	188																			
Walther	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379
PP	3.86"																							
CCP	3.54"									54	283	283												
PPK	3.27"																							
PPKS	3.27"																							
PPS	3.20"										283	183												
P5	3.50"									54														
P99	4.00"						391			54	283	283		84	84		87	87	84	84	84			
P99Q/PPQ (2008 & newer)	4.00"						391	384			283	283							384	384	384	384	384	384
P99, P99Q PPQ, PPO M2 9mm, .40 S&W	5.00"											683							384	384	384	384	385	385
P99Q/PPQ M2 (2008 & newer)	4.00"						391	384			283	283												385

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 11/30/18

	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P99Q/PPQ M2 .45 cal	4.00"									744		750													
P99QA	4.00"										283	283							84	84					
P99C QA	3.50"										283	183		84	84				84	284		84			
P99 2008 Version	4.00"										283	283			384							384			
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.00"								3842						3842							3842			
Wilson	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 CQB w/light rail	5.00"									744															53
1911	4.88"									53							53	53							53
With Lights	BBL.	17/17T	18	22	25	27	537	547	557	566/567/ 568/569	575	576/577/ 578/579	0701	1051	1053	5186/5187/ 5188/5189	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7376/7377/ 7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"																	5340	560						

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.