



PT 4 Concealment with & without Lights - Pistols

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
AMT	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
Hardballer	5.00"				53	53	53			53									5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
Beretta	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
92/96Vertec M9A1	4.70"					73				49					140			73	73	73	73		73	73	73	73
92/96 Vertec w/Light Rail N/A for Double Action Bobbed Hammer	4.70"									49						73							73	73	73	73
92BrigadierD	4.90"																	73								
92BrigadierFS	4.90"									53					140			73			73					
92 Brigadier	4.90"									49								73								
92D	4.90"					73	73			53	683	73	73	73	140	73		73			173	73	73	73	73	73
92DM	4.30"									53								73			173					
92DS	4.90"					73	73			53							73	73			173					
92F	4.90"					73	73			53	683	73	73	73	140	73		73			173	73	73	73	73	73
92FC	4.30"									51								73			73					
92FCM	4.30"									51								73			73					
92FS	4.90"									53	683	73	73	73	140	73		73			173	73	73	73	73	73
92FSCenturion	4.30"									51	683	73						73			73		73	73	73	73
92G	4.90"									53								73			173					
96	4.90"									53	683	73						73			73					
96BrigadierD	4.90"									53								73			173					
96BrigadierG	4.90"									53								73			73					
96 Brigadier	4.90"																	73								
96Centurion	4.30"						273	73		51					140			73			73					
96D	4.90"									53						73		73			173	73				
96DC	4.30"									51								73			173					
96DS	4.90"									53								73			173					
96DSBrigadierD	4.90"									53								73			173					
96F 96FS	4.90"																	73			73					
96G	4.90"						73	73		53						73		73			73					
96G SD	4.90"																	73			73					
Cougar8000, 8040 Cougar D DAO	3.60"						71			54								73			171					
Cougar8000,8040 Cougar F, D	3.60"						71			54								73			171					
Cougar8045F	3.60"																	73			171					
Cougar8357	3.60"						71											73			171					
PX4 Storm 9mm & .40 DAO Only	4.00"																									
PX4 Storm 9mm & .40 DASA Only	4.00"					77				744							180				180		180			
PX4 Storm .45ACP	4.00"																									
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
92 F w/ITI mount Streamlight M3/M6, TLR-1,TLR-2, or Insight XTI Procyon light NOTE: Holster will not retain weapon without light attached.	4.90"																				7321					
92F, 92FS, 92 Brigader w/Surefire P116	4.90"																				736					
92F w/Surefire MR-11 adapter & Surefire X200 or X300	4.90"																				73421					
92,Sure-Fire Nitrolon Light P116C,P116D, P116 NOTE: Holster will retain weapon without light attached	4.90"																				736					
92/96 Vertec w/ Surefire Nitrolon P001 light	4.70"																				7346					
Vertec 92FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"																					73421				
PX4 Storm with ITI M3, M6, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"																					18021				
Browning	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
BDM9mm	4.73"						18			53																
HighPower9mm	4.66"									53																
Hi Power 9mm (Canadian Version)	4.60"																									
Caracal	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
C	3.50"									83						140										
F	4.10"									83	283					140										
Caspian with Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379
1911 w/Military Mount with Beamshot Model 8800	5.00"																					5322				

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
Colt	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
CombatElite	5.00"				53	53	53			53	683					53			53								
CombatTarget	5.00"										683									53							
Commander	4.25"				53	51	53			51					51			51									
DeltaElite	5.00"				53	53	53			53	683				53			53									
DeltaGoldCup	5.00"				53	53	53			53	683				53			53									
GoldCupN'I'Match	5.00"				53	53	53			53	683				53			53									
Government.380	3.25"														89												
Government1911	5.00"	53			53	53	53			53	683			53				53			53	53	53				
Mustang	2.75"														89												
Officer's.45ACP	3.50"					54	53			54					54	54	54										
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire X200 or X300 Light	5.00"																			530							
CZ	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
75.85	4.50"									51					140	99				90							
75	4.50"										683																
75 P-01	3.80"									744				140						290							
75 SP01 Shadow	4.00"																		490								
P-07	3.80"																				292						
RAMI	3.00"				183																						
EAA	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"									51					140	99				90							
FN	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
Five-Seven	4.80"									49										61							
Five-Seven MKII	4.80"																			361							
FNP-9	4.00"				77		383			744										260							
FNP 45	4.50"									744										261							
FNS 9mm & 40 SW	4.00"									744	283			266	140				266	266	266						
FNS 9mm & 40 SW	5.00"										683								267		267						
FNS 9mm Compact	3.60"										183																
FNS 40 SW Compact	3.60"										183																
FNX 9mm & 40 SW	4.00"									744					140												
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Insight XT1 Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. Note: holster will not retain weapon without light attached.	4.80"																			6121							
FNS 9mm & 40 SW W/ M3, TLR-1, Surefire X200/X300 and WL1AA Light	4.00"																						2662				
FNS 9mm & 40 SW W/ M3, TLR-1, Surefire X200/X300 and WL1AA Light	5.00"																						2672				
Glock	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379	
17,17C,22,22C,31 (.357)	4.50"	83			83	83	83	83	83	83	83	83	283	83	140	83			83	83	83	83	83	83	83	83	83
17 & 22, Dual Mag release	4.50"										83									983	983						
19,19C,23,23C,25,32	4.00"	283			283	283	83	283	283	54	283	283	283	283	140	283			283	283	283	283	283	283	283	283	238
19 & 23, Dual Mag release	4.00"										283									9283							
20,20C,21,21C	4.60"				383	383				83	83		383	383	140	383			383	383	383	383					
21SF w/STD Glock Rails	4.60"									83					140				383	383	383	383					
21SF w/Picatinny Rails	4.60"									49									383	383	383	383					
33,28	3.50"				83	183	83			54			183	283	183	140	183		183	183			183				
26, 27	3.50"	183			183	183	83			54	18		183					183	183	283			183				183
29,30	3.78"						483			83	183		483	483	140	483						483					
30S	3.77"									83	183											485					
30SF	3.77"																	383				485					483
34,35	5.32"						83			49	683		283	683	140			683			683	683					
36	3.75"						83			54										283			283				
37	4.50"						383			49	83				140	383				783	783						783
38	4.00"									83	283																
39	3.38"						483	383		744	183				140	483							883				
41	5.31"									49	683				140				683								683
42	3.25"				894	894																					

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"																832			832								
17,22, 19, 23 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon	4.50"													832			832					832	832					
17, 22 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.50"																8312											
17, 22 w/ITI Streamlight M3, TLR-1, Surefire X200, X300, or X300U NOTE: Holster will retain weapon without light attached	4.50"																					832		832	832			
17, 22, 31w/Glock Tactical Light Systems: GTL 10 (light only), GTL21,GTL22 (light laser combo), GTL51 (light/laser combination), GTL52(light/laser with dim-switch) Note:holster will not retain weapon without light attached	4.50"													7832			6832				7832	7832	7832					
17, 22 w/ Surefire X200 or X300	4.50"																				836							
17, 22, w/Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo) GTL51, GTL52	4.50"																					8310	8310					
17, 22, 31 with Beamshot Model 8000 or Model 8100	4.50"																				8312							
17, 22, 31 with ITI M3X or M6X	4.50"																8312				8312							
17, 22 with TLR-1, TLR-2, ITI M3, M6, M3X, M6X, or Insight XTI Procyon	4.50"																											
17, 22, 31,23 M3, M6, M3 LED IT Tactical Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.50"																					8321						
17, 22 4.50" BBL with the Oerlikon Contraves LLM-01 Module with Filter	4.50"																					8341						
17, 22 Dual Magazine Release with ITI M3	4.50"																					9832						
17, 22 Dual Magazine Release and Glock GTL10 Light	4.50"																					9832						
17, 22 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"																					98310						
17, 22, 19 with SureFire ,X200, X300, X400, and X400U Light	4.50"																					8314						
19,19C,23,23C w/ Surefire X200 or X300	4.00"																832				2830							
19, 23 with ITI M3, TLR-1, Enforce APL, Surefire X200, or X300	4.00"																						2832					
19, 23 with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, or X300U	4.00"																					2832		2832	2832	2832		
19, 23 with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, or Insight XTI Procyon	4.00"													2832			832					2832	2832					
19 with Surefire X300	4.00"																832											
19, 23 w/Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21,GTL22 (light laser combo) Note: holster will not retain weapon without light attached	4.00"																											
20, 21 w/STD Glock Rails, w/ITI Streamlight M3, TLR-1, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.60"																3832											
20, 21 w/STD Glock Rails w/ ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	4.60"																38321											
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Enforce APL, Surefire X200, X300	4.60"													3832			3832					3832	3832					
20, 21 w/STD Glock Rails w/ ITI M3, TLR-1, Enforce APL, Surefire X200, X300, or X300U	4.60"																						3832					
20, 21, w/STD Glock Rails with Surefire X200 light or X300 Note: holster will not retain weapon without light attached	4.60"																3832				3830							
20,21 w/STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc.Or Streamlight TLR-1 and TLR-2	4.50"																					38321						
20, 20C, 21, 21C w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; Note: holsters listed will not retain the handgun without the light attached	4.50"																					38321						
20 & 21SF with Dual Magazine Release with ITI M3, M6, TLR-1, TLR-2, or Insight XTI Procyon	4.50"																					938321						
34, 35 w/ITI Streamlight M3 or Insight XTI Procyon NOTE: Holster will retain weapon without light attached	5.32"																6832				6832							
34, 35 w/IT Tactical Illuminator Light M3, M6 or M3 LED, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. Note: holster will not retain weapon without light attached.	5.30"																68321				68321							
34, 35 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300 or Insight XTI Procyon	5.30"																68321											
34, 35 with ITI M3, TLR-1, Enforce APL, or SureFire X200, X300	5.30"																						6832					
37 with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, or Insight XTI Procyon	4.50"																7832					7832	7832					
37 with ITI M3, TLR-1, Surefire X200, X300 or Insight XTI Procyon	4.50"																					7832						
41 with ITI M3, TLR-1, Surefire X200, X300, X300U lights	5.31"																								832	832	832	

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379			
Heckler & Koch	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379			
P7M8	4.10"																				82								
P7M13	4.10"																				82								
P30 DAO	3.78"				295	295		391			283							295			295	295			295	295	295		
P30L	4.45"																								395	395	395		
P2000	3.50"							391		744	83		97	97			97					97	97			197	197	197	
P2000 European Version w/light mount frame	3.50"						97			744											97					197	197	197	
P2000 European Version and US Version w/light mount frame	3.50"						97			744											97					197	197	197	
US Version P2000 DAO (bobbed hammer)	3.50"							391		744	283			97									97			197	197	197	
US Version P2000 DA/SA	3.50"							391			283															397	397	197	
US Version P2000 SK DAO (bobbed hammer)	3.25"									744	283																		
P2000SK	3.33"									744	183																		
P2000	3.66"									744	283																		
USP 9, 40	4.25"					91		391		83	283				91	140	91	91			93	91	91						
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"							391			283											91							
USP9C,40C	3.58"				291			391	391	54	283	291	291	291	140	291					291		291		291	291	291	291	
USP 9 Compact/P10 (Non-US Version)	3.80"							391	391					391								391	391		391	391	391	391	
USP45	4.53"									83					140	91					93								
USP45Compact.45ACP	3.80"														140						293								
USP40 Expert	5.20"																				96								
USP45 Expert	5.20"									49						96					96								
HK .45	4.25"									83	83				74	393					393		395						
HK .45 Compact	3.90"										283												295						
VP9	4.09"							391		744	283																		
VP40	4.09"										83																		
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379			
USP 9, 40, 45 W/ HK ITL Light Hammer Down N/A for DA only	4.25"																932												
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Holsters will not retain weapon without the light attached	4.41"																1930				1930								
USP 9, 40 w/ Surefire Mount and Surefire P105 / P115 Light	4.25"																					1936							
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. Note: The Holster will not retain weapon without light attached.	4.25"																					9221							
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. Note: Holster will not retain weapon without light attached.	4.25"																					19312							
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.13"																					9321							
USP 9C and .40C with TLR-3	3.58"																						29116						
USP 9C, USP .40C Cocked & Locked with Surefire Mount with Surefire X200 or X300 lights	3.58"																					2910							
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X Note: The holsters will not retain weapon without the light attached	3.58"																					29111							
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon	4.41"																					9321							
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"																					9711							
P2000 (US Version) DAO, Bobbed Hammer, w/Insight Technology M3X Light Only	3.50"																												
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination),GTL22 (light/laser combination),GTL51(light/laser combination), GTL52(light /laser with dim-switch)	3.50"																					9710							
P2000 Europea Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Holster will not retain weapon without light attached.	3.50"																					9721							
H&K P30 with ITI M3, TLR-1, Enforce APL, Surefire X200, X300, or X300U	3.85"																					2952	2952						
H&K P30L with ITI M3, TLR-1, Enforce APL,Surefire X200, X300, or X300U	4.45"																					3952	3952	3952					
P30L with ITI M3X or M6X Light	4.44"																					39512							
VP9 with ITI M3, TLR-1, Surefire X200, X300, or X300U	4.09"																					5932							

	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
Kahr	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
E9,K9,K40	3.50"					54	53			54																		
P380	2.50"		189	189																								
PM9	3.00"			186																								
Kimber	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
KIP45CUS	5.00"				53	53	53			53	683				53						53							
1911	5.00"										683			53								53						
Pro Carry 1911	4.00"													52									52					
Gold Combat RL II, Warrior (w/light rail)	5.00"									53	683			56							56	56	56					
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
1911 w/rails: Gold Combat RL,Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"																5340				5340	560						
Magnum Research	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
Baby Desert Eagle II	4.00"									49																		
Para Ordnance	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
P12.45LDA	3.50"					54	53			54						54												
P14.45LDA	5.00"				53	53	53			53						53					53							
P16.40LDA	5.00"																											
P18.9LDA	5.00"				53	53	53			53						53					53							
P7.45LDA	5.00"				53	53	53			53						53					53							
Carry .45ACP	3.00"					54	53			54						54												
Companion.45ACP	3.50"					54	53			54						54												
OPS 1911	3.50"									54	683				140													
P13.45	4.25"				53	51	53			51						51												
P14.45	5.00"				53	53	53			53								53			53							
P16.40	5.00"				53	53	53			53								53			53							
P18.9	5.00"				53	53	53			53						53					53							
PRX1445	5.00"									49					140						56	56						
Todd Jarrett 1911	5.00"									53				53	140						53	53		53				
Ruger	BBL.	18	22	25	27	518	527	537	547	566/567/568/569	576/577/578/579	0701	1051	1053	1090	5181	5186/5187/5188/5189	5195/5196/5197/5198/5199	5376/5377/5378/5379	6287	6367	6376/6377/6378/6379	7052	7287	7367	7376/7377/7378/7379		
KP89	4.50"					65				83						140	65											
KP89DAO	4.50"					65				83						140	65											
KP89DC	4.50"					65				83						140	65											
KP90	4.50"					65				49						140												
KP90DC	4.50"					67										140												
KP91DAO	4.50"					67				49						140												
KP91DC	4.50"					67				49						140												
KP93	3.88"									744						140												
KP94	4.25"																											
KP944	4.25"																											
KP944DC,KP944DAO	4.25"															140												
P345	4.00"						383			83																		
P85	4.50"					65				83						140	65											
P89	4.50"					65				83						140	65											
P89DC	4.50"					65				83						140	65											
9E	4.14"										283																	
P90.45CAL.	4.50"					67				49						140												
P90DC	4.50"					67										140												
P91DAO	4.50"					67										140												
P91DC	4.50"					67				49						140												
P95D,KP95D	4.25"									744						140												
P95DAO,KP95DAO	4.25"									744						140												
LC9	3.12"					184												184										
LCP .380	2.75"		188	188																								
LCP .380 with Crimson Trace	2.75"		1881	1881																								
SR9	4.00"						77			54						140												
SR40	4.14"																											
SR45	4.50"																											
SR9C	3.3.8"					83		97		54						140												
SR40C	3.50"																											
SR1911	5.00"																											

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
SAR Arms	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
SARK2	4.5"																											
SigSauer	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
P220 before gun serial number (G158180),P226 before serial gun number (365426)	4.41"	77			77	77	77			744			77	77	140	77	77				77	77	77					
P220R DAK P220R DAK Bobbed or Spurred Hammer	4.41"									744											74							
P220R Compact	3.75"				744					744												74						
P220R, P226R	4.41"																	477										
P226R / P220R / P226 / P227 / MK25 9MM/.40CAL	4.41"																								477	477	477	
P226DAO,P220DAO	4.41"	77			77	77	77			83	83	777				140	77					77						
P226	4.41"																											
P226 X-Five	5.00"									49																		
P220R DAK, P226R DAK	4.41"											777	477	477							277	477	477					
P220R DAK, P226R DAK Spurred Hammer	4.41"												477	477								477	477					
P220S StainlessSteel P220R,P220S,P226R , P226S, P226SO withAccessoryRails	4.41"				77							777										77						
P226R MK25	4.25"									49						140							77					477
P226R DAK P226R DAK Bobbed or Spurred Hammer	4.41"									49																		
P226afterS/N365426(widetriggerguard)	4.41"																											
P226R Elite	4.41"									49						477	140											477
P225	3.90"				77	79	77			54	283		79	79	140	79	74						74	79	79			
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"									49												77	477	477				
P227R3	3.78"									744							140											
P228	3.90"	74			77	79	77			54	283	74	74	74	140	79	74					74	74	74				
SIG P229R / P229 .40CAL 9mm / P227R3	3.90"																									447	447	447
SIG P229R DAK/ P229R E2 9MM	3.90"																									474	474	474
P229	3.90"	74			77	74	77			54	283	74	74	74	140	74	74					74	74	74				
P229 Elite	3.90"	74			77	74	77			54	283			74														
P229 R E2	3.90"										283																	
P229R DAK spurred hammer w/light rails	3.90"					744				744			744	744	744							74	744	744				
P229R DAK bobbed hammer w/light rails	3.90"					744				744	283	744	744	744								174	744	744				
P230	3.62"					85																						
P239 (will only fit 9mm as of manufactured date 4603)	3.63"					75	77			54			75				140						75					
P239 .40 & .357	3.63"	75				75	77			54			75				754	140				75						754
P239 9mm	3.63"																75							75				75
P239 .40	3.63"																											
P245	3.90"									83																		
P250 Compact 9/40	3.88"									49												750	750	750				
P250 Full Size 9mm, .40, .45	4.70"																						450	450				
P320	4.7"									49																		
P320C	3.9"									744																		
P938	3.00"			194																								
SIGPro SP2340, 2009	3.88"					78	77						78									78						
SIGPro SPC2009-w/lightmountrails	3.50"									744																		
P2022spurred hammer	3.87"					78																						
P2022R-w standard light mount rail	3.87"									744																		
Sig Arms GSR Revolution 1911	5.00"									53																		
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
P220R, P226R DAK/ DAK W/ M3, M6 ITI Tactical Illuminator Light, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon	4.41"																											
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. Note: holster will not retain gun without light attached.	4.41"																77421				27721							
Sig P220R DAK, P226R DAK with Sure-Fire X200 or X300 Light. Note: Holster will not retain weapon without light attached.	4.41"																					2770						
P220, P226 w/Sure-Fire Military Series Light W113,W113C,W113D & W114,W114C,W114D NOTE: Holster will retain weapon without light attached	4.41"																					778						
P220R,P220S P226S,P226SO,P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"																											
P220R,P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Holster will not retain weapon without light attached	4.41"																											
P220SO,P220ST,P220R,P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.41"																											

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379			
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"																				7712								
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: The Holster will not retain weapon without light attached.	4.41"																					7712							
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"																77421				77421								
P220R & P226R with ITI M3, TLR-1, Surefire X200, X300	4.41"																						7742						
P220R, P226R with MOLAD Light Laser	4.41"																					77413							
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Holsters will not retain weapon without the light attached.	4.41"																						7721						
P226 w/Sure-Fire NITROLON P113,P113C,P113D& P114,P114C,P114D NOTE: Holster will retain weapon without light attached	4.41"																						778						
P226 with Surefire MR14 Rail & Surefire X200 or X300 light Note: Right Handed Holsters will accommodate LASER GRIPS	4.41"																						7700						
P226 MK25 with X300 or X300 Ultra light	4.41"																						7740						
P226R X-Five with Surefire X200 or X300 light	5.00"																						3770						
P227 with ITI M3, TLR-1, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"																							7742					
P228,P229 with M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"																						7421						
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. NOTE: Holster will not retain weapon without light attached. N/A M3X, M6X.	3.90"																							74421					
P229 R DAK with Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: The Holster will not retain weapon without light attached.	3.90"																							17421					
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Holster will not retain pistol without light attached.	3.90"																							17412					
P229 R DAK w/bobbed hammer with Surefire X200 or X300 light NOTE: The Holster will not retain weapon without light attached.	3.90"																							1740					
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached.	3.90"																							7440					
P229R with ITI M3, TLR-1, Surefire X200, X300	3.90"																							7442	7442				
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: The holster will not retain weapon without light attached.	3.50"																							2782					
Sig Pro P2022 with Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-2, or Insight XTI Procyon. Note: The holster will not retain weapon without light attached.	3.50"																								27821				
1911 GSR w/ ITI M3, M6, Streamlight TLR-1, TLR-2, Surefire X200, X300, SSL-1 or Insight XTI Procyon. NOTE: Holster will NOT retain weapon without light attached	5.00"																							25621					
Smith&Wesson	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379			
39	4.00"				83	18	18			83		18			140	18													
59	4.00"				83	18	18			83		18			140	18													
410	4.00"									83					140														
411	4.00"				140					83		140			140														
439	4.00"				83	18	18			83		18			140	18													
457	4.00"									83					140														
459	4.00"				83	18	18			83		18			140	18													
469	3.50"				83	20	18			54	283				140	20													
639	4.00"				83	18	18			83		18			140	18													
645	5.00"					23				53					140						210								
659	4.00"				83	18	18			83		18			140	18													
669	3.50"				83	20	18			54					140	20													
908	3.50"									54					140														
909	4.00"									83					140														
910	4.00"									83					140														
915	4.00"				18					83		18			140	18													
1006	5.00"									53					140						210								

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1026	5.00"									53					140						210							
1046	5.00"									53					140													
1066	4.25"					410				83					140													
1076	4.25"					310				83					140													
1086	4.25"					410				83					140													
2213	3.00"																											
3904	4.00"				83	18	18			83		18			140	18												
3906	4.00"				83	18	18			83		18			140	18												
3913	3.50"				83	20	18			54		20			140	20												
3913LS	3.50"				83	20	18								140	20												
3913NL	3.50"				83	20	18								140	20												
3913TSW,3953TSW(with rails)	3.50"														140													
3913TSW w/o lightmnt	3.50"						20	18		54					140	20												
3914LS	3.50"				83	20	18								140	20												
3953	3.50"							18		54					140	20												
3953TSW	3.50"							18							140	20												
3953TSW w/o lightmnt	3.50"							18							140	20												
3953/3954	3.50"						18			54		20			140	20					321		320					
4003TSW,4006TSW (manufacturing date of 4603),4043TSW,4046TSW(with rails)	4.00"									744					140													
4006TSW w/Picatnny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"																											
4006	4.00"				83	140	140			83		140			140													
4013	3.50"				83	423				54					140													
4013TSW,4053TSW(with rails)	3.50"														140													
4013TSW w/o lightmnt	3.50"						20	18		54					140	20												
4026	4.00"				83	140	140			83		140			140													
4043	4.00"																											
4046	4.00"				83	240	140			83		140			140													
4053	3.50"				83					54					140													
4053TSW w/o lightmnt	3.50"							18		54					140	20												
4056TSW w/o lightmnt	3.50"							18		54					140	20												
4506-1	5.00"					23				53					140													
4506	5.00"									53					140													
4553TSW(with rails)	3.75"														140													
4513TSW w/ Light Rails	3.50"					423				744					140													
4516-1Ver.II,4516-2	3.75"				83	423				54					140													
4526	5.00"									53					140													
4536	3.75"				83	423				54					140													
4546	5.00"									53					140													
4553TSW w/o lightmnt	3.50"						410			54					140													
4556	3.75"				83					54					140													
4563TSW,4566TSW(with rails)							430																					
4563TSW,4566TSW,4583TSW,4586TSW(with rails)	4.25"														140													
4566	4.25"						410			83					140													
4576	4.25"						310			83					140													
4586	4.25"						410			83					140													
5903	4.00"				83	18	18			83		18			140	18												
5903TSW,5906TSW (manufacturing date of 4603),5943TSW,5946TSW (with rails)	4.00"				83					83					140													
5904	4.00"				83	18	18			83		18			140	18												
5906ltriggrd	4.00"						18	18		83		18			140	18												
5906shrtriggrd	4.00"				83	18	18			83		18			140	18												
5923	4.00"				83	18	18			83		18			140	18												
5924	4.00"				83	18	18			83		18			140	18												
5926	4.00"				83	18	18			83		18			140	18												
5943shrtriggrd	4.00"							18		83		18			140	18												
5944shrtriggrd	4.00"							18		83		18			140	18												
5946ltriggrd	4.00"				83			18		83		18			140	18												
5946shrtriggrd	4.00"				83			18		83		18			140	18												
5946 & 5943 DAO without Rails	4.00"													320														
6904	3.50"				83	20	18			54		20			140	20												
6906ltriggrd	3.50"						20	18		54					140	20												
6906shrtriggrd	3.50"						20	18		54					140	20												
6924	3.50"				83	20	18			54					140	20												
6926	3.50"				83	20	18			54					140	20												
6944shrtriggrd	3.50"				83			18		54					140	20												
6946ltriggrd	3.50"				83			18		54					140	20												
6946shrtriggrd	3.50"				83			18		54					140	20												
Bodyguard .380	2.75"		194	194																								
ChiefsSpecialCS40	3.25"									54																		
ChiefsSpecialCS45	3.25"							83		54																		
ChiefsSpecialCS9	3.00"									54					140													
Sigma 380	3.00"					38																						
Sigma40,9mm	4.50"					40	40			83						40												
Sigma9C,40C,40V,9V,9E	4.00"					39	40			83					140	40												
Sigma SD9VE, 40VE	4.00"																											
Sigma9F,40F	4.50"					40	40			83						40												
SW99 9mm & .40	4.00"					84		391		744		283	84	84	84													

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2.	5.00"																				5621							
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"																				530							
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"																				5621							
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"																				5612							
Operator 1911-A1 with Surefire X200 or X300 light	5.00"																5340					560						
XD 9mm, .40, .45 w/ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2 or Insight XTI Procyon light Note: Holster will NOT retain weapon without light attached	4.00"																14821				14821							
XD 40 & 45 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																					1482						
XD 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.00"																14821					462						
XD 9mm, .40, .45 w/ITI M3, TLR-1, TLR-2, Surefire X200, X300, or Insight XTI Procyon Note: Holster will NOT retain weapon without light attached Note: Holster will NOT retain weapon without light attached	5.00"																14921				14921							
XD 9mm, .40, .45 w/ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon Note: Holster will retain weapon without light attached	5.00"																14921					1492						
XD(M) 9mm with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																					1452						
XD(M) 40 with ITI M3, TLR-1, Surefire X200, X300, or Insight XTI Procyon lights Note: Holster will retain weapon without light attached	4.50"																					1462						
XD(M) 9mm & .40 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																				14921							
XD(M) .45 with ITI M3, M6, TLR-1, TLR-2, Surefire X200, X300, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																					1462						
Steyr	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
M40A1	4.00"									744																		
STI/SVI	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1911 with rails	5.00"									53	683										56							
1911 without rails	5.00"				53	53	53			53	683					53						53						
2011 with Full Size Dust Cover	5.00"																											
2011 with Short Dust Cover	5.00"																											
2011 with Short Dust Cover	6.00"																											
STI Tactical	5.00"									53																		
GP6	4.25"									83							855											
GP5 9mm	3.58"									744																		
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	5.00"																				5340							
2011 Tactical Lite 5 w/Surefire X200 or X300 light NOTE: Holster will not retain weapon without light attached	4.25"																				5621							
Stinger	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
S-200																					164							
Tangfolio	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
Force	3.66"																				262							
Force Full Size	4.45"																				362							
Witness	4.50"																											
Witness P Full Size	4.50"																											
Witness P Compact	3.60"																											
Taser International	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
Advanced Taser M26																					63							
X26																						64						
X3																						163						

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 7/31/2015

	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
Taurus	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
2477 w/accy rails	4.00"					39	77			83	283					40				40								
PT92, PT99C	5.00"					73	73			53					140	73	73											
PT99	5.00"					73	73			53					140	73												
PT99C	4.00"					273	73			51					140	73	73											
PT92C	4.00"					273	73			51					140	73	73											
PT100	5.00"																											
PT840	4.00"										83											268			175	175	175	
PT809	4.00"										83											268						
PT845	4.00"										83																	
Walther	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
PP	3.86"																											
PPK	3.27"					89	89									89												
PPKS	3.27"					89	89									89												
PPS	3.20"										183																	
P5	3.50"									54								87		87								
P99	4.00"					84		391		54	283		84	84								84	84		84			
P99Q/PPQ (2008 & newer)	4.00"							391	384		283			384				384		384	384	384			384	384	384	
P99Q/PPQ (2008 & newer)	5.00"										283																	
P99Q/PPQ MZ (2008 & newer)	4.00"							391	384		283																	
P99Q/PPQ MZ (2008 & newer)	5.00"										683																	
P99QA	4.00"										283										84	84						
P99C QA	3.50"					84					183		84	84	140						84	284						
P99 2008 Version	4.00"										283			384														
Wilson	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1911 CQB w/light rail	5.00"									744																		
1911	4.88"					53				53						53				53								
With Lights	BBL.	18	22	25	27	518	527	537	547	566/567/ 568/569	576/577/ 578/579	0701	1051	1053	1090	5181	5186/5187/ 5188/5189	5195/5196/ 5197/5198/ 5199	5376/5377/ 5378/5379	6287	6367	6376/6377/ 6378/6379	7052	7287	7367	7376/7377/ 7378/7379		
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Holster will not retain weapon without light attached	5.00"																			5340	560							

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges and user of this information to personally check for holster/handgun compatibility using the actual product.