



PT 4 Concealment with & without Lights - Pistols

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
AMT	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Hardballer	5.00"				53				53						53								
Beretta	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
92/96 Vertec M9A1	4.70"								49			450			73	73		73	73	73		73	
M9																		73	73	73		73	
M9A3																		73	73	73		73	
92/96 Vertec w/ Light Rail N/A for Double Action Bobbed Hammer	4.70"								49									73	73	73		73	
92 Brigadier D	4.90"													73									
92 Brigadier FS	4.90"								53					73	73								
92 Brigadier	4.90"								49					73		73							
92 D	4.90"								53			450	73	73	173	73	73	73	73	73		73	
92 DM	4.30"								53														
92 DS	4.90"								53					73									
92 F	4.90"								53			450	73	73	73	73	73	73	73	73		73	
92 FC	4.30"								51														
92 FCM	4.30"								51					73									
92 FS	4.90"								53			450	73	73	73	73	73	73	73	73		73	
92 FS Centurion	4.30"								51			450						73	73	73		73	
92 G	4.90"								53														
96	4.90"								53			450											
96 Brigadier D	4.90"								53														
96 Brigadier G	4.90"								53														
96 Brigadier	4.90"															73							
96 Centurion	4.30"								51														
96 D	4.90"								53														
96 DC	4.30"								51														
96 DS	4.90"								53														
96 DS Brigadier D	4.90"								53														
96 F 96 FS	4.90"																						
96 G	4.90"								53														
96 G SD	4.90"																						
Cougar 8000, 8040 Cougar D DAO	3.60"								54														
Cougar 8000, 8040 Cougar F, D	3.60"								54														
Cougar 8045 F	3.60"																						
PX4 Storm 9mm & .40 DAO Only	4.00"																						
PX4 Storm 9mm & .40 DASA Only	4.00"				77				744														
PX4 Storm .45ACP	4.00"																						
APX 9/40	4.25"											750			673	673							
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
92 F, 92 FS, 92 Brigadier w/ Surefire P116	4.90"																						
92 F w/ Surefire MR-11 adapter & Surefire X200 or X300	4.90"																						
92, Sure-Fire Nitrolon Light P116C, P116D, P116 NOTE: Retention is reduced by removal of light	4.90"																						
Vertec 92 FS, 96 w/ M3, M6 or M3 LED IT Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-2, or Insight XTI Procyon	4.70"																						
PX4 Storm with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon, TLR-1, TLR-2, Surefire X200 or X300 lights	4.00"																						
APX 9/40 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U light	4.25"																						
Browning	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
BDM 9mm	4.73"								53														
High Power 9mm	4.66"								53														
Hi Power 9mm (Canadian Version)	4.60"																						
Canik	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
TP9SF	4.46								83			83											
TP9SF Elite	4.19								83			83											
TP9SA	4.47								83			83											
TP9SFx	5.20"														151								
Caracal	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
C	3.50"								83														
F	4.10"								83	283		283											
Caspian with Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/ Military Mount with Beamshot Model 8800	5.00"														5322								
Colt	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Combat Elite	5.00"				53				53			683		53	53			53				53	
Combat Target	5.00"											683			53			53				53	
Commander	4.25"		54		53				51			83		51			52	51				51	
Delta Elite	5.00"				53				53			683		53	53			53				53	
Delta Gold Cup	5.00"				53				53			683		53	53			53				53	
Gold Cup Nat'l Match	5.00"				53				53			683		53	53			53				53	
Government 1911	5.00"		53		53		53		53			683		53	53	53	53	53				53	
Mustang	2.75"																						
Officer's .45ACP	3.50"	51	51						54			283		54				54				54	
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911-A1 Non Rail, w/ Surefire mount MR07, w/ Surefire X200 or X300 Light	5.00"														530								
CZ	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
75, 85	4.50"								51						90								
75	4.50"											683											
75 P-01	3.80"								744						290								
75 SP01 Shadow	4.00"													490									
Shadow 2	4.89"													590									
P-07	3.80"											750				292							
P-09	4.53"											450				294							
RAMI	3.00"				183																		
P10C	4.02"																	392	392	392		392	
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P10C w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.02"															3922							
P10F w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"															4922							
EAA	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Witness 9mm, 40SW, Sport 9mm, Sport 40SW	4.50"								51						90								
FN	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Five-Seven	4.80"								49							61							
Five-Seven MKII	4.80"															361							
FNP-9	4.00"				77				744							260							
FNP 45	4.50"								744			450				261							
FNS 9mm	4.00"								744	283		283		266	266	269	266						
FNS 40 SW	4.00"								744	283		283		266	266	266	266						
FNS 9mm & 40 SW	5.00"											683		267		267							
FNS 9mm Compact	3.60"									283		183											
FNS 40 SW Compact	3.60"									283		183											
FNX 9mm & 40 SW	4.00"								744					265	265								
FN 509	4.00"									283		283						270	270	270		270	
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Five-Seven w/ Tactical Illuminator light refire M3, M6, M3 LED or Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight XTI Procyon N/A for M3X/M6X. Or Streamlight TLR-1 and TLR-2. NOTE: Retention is reduced by removal of light	4.80"							612							6121								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL Surefire X200, X300, X300U, or WL1AA Light	4.00"																2662					
FNS 9mm & 40 S&W W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	5.00"																2672					
FN 509 W/ M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or WL1AA Light	4.00"															2702						
Glock	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
17, 17C, 22, 22C, 31 (.357), 47 All Gen	4.50"	83	83		83	83	83		83			83	283	83	83	83	83	835	835	835		835
17 & 22 Dual Mag release Gen1-4	4.50"	83										83			983	983						
19, 19C, 23, 23C, 25, 32, 45 All Gen	4.00"	283	283		283	283	283		54	283		283	283	283	283	283	283	2835	2835	2835		2835
19X	4.00"	283			283	283	283		54	283		283		283		283		2835	2835	2835		2835
19 & 23 Dual Mag release Gen1-4	4.00"	283								283		283										
20, 20C, 21, 21C Gen1-4	4.60"					383			83			83	383	383	383	383	383	383	383	383		383
21SF Gen1-4 w/ STD Glock Rails	4.60"								83				383	383	383	383	383	383	383	383		383
21SF Gen1-4 w/ Picatinny Rails	4.60"														383							
33, 28	3.50"				83				54				283	183	183		183					
26, 27 All Gen	3.50"	183	183		183				54	283		183		183	283		183	183				183
29, 30, 30S All Gen	3.78"								83	283		183	483			483	483	483	483	483		483
30S	3.77"								83	283		183		383		485	485	483	483	483		483
30SF	3.77"																483					
34 All Gen	5.32"								49			683		683				6835	6835	6835		6835
34, 35 Gen1-4	5.32"								49			683		683		683	683	6835	6835	6835		6835
36	3.75"								54						283							
37	4.50"								49			83			783	783	783					
38	4.00"								83	283		283					783					
39	3.38"								744	283		183					883					
41 Gen4	5.31"								49			683										
42	3.25"			894	894									894				895			895	895
43, 43X	3.39"	895	895	895	895					895		895	895	895				895			895	895
47	4.50"	83	83		83	83			83			83	83	83	83	83	83	835	835	835		835
48	4.17"								54									896				896
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
17, 22 All Gen w/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.50"							832							832	832	832	8325	8325	8325		8325
17, 22 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.50"																	8327	8327	8327		8327
17, 22 All Gen w/ Surefire X200, X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"																	8302	8302	8302		8302
17, 22 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.50"														8301							
17, 22, 19, 23 All Gen with SureFire, X200, X300, X400, X400U, or X400V Light	4.50"														8314							
17, 22 All Gen W/ Surefire XC-1 or XC-2	4.50"							8324														
17, 22, 31 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only), GTL21, GTL22 (light laser combo), GTL51 (light/laser combination), GTL52 (light/laser with dim-switch) NOTE: Retention is reduced by removal of light	4.50"															8310	8310					
17, 22 Gen1-4 w/ Surefire X200 or X300	4.50"														836							
17, 22, 31 Gen1-4 with Beamshot Model 8000 or Model 8100	4.50"														8312							
17, 22, 31 Gen1-4 with ITI M3X or M6X	4.50"														8312							
17, 22, 31 Gen1-4 W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.50"														8321	8321						
17, 22 Gen1-4 with the Oerlikon Contraves LLM-01 Module with Filter	4.50"														8341							
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light	4.50"														9832							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
17, 22 Gen1-4 Dual Magazine Release and Glock GTL10 Light, GTL 21, GTL 22 Light/Laser Combo	4.50"														98310								
19, 23, 19X, 45 All Gen W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"							2832								28325	2832	28325	28325	28325			28325
19, 23, 19X, 45 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.00"																	28327	28327	28327			28327
19, 23, 19X, 45 All Gen W/ Surefire X300, or X300U with Pressure Switch NOTE: Retention is reduced by removal of light	4.00"															28301	28301						
19, 23, 19X, 45 All Gen W/ ITI M3, M3X, M6, M6X, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2 or TLR-2HL NOTE: Retention is reduced by removal of light	4.00"														8321	28321							
19, 23, 19X, 45 All Gen W/ Surefire XC-1 or XC-2	4.00"							28324															
19, 19C, 23, 23C Gen1-4 w/ Surefire X200 or X300	4.00"							2832							2830								
19, 23 Gen1-4 w/ Glock Tactical Light Systems: GTL 10 (light only) Note: N/A: for Glock light system GTL21,GTL22 (light laser combo) NOTE: Retention is reduced by removal of light	4.00"															28310							
20, 21, 29, and 37 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.60"																3832	3832	3832	3832			3832
20, 21 Gen1-4 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.60"																	38327	38327	38327			38327
20, 21 Gen1-4 w/ STD Glock Rails w/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U	4.60"															3832	3832						
20, 21 Gen1-4 w/ STD Glock Rails with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.60"														3830								
20, 21 Gen1-4 w/ STD Glock Rails w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2	4.50"														38321								
20, 20C, 21, 21C Gen1-4 w/Streamlight M3, M6, M3 LED or Insight XTI Procyon; NOTE: Retention is reduced by removal of light	4.60"														38321								
20 & 21SF Gen1-4 with Dual Magazine Release with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon	4.50"														938321								
29, 30 All Gen W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.78"																	48327	48327	48327			48327
34, 35 ALL Gen with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, SureFire X200, X300, or X300U	5.32"														6832	68325	6832	68325	68325	68325			68325
34, 35 Gen1-4 w/ ITI Streamlight M3 or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.32"														6832								
34, 35 Gen1-4 w/ IT Tactical Illuminator Light M3, M6 or M3 LED, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-2, or Insight XTI Procyon Note: N/A for M3X/M6X. NOTE: Retention is reduced by removal of light.	5.32"														68321								
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, X300U, or Insight XTI Procyon	4.50"															7832	7832						
37 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon	4.50"														7832								
41 Gen4 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	5.31"															8932							
42, 43, 43X with TLR-6	3.39"																	89518				89518	89518
47 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.50"																	8972	8972	8972	8972		8972
Heckler & Koch	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P7 M8	4.10"														82								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P7 M13	4.10"														82								
P10	3.80"													295									
P30 DAO	3.78"				295	391	391			283		283		295	295	295	295	295	295	295	295	295	
P30L	4.45"																395	395	395	395	395	395	
P2000	3.50"				295	391			744			283	97			97	97	197	197	197	197	197	
P2000 European Version w/light mount frame	3.50"				295				744						97			197	197	197	197	197	
P2000 European Version and US Version w/light mount frame	3.50"				295				744						97			197	197	197	197	197	
US Version P2000 DAO (bobbed hammer)	3.50"				295	391			744	283		283					97	197	197	197	197	197	
US Version P2000 DA/SA	3.50"				295	391				283		283						397	397	397	397	397	
US Version P2000 SK DAO (bobbed hammer)	3.25"				295				744	283		283											
P2000SK	3.33"								744	283		183											
P2000	3.66"				295				744	283		283											
USP 9, 40	4.25"					391			83	283		283			93	91	91						
USP 9, 40 with Rubber Spurred Hammer (holsters with a manufacture date of 2308 and after)	4.25"					391				283		283				91							
USP 9C, 40C	3.58"					391	391		54	283		283	291		291		291	291	291	291	291	291	
USP 9 Compact/P10 (Non-US Version)	3.80"					391	391									391	391	391	391	391	391	391	
USP 45	4.53"					391			83						93								
USP 45 Compact .45ACP	3.80"					391									293								
USP 40 Expert	5.20"														96								
USP 45 Expert	5.20"								49						96								
HK .45	4.25"								83			83			393		395						
HK .45 Compact	3.90"									283		283					295						
VP9	4.09"				295	391			744	283		283		593	593	593	593	593	593	593	593	593	
VP40	4.09"											83											
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
USP 45 LEM with Bobbed Hammer w/Surefire X200 light adapter with Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	4.41"														1930								
USP 9, 40 Cocked and locked w/B & T Adapter and IT Tactical light M3, M6, M3 LED, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	4.25"														9221								
USP 9, 40 D.A.O. w/Surefire mount w/ Insight Technology M3X or M6X light or ITI SSL-1. NOTE: Retention is reduced by removal of light	4.25"														19312								
USP 9, USP .40 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.13"														9321								
USP 9C and .40C with TLR-3	3.58"															29116							
HK USP 40C Insight Technology M3, M6, M3X LED Tactical Illuminator Light, ITI SSL-1, or Insight XTI Procyon Bobbed Hammer Only Note: N/A for M6X NOTE: Retention is reduced by removal of light	3.58"														29111								
USP .45 with Spurred Hammer and Surefire Mount MR09, and ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U or Insight XTI Procyon	4.41"														9321								
P2000 (U.S. Version) w/ ITI M3/M6 or Insight XTI Procyon	3.50"														9711								
P2000 DAO (bobbed Hammer) with B&T adaptor and a Glock Light System: Models: GTL 10 (light only), GTL21 (light/laser combination), GTL22 (light/laser combination), GTL51 (light/laser combination), GTL52 (light /laser with dim-switch)	3.50"														9710								
P2000 European Version with B & T adapter (TL P2000) with M3/M6 IT tactical illuminator light, ITI SSL-1, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"														9721								
H&K P30 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	3.85"							2952								2952	2952						
H&K P30 with Surefire XC-1 or XC-2	3.85"							29524															
H&K P30L with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Enforce APL, Surefire X200, X300, or X300U	4.45"														3952	3952	3952						
VP9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.09"							5932								5932							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
VP9 with XC-1	4.09"															59322							
Kahr	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
E9, K9, K40	3.50"								54														
P380	2.50"			189																			
PM9	3.00"			186																			
CT9	3.80"								54														
CT380	3.50"			189																			
CW9	3.00"								54														
S9	3.50"								54														
ST9	4.00"				54				54														
Kimber	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
KIP45CUS	5.00"				53				53			683		53	53			53					53
1911	5.00"											683		53		53		53					53
Pro Carry 1911	4.00"																	52					
Gold Combat RL II, Warrior (w/light rail)	5.00"								53			683			56	56		56		53			53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/ rails: Gold Combat RL; Custom TLE/RL w/ Enforce APL, Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"														5340	560							
Magnum Research	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Baby Desert Eagle II	4.00"								49														
Para Ordnance	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P12.45 LDA	3.50"								54														51
P14.45 LDA	5.00"				53				53					53	53								53
P16.40 LDA	5.00"																						53
P18.9 LDA	5.00"				53				53					53	53								53
P7.45 LDA	5.00"				53				53					53	53								53
Carry .45ACP	3.00"								54														
Companion .45ACP	3.50"								54														51
OPS 1911	3.50"								54			683											51
P13.45	4.25"				53				51														54
P14.45	5.00"				53				53					53	53								53
P16.40	5.00"				53				53					53	53								53
P18.9	5.00"				53				53					53	53								53
PRX 1445	5.00"								49						56	56							53
Todd Jarrett 1911	5.00"								53						53	53							53
Ruger	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
KP89	4.50"								83														
KP89DAO	4.50"								83														
KP89DC	4.50"								83														
KP90	4.50"								49														
KP91DAO	4.50"								49														
KP91DC	4.50"								49														
KP93	3.88"								744														
P345	4.00"								83														
P85	4.50"								83														
P89	4.50"								83														
P89DC	4.50"								83														
9E	4.14"									283		283											
P90.45CAL.	4.50"								49														
P91DC	4.50"								49														
P95D, KP95D	4.25"								744														
P95DAO, KP95DAO	4.25"								744														
LC9	3.12"	184	184		184									184								184	184
LC9S	3.12"	184	184		184									184								184	184
LC380	3.12"	184	184		184																	184	184
LCP .380	2.75"				188																		
LCP .380 with Crimson Trace	2.75"				1881																		
SR9	4.00"								54														
SR9C	3.3.8"				83				54														
SR1911	5.00"																						53
American 9mm and .40 S&W	4.20"																						167
American .45 ACP	4.50"																						168

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Security 9	4.00"	283			283	283			83			283											
SCCY	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
CPX-2	3.10"													367									
Sig Sauer	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P220 before gun serial number (G158180), P226 before serial gun number (365426)	4.41"		77		77				744				77	477	77	77	77						
P220R DAK P220R DASA Bobbed or Spurred Hammer	4.41"		77						744					477									
P220R Compact	3.75"		77						744						74								
P220R, P226R	4.41"		77			774	774							477									
P226R / P220R / P226 / MK25 9MM/.40CAL / P227R3 .45	4.41"																	477	477	477		477	
P226 DAO, P220 DAO	4.41"		77		77				83	283		450			77								477
P226	4.41"		77							283		450											
P226 X-Five	5.00"								49														
P220R DAK, P226R DAK	4.41"		77									450	477		277	477	477						
P220R DASA, P226R DASA Spurred hammer	4.41"		77									450	477			477	477						
P220ST Stainless Steel P220R, P220S, P226R, P226S, P226SO with Accessory Rails	4.41"		77									450			77								
P224 9mm	3.50"								744														
P226R MK25	4.25"		77						49			450			77		477						
P226R DAK P226R DASA Bobbed or Spurred Hammer	4.41"		77						49			450											
P226 after S/N 365426 (wide trigger guard)	4.41"		77									450											
P226R Elite	4.41"		77						49			450					477						
P225	3.90"				77				54	283		750	79		74	79	79						
P227 (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"		77						49					477	77	477	477						
P227R3 .45	3.78"		77						744									477	477	477		477	
P228	3.90"		74		77				54			750	74		74	74	74	447	447	447		447	
SIG P229R / P229 .40 CAL .357	3.90"		74															447	447	447		447	
SIG P229R DAK/ P229R E2 9MM	3.90"		74															474	474	474		474	
P229	3.90"		74		77				54			750	74		74	74	74						
P229 Elite	3.90"		74		77				54			750	74										
P229 R E2	3.90"											750											
P229R DASA spurred hammer w/ light rails	3.90"					744			744				744		74	744	744						
P229R DAK bobbed hammer w/ light rails	3.90"					744			744				744		174	744	744						
P239 (will only fit 9mm as of manufactured date 4603)	3.63"								54						75								
P239 .40 & .357	3.63"		75						54						75		754						
P239 9mm	3.63"															75	75						
P245	3.90"								83							75	75						
P250 Full Size 9mm, .40, .45	4.70"					450										450	450	450	450	450	450	450	450
P320 9mm, .40 or M17	4.70"	450				450			49			450		450		450	450	450	450	450	450	450	450
P320 X-Full or X-Vtac	4.70"																	450	450	450	450	450	450
P320 .45 ACP	4.50"																	451	451	451		451	
P320 X-Five	5.00"													452									
P250 Compact 9mm, .40	3.88"	750				750			49						750	750	750	750	750	750	750	750	750
P320C (Carry and Compact) 9mm, .40 or M18	3.90"	750				750			744			750		750		750	750	750	750	750	750	750	750
P320SCR 9mm	3.50"								744			750				750	750	750	750	750	750	750	750
P320SC (No Rails) 9mm	3.50"								744			750				750	750	750	750	750	750	750	750
P320C (Compact and Carry) .45 ACP	3.90"																	751	751	751	751	751	751
P320 X-Carry	3.90"																	752	752	752			752
P938	3.00"			194														938				938	938
P365	3.10"	365	894	894														365				365	365
SIGPro SP2340, 2009	3.88"														78								
SIGPro SPC2009 - w light mount rails	3.50"								744						278								
P2022 spurred hammer	3.87"		278			278						750		278	278	278	278	278	278	278	278	278	278
P2022R-w standard light mount rail	3.87"		278			278			744			750		278				278	278	278	278	278	278
Sig Arms GSR Revolution 1911	5.00"								53						256								53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P220R W/ ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"																	7702	7702	7702		7702	
P226R W/ ITI Streamlight M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.41"							7742										4772	4772	4772		4772	
P226R, P227 w/ Streamlight TLR-2, TLR-2HL	4.41"							77421															

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P220R, P226R DASA/ DAK W/ M3, M6 ITI Tactical Illuminator Light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon	4.41"																7742					
Sig P220R DAK, P226R DAK with ITI M3, M6, ITI SSL-1, Insight XTI Procyon, or Streamlight TLR-1, TLR-2. NOTE: Retention is reduced by removal of light	4.41"														27721							
P220R, P220S P226S, P226SO, P226R (DASA Spurred Hammer) w/M3, M6 Light, Streamlight TLR-1, TLR-2, or Insight XTI Procyon.	4.41"														77421							
P220R, P226R (DASA Spurred Hammer) w/Insight Technology Streamlight M3X or M6X Light or Surefire X400 light NOTE: Retention is reduced by removal of light	4.41"														77412							
P220SO, P220ST, P220R, P226R (DASA Spurred Hammer) w/Sure Fire X200 or X300 light NOTE: Retention is reduced by removal of light	4.41"														7740							
P220, P226 with Beamshot Model 8000 or Model 8100	4.41"														7712							
P220, P226 with IT Mount and Insight Technology M3X, M6X. NOTE: Retention is reduced by removal of light	4.41"														7712							
P220R P226R (DASA Spurred Hammer) w/Laser/Tactical 2 (6v) from Laser Device Inc. Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, or Insight XTI Procyon.	4.41"														77421							
P226 (full size hammer) with Insight Technology Mount (ITI), Streamlight Tactical Illuminator Light Model M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light.	4.41"														7721							
P226 w/Sure-Fire NITROLON P113, P113C, P113D & P114, P114C, P114D NOTE: Retention is reduced by removal of light	4.41"														778							
P226 MK25 with X300 or X300 Ultra light	4.41"														7740							
P226R X-Five with Surefire X200 or X300 light	5.00"														3770							
P227 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U (Note: Holster MFR after 29NOV13, however older models will fit but the SLS hood rubs against the weapon's hammer)	4.40"																7742					
P227 W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.40"																	6772	6772	6772		6772
P228, P229 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, M3, M6, M3 LED light or Insight XTI Procyon with ITI mount. Or Streamlight TLR-1 and TLR-2.	3.90"														7421							
P229R DASA (Spurred Hammer) with accy rails with M3, M6, M3 LED light, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"														74421							
P229 R DAK with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Light Rails; Bobbed Hammer with IT Tactical Illuminator Light M3, M6, M3 LED, Streamlight TLR-1, TLR-2 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.90"														17421							
P229R DAK Bobbed Hammer w/ Insight Technology M3X or M6X light. NOTE: Retention is reduced by removal of light	3.90"														17412							
P229R DASA w/Spurred Hammer w/Surefire X200 or X300 Light NOTE: Retention is reduced by removal of light	3.90"														7440							
P229R with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U	3.90"															7442	7442					
P229R .40 S&W W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																	4472	4472	4472		4472
P229R 9mm W/ITI Streamlight M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	3.90"																	4742	4742	4742		4742

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
P320 9/40, X-Full, X-Vtac or M17 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4502										4502	4502	4502		4502
P320 .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	4.70"							4512										4512	4512	4512		4512
P320 9/40, X-Full, X-Vtac, or M17 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	4.70"																	45027	45027	45027		45027
P320 Compact and Carry 9mm and .40 S&Wor M18 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7502										7502	7502	7502		7502
P320 Compact and Carry 9mm and .40 S&W or M18 W/ Streamlight TLR-7, Surefire XC-1, XC-2, Nightstick TCM 550, or Inforce APLc	3.90"																	75027	75027	75027		75027
P320 Compact and Carry .45 ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"							7512										7512	7512	7512		7512
P320 X-Carry ACP with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U lights	3.90"																	7522	7522	7522		7522
Sig Pro SPC 2009 w/Sig metal rail adaptor and IT streamlight M3 tactical illuminator light or Insight XTI Procyon NOTE: Retention is reduced by removal of light	3.50"														2782							
Sig Pro P2022 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Insight Technology M3, M6 or M3 LED Tactical Illuminator light, ITI SSL-1, Streamlight TLR-1, TLR-1HL, TLR-2, or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	3.50"														27821							
1911 GSR w/ ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, Streamlight TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, SSL-1 or Insight XTI Procyon. NOTE: Retention is reduced by removal of light	5.00"														25621							
Smith & Wesson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379
39	4.00"				83				83													
59	4.00"				83				83													
410	4.00"								83													
411	4.00"								83													
439	4.00"				83				83													
457	4.00"								83													
459	4.00"				83				83													
469	3.50"				83				54	283		283										
639	4.00"				83				83													
645	5.00"								53						210							
659	4.00"				83				83													
669	3.50"				83				54													
908	3.50"								54													
909	4.00"								83													
910	4.00"								83													
915	4.00"								83													
1006	5.00"								53						210							
1026	5.00"								53						210							
1046	5.00"								53													
1066	4.25"								83													
1076	4.25"								83													
1086	4.25"								83													
3904	4.00"				83				83													
3906	4.00"				83				83													
3913	3.50"				83				54													
3913LS	3.50"				83																	
3913NL	3.50"				83																	
3913TSW w/o light mount	3.50"								54													
3914LS	3.50"				83																	
3953	3.50"								54													

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
3953/3954	3.50"								54						321		320						
4003TSW, 4006TSW (manufacturing date of 4603), 4043TSW, 4046TSW(with rails)	4.00"								744														
4006TSW w/ Picatinny Rails, 4006TSW W/STD Rails BOBBED HAMMER ONLY	4.00"														141								
4006	4.00"				83				83						140								
4013	3.50"				83				54														
4013TSW, 4053TSW (with rails)	3.50"																						
4013TSW w/o light mount	3.50"								54														
4026	4.00"				83				83														
4043	4.00"														140								
4046	4.00"								83						140								
4053	3.50"				83				54														
4053TSW w/o light mount	3.50"								54														
4056TSW w/o light mount	3.50"								54														
4506-1	5.00"								53						210								
4506	5.00"								53						210								
4513TSW w/ Light Rails	3.50"								744														
4516-1 Ver.II.4516-2	3.75"				83				54														
4526	5.00"								53						210								
4536	3.75"				83				54														
4546	5.00"								53														
4553TSW w/o light mount	3.50"								54														
4556	3.75"				83				54			450											
4563TSW, 4566TSW, 4583TSW, 4586TSW (with rails)	4.25"														210								
4566	4.25"								83														
4576	4.25"								83														
4586	4.25"								83						210								
5903	4.00"				83				83						140								
5903TSW, 5906TSW (manufacturing date of 4603), 5943TSW, 5946TSW (with rails)	4.00"				83				83						140								
5904	4.00"				83				83						140								
5906 lgtriggrd	4.00"								83			450											
5906 shrtriggrd	4.00"				83				83			450			140								
5923	4.00"				83				83														
5924	4.00"				83				83														
5926	4.00"				83				83														
5943 shrtriggrd	4.00"								83						140								
5944 shrtriggrd	4.00"								83						140								
5946 lgtriggrd	4.00"				83				83								320						
5946 shrtriggrd	4.00"				83				83						140		320						
5946 & 5943 DAO without Rails	4.00"																320						
6904	3.50"				83				54														
6906 lgtriggrd	3.50"								54														
6906 shrtriggrd	3.50"								54														
6924	3.50"				83				54														
6926	3.50"				83				54														
6944 shrtriggrd	3.50"				83				54														
6946 lgtriggrd	3.50"				83				54								320						
6946 shrtriggrd	3.50"				83				54								320						
Bodyguard .380	2.75"			194																			
Chiefs Special CS40	3.25"								54														
Chiefs Special CS45	3.25"								54														
Chiefs Special CS9	3.00"								54														
Sigma 40, 9mm	4.50"								83						40								
Sigma 9C, 40C, 40V, 9V, 9E	4.00"								83						40								
Sigma SD9VE, 40VE	4.00"									283		283		40									
Sigma 9F, 40F	4.50"								83	283		83			40								
SW99 9mm & .40	4.00"					391			744	283		283	84		40	84	84						
SW99 45ACP	4.25"														86								
M&P 1.0 22 LR	4.25"									283		83				219	219						
M&P 1.0 & 2.0 9 Shield	3.10"	179	179		179				54	179	179	179		179			179	179				179	179
M&P 1.0 & 2.0 40 Shield	3.10"	179	179							179	179	179		179				179				179	179
M&P 1.0 45 Shield	3.30"									179	179	179											
M&P 2.0 9C with or without thumb safety	4.00"	219	219		83	219	219		83	283		83	222	219	219	222	222	222	222	219	222		222
M&P 2.0 40C with or without thumb safety	4.00"	219	219		83	219	219		83	283		83	219	219	219	219	219	219	219	219	219		219
M&P 2.0 9 with or without thumb safety	4.25"	219	219		83	219	219		83	283		83	222	219	219	222	222	222	222	219	222		222
M&P 2.0 40 with or without thumb safety	4.25"	219	219		83	219	219		83	283		83	219	219	219	219	219	219	219	219	219		219
M&P 2.0 9L with or without thumb safety	5.00"	219										683		819	819	818		818	819	818			818

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
M&P 2.0 40L with or without thumb safety	5.00"	219										683		819				819	819	819			819
M&P 2.0 45 without thumb safety	4.60"				83				83	283		283			519	419	419	419	419	419			419
M&P 2.0 45 with or without thumb safety	4.60"				83				83	283		283			519	519	519	419	419	419			419
M&P 1.0 9C & 40C without thumb safety	3.38"	319	319		83	319	319		83	283		183		319	719	219	319						
M&P 1.0 9C & 40C with thumb safety	3.38"	319	319									283											
M&P 1.0 9 & 40 without thumb safety	4.25"	219	219		83	219	219		83	283		83	219	219	219	219	219	219	219	219			219
M&P 1.0 9 & 40 with thumb safety	4.25"	219	21		83	219	219		83	283		83	219	619				219	219	219			219
M&P 1.0 9L & 40L without thumb safety	5.00"									683		683						819	819	819			819
M&P 1.0 9L & 9 Pro without thumb safety	5.00"											683		819	819	819		819	819	819			819
M&P 1.0 9L & 9 Pro with thumb safety	5.00"											683		819		820							
M&P 1.0 45C without thumb safety	4.00"									283		183				919	919						
M&P 1.0 45C with thumb safety	4.00"									283		183				920	920						
M&P 1.0 45 without thumb safety	4.60"				83				83	283		283			519	419	419	419	419	419			419
M&P 1.0 45 with or without thumb safety	4.60"								83	283		283			519	519	519	419	419	419			419
1911	5.00"				53				53			683				53	53	53					53
1911 w/Tactical Rails	5.00"								53			683				56	56	53					53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
4566TSW w/Picatiny Rails and ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon light	4.25"															4302							
M&P 2.0 9 & 40 with SureFire X200, X300	4.25"							2192							2190								
M&P 2.0 9 & 40 W/ M3 or M6, ITI TRL-1 or TRL-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	4.25"														21921								
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192								2222	2222	2222	2192	2222			2222
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192								2192	2192	2192	2192	2192			2192
M&P 2.0 9 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																	8182	8182	8182			8182
M&P 2.0 40 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	5.00"																	8192	8192	8192			8192
M&P 2.0 9 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"															2222	2222	2222	2192	2222			2222
M&P 2.0 40 Compact with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"															2192	2192	2192	2192	2192			2192
M&P 45 2.0 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"															4192	4192	4192	4192	4192			4192
M&P 45 2.0 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"															5192	5192	4192	4192	4192			4192
M&P Shield 9 & 40 1.0 or 2.0 with Crimson Trace Laserguard Pro or TLR-6	3.10"																						17918
M&P 9 & 40 W/ M3 or M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI TRL-1 or TRL-2	4.25"														21921								
M&P 9 & 40 w/ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.25"							2192								2192	2192	2192	2192	2192			2192
M&P 9 & 40 with XC-1	4.25"																	21922	21922	21922			21922
M&P 9 & 40 with SureFire X200, X300	4.25"							2192							2190								
M&P 9 & 40 with SureFire X400 Ultra	4.25"														21914								
M&P 9L, M&P 9 Pro with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Inforce APL Surefire X200, X300, or X300U	5.00"																	8192	8192	8192			8192
M&P 45 without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"															4192	4192	4192	4192	4192			4192

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
M&P 45 with or without thumb safety with ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon lights	4.60"														51921								
M&P 45 with or without thumb safety with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights	4.60"															5192	5192	4192	4192	4192			4192
M&P 45C without thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, or X300U	4.00"															9192	9192						
M&P 45C with thumb safety W/ ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, SureFire X200, X300, X300U	4.00"															9202	9202						
1911 w/Tactical Rails with Surefire X200 or X300 lights	5.00"															560							
Sphinx	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard	4.50"															281							
SDP-S WLI-AA with laser	4.50"															28115	28115						
SDP Compact	3.70"																282						
SDP Subcompact	3.13"				285								285				285						
3000 cocked and locked or with hammer down	3.75"															182							
3000 cocked and locked or with hammer down	4.50"								49							182							
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
SDP Standard w/ W400U	4.50"														28114								
Springfield Armory	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Model1911-A1	5.00"				53				53			683		53	53	53	53	53					53
Operator1911	5.00"								53			683		53	56	56	56	53					53
XD 9mm, 40, and 45	4.00"											450											
XD MOD2 9, .40	4.00"								744			750		48	148	148	148						
XD 9mm, 40, 45 and .357	4.00"								744			450		48	148	148	148						
XD 9mm, 40, 45 and .357	5.00"								49			450		49	149	149	149						
XD MOD2 9mm, 40, 45 and .357	5.00"								49			450		49	149	149	149						
XD 9mm & .40 Subcompact	3.00"		47									750											
XD (M) 9mm	3.80"														148		148						
XD(M) 9mm & .40	4.50"					146			49			450		49	149	149	149						
XD(M) .40	4.50"		47			146			49			450		49	149	146	146						
XD(M) 9mm	4.50"		47			146			49			450		49	149	145	145						
XD(M) 45	4.50"								49			450		49		146							
XD(M) 45	5.25"								49			450		147									
XD(M) 9mm & 40	4.50"											450											
XD(M) 9mm & 40	5.25"											450		49									
XD(M) 9mm	5.25"											450		147									
XD-S	3.30"	45	45		45					895	895	895		45				45				45	45
XD-S 45ACP MOD2	3.30"	45	45		45					283		183		45									
XD-E	3.30"											183											
911	2.75"			188																			
Hellcat																		144				144	144
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 Operator w/Laser/Tac 2 (6v) from Laser Device Inc. Or Streamlight TLR-1 and TLR-2, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S	5.00"														5621								
1911-A1 Non Rail, w/Surefire mount MR07, w/Surefire x200 Light or X300	5.00"														530								
Operator 1911-A1 w/ M3, M6, M3 LED StreamLight or Insight XTO Procyon Light.	5.00"														5621								
Operator 1911-A1 w/ M6X or M3X StreamLight or ITI SSL-1	5.00"														5612								
Operator 1911-A1 with Surefire X200 or X300 light	5.00"															560							
XD 9mm, .40, .45 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2 or Insight XTI Procyon light NOTE: Retention is reduced by removal of light	4.00"														14821								

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
XD 40 & 45 with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"															1482							
XD 9mm with ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.00"															462							
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"														14921								
XD 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"															1492							
XD MOD2 9mm, .40, .45 w/ITI M3, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon NOTE: Retention is reduced by removal of light	5.00"														14921	1492							
XD MOD2 9, .40 w/ITI M3, M6, Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, or Insight XTI Procyon NOTE: Retention is reduced by removal of light	4.00"															14821							
XD(M) .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, or X300U	4.00"																1462						
XD(M) 9mm with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																1452						
XD(M) 40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U, or Insight XTI Procyon lights NOTE: Retention is reduced by removal of light	4.50"																1462						
XD(M) 9mm & .40 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"														14921								
XD(M) .45 with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, M6, TLR-1, TLR-1HL, TLR-2, Surefire X200, X300, X300U, LAS-TAC 2, or Insight XTI Procyon lights	4.50"																1462						
Steyr	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
M40A1	4.00"								744														
STI/SVI	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 with rails	5.00"								53			683					56						53
1911 without rails	5.00"				53				53			683				53							53
2011 with Full Size Dust Cover	5.00"													850									53
2011 with Short Dust Cover	5.00"													851									53
2011 with Short Dust Cover	6.00"													852									
STI Tactical	5.00"								53							56							53
GP6	4.25"								83														51
GP5 9mm	3.58"								744														
DVS 3-GUN	5.40"											683											
Staccato C & C2	3.90"											283											51
Staccato P and P Duo	4.10"											283											51
Staccato P and P Duo	4.40"											83											53
Staccato R	5.00"													56									53
Staccato XL	5.40"											683											
Staccato CM	5.40"											683											
With Lights	BBL.	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/rails: STI 2011 Tactical 5, 2011 Tactical Lite 5, 1911 Duty One w/Surefire X200 or X300 light NOTE: Retention is reduced by removal of light	5.00"															5340							

DUTY GEAR WILL FIT CHARTS
Part 4 Concealment Holsters with and without Lights-Pistols

Revised: 3/13/20

	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/ 5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Stinger	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
S-200															164								
Tangolio	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Force	3.66"														262								
Force Full Size	4.45"														362								
Defiant Stock 1	4.45"													399									
Defiant Stock 2	4.50"													499									
Witness	4.50"									283		283											
Witness P Full Size	4.50"									283		283											
Witness P Compact	3.60"									283		183											
Taser International	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
Advanced Taser M26															63								
X26															64								
X3															163								
Taurus	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
24/7 w/accy rails	4.00"								83	283		283			40								
PT92, PT99C	5.00"								53														
PT99	5.00"								53														
PT99C	4.00"								51														
PT92C	4.00"								51														
PT100	5.00"																						
PT840	4.00"									283		83				268			175	175	175		175
PT809	4.00"									283		83				268							
PT845	4.00"									283		83											
PT111 G2	3.20"								54			183		172									
Spectrum	2.80"			188																			
Walther	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
CCP	3.54"								54	283		283											
PPS	3.20"									283		183											
P5	3.50"								54					87	87								
P99	4.00"					391			54	283		283	84		84	84	84						
P99Q/PPQ M1	4.00"					391	384			283		283		384	384	384	384	384	384	384	384	384	384
P99Q/PPQ M1 and M2 (2008 & newer)	4.00"					391	384			283		283		384	384	384							384
P99, P99Q PPQ, PPQ M2 9mm, .40 S&W	5.00"											683											385
P99Q/PPQ M2 .45 cal	4.00"								744			750											385
P99QA	4.00"									283		283			84	84							
P99C QA	3.50"									283		183	84		84	284	84						
P99 2008 Version	4.00"									283		283					384						
Q5 Match Ploymer Frame	5.00"													385									
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	4.00"							3842									3842						
P99Q/PPQ (2008 & newer) with Inforce APL, Nightstick TWM-350, TWM-350S, TWM-850, TWM-850S, ITI M3, TLR-1, TLR-1HL, Surefire X200, X300, X300U or Insight XTI Procyon lights	5.00"															3852							
Wilson	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 CQB w/light rail	5.00"								744														53
1911	4.88"								53					53	53								53
With Lights	BBL	17/17T	18	25	27	537	547	557	566/567/ 568/569	575	571	576/577/ 578/579	1051	5196/5197/ 5198/5199	6287	6367	6376/6377/ 6378/6379	7053	7287	7367	7371	7376/7377/ 7378/7379	
1911 w/rails: CQB w/Surefire X200 light or X300 NOTE: Retention is reduced by removal of light	5.00"														5340	560							

Although Safariland has attempted to provide accurate information regarding which specific holster models were designed to accommodate specifically identified handguns, human error such as typographical mistakes can and do occur. Therefore, Safariland disclaims any responsibility or liability for, or the consequences resulting from, such errors and urges user of this information to personally check for holster/handgun compatibility using the actual product.